



J E T G R O U P



**2015 summer
SAFETY NEW
PRODUCT SCOOP**



Hi-Viz Surveyor's Safety Vest

V1010850 6694 Hi-Viz Orange

V1010860 6695 Hi-Viz Yellow/Green

- 7.5 oz (260 gsm) poly/cotton
- Mesh panel on each shoulder and on each side
- CSA Z96-09 Class 2 Level 2
- StarTech™ reflective tape
- 5 point tear-away
- Brass snap front closure
- Chest pocket with reflective hook and loop closure on the left
- Chest pocket on the right
- Mid pocket with 2 pen slots on the left
- 2 lower pockets with flaps
- 2 radiophone clip straps
- 2 inside pockets
- Extra-long back for additional coverage
- D ring access slot
- 4 Sizes: S/M, L/XL, 2/3XL, 4/5XL



Hi-Viz Zipper Front Safety Vest

V1022150 156 Hi-Viz Orange

V1022160 159 Hi-Viz Yellow/Green

- 3.5 oz (120 gsm) tricot polyester
- CSA Z96-09 Class 2 Level 2
- StarTech™ reflective tape
- Zipper front
- 2 radiophone clip straps
- 2 sealed flap pockets
- 1 cell phone pocket on left chest
- 3 pen slots on right chest
- Sizes: S-5XL

Hi-Viz Women's Safety Vest

V1021840

139PK Pink

- Tricot polyester interlock
- CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- ID pocket with pen holders
- Full zipper front
- Storage, cell phone and inside pockets
- Radiophone clip strap
- Designed for women with a tapered waist and flared bottom
- Women's Sizes: XS-2XL



Hi-Viz Safety Vest with Snaps

V1021950 6938 Hi-Viz Orange

V1021960 6939 Hi-Viz Yellow/Green

- 3.5 oz (120 gsm) polyester mesh
- CSA Z96-09 Class 2 Level 2
- StarTech™ reflective tape
- ID pocket
- Snap button front
- 5 point tear-away
- Extra-comfortable tear-away chest panels
- 2 sealed flap pockets
- 1 cell phone pocket on left chest
- 3 pen slots on right chest
- D ring access slot
- Sizes: S-5XL



FR Modacrylic Mesh Vest

V2510750 6911 Hi-Viz Orange

V2510760 6917 Hi-Viz Yellow/Green

- 100% FR 3 oz (110 gsm) modacrylic mesh
- Meets CGSB 155.20, 2000 for Type 3 garments — must be worn with an FR sleeved garment
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- 5 point tear-away
- FR hook and loop front closure
- D ring access slot
- 4 Sizes: S/M, L/XL, 2/3XL, 4/5XL



Hi-Viz Safety Vest

V1021580

134N Navy Blue

- Tricot polyester interlock
- CSA Z96-09 Class 1 Level 2
- 3M® Scotchlite® reflective tape
- ID pocket with pen holders
- 3 storage pockets
- Cell phone pocket
- 2 radiophone clip straps
- Adjustable 1 size up at sides
- 4 Sizes: S/M, L/XL, 2/3XL, 4/5XL



Ultra-Cool, Ultra-Breathable Safety Shirt

V1052150 6900 Hi-Viz Orange

V1052160 6901 Hi-Viz Yellow/Green

- Ultra-breathable and moisture-wicking CoolPass® fabric
- Cool and breathable zebra reflective tape
- CSA Z96-09 Class 2 Level 2
- UPF 50+ UV protection
- Reflective patch on each sleeve
- Rib V-neck
- Sizes: S-4XL



"Comfort Plus" Safety Ultra Light Working/Biking Jacket

V1180160 5660

Hi-Viz Yellow/Green

- Ultra-light and flexible micro fibre pongee fabric
- Breathable and water-repellent
- Heat-pressed StarTech™ 2" reflective tape
- CSA Z96-09 Class 1 Level 2
- Full front zipper
- Back vent, adjustable hem and cuffs
- Zippered chest pocket and lower slash pockets
- Extra-long back for additional coverage
- Trimmed with black panels under arms and on both sides
- Sizes: XS-4XL



Ultra-Cool, Ultra-Breathable Long-Sleeved Safety Shirt

V1052250 6904 Hi-Viz Orange

V1052260 6905 Hi-Viz Yellow/Green

- Ultra-breathable and moisture-wicking CoolPass® fabric
- Cool and breathable zebra reflective tape
- CSA Z96-09 Class 2 Level 2
- UPF 50+ UV protection
- Rib V-neck
- Sizes: XS-4XL



Hi-Viz Traffic Control Safety Jacket

V1190160 6007

Hi-Viz Yellow/Green

- 3.5 oz (120 gsm) tricot polyester
- CSA Z96-09 Class 2 Level 2 (Class 3 when worn with 6009 pant)
- Meets Transports Québec P4.34.1 (Road Work Signage)
- StarTech™ reflective tape with orange tricot trim in between bands
- Full front zipper with hook and loop placket
- Collar in contrasting colour
- Black cuffs
- Invisible underarm zippers
- Chest pocket with pen slot on right side
- Shoulder and chest radiophone clip strap on each side
- ID pockets
- Hi-Viz Yellow/Green
- Sizes: XS-4XL

Hi-Viz Traffic Control Safety Pant

V1190260 6009

Hi-Viz Yellow/Green

- 3.5 oz (120 gsm) tricot polyester
- CSA Z96-09 Class 3 Level 2 when worn with 6007 jacket
- Meets Transports Québec P4.34.1 (Road Work Signage)
- StarTech™ reflective tape across knees with orange tricot trim in between bands
- Belt loops
- Hook and loop fly opening and closure on waistband
- Two cargo pockets on each side
- Black hem with hook and loop closure
- Two back pockets with flaps
- Boot access zippers with adjustable ankles
- Hi-Viz Yellow/Green
- Sizes: XS-4XL



FR-Tech™ FR Safety Overall

V2540180 7700 Royal

V254018T 7700T Royal

V2540150 7701 Hi-Viz Orange

V254015T 7701T Hi-Viz Orange



- FR-Tech™ 88% premium cotton blended with 12% high-tenacity nylon, 10 oz (340 gsm)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 9.4 /contact test 5.8
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- Meets NFPA 2112-2012
- ATPV 14 (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- Double-stitched 4" StarTech™ FR reflective tape
- Sewn with inherently FR thread
- Gas detection mesh front pocket
- 2-way FR brass zipper
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable wrists and ankles
- Action back and elastic waist
- 7700/7701 - Sizes: 36-66
- 7700T/7701T - Tall Sizes: 40-66



FR-Tech™ FR Safety Overall

V2540280 7710 Royal

V2540250 7711 Hi-Viz Orange



- FR-Tech™ 88% premium cotton blended with 12% high-tenacity nylon, 10 oz (340 gsm)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 9.4 /contact test 5.8
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR — should worn with an approved FR long-sleeved garment
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- Meets NFPA 2112-2012
- ATPV 14 (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- Double-stitched 4" StarTech™ FR reflective tape
- Sewn with inherently FR thread
- Gas detection mesh front pocket
- 2-way FR brass zipper
- Adjustable elastic suspenders
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Sizes: S-5XL

Hi-Viz Heavy-Duty 100% Waterproof Quilted Overall

V1120950 5046 Hi-Viz Orange

V1120960 5047 Hi-Viz Yellow/Green



- 450 Denier PU coated heavy-duty oxford polyester with 5.9 oz (200 gsm) warm quilted polyester lining
- CSA Z96-09 Class 2 Level 2 (Class 3 when worn with 5020BB/5021BB or 5022/5023)
- Double-stitched StarTech™ reflective tape
- 100% waterproof and windproof
- Double-stitched, taped and heat sealed seams
- 2-way zipper with brass snap storm placket
- Double-layer reinforced knees
- Premium adjustable elastic suspenders with quick-release clips
- Elastic waist
- 2 front slash cargo pockets
- Sealed inside chest pocket with pen slot
- Outside chest pocket with flap
- 20" boot access 2-way leg zippers with snap storm covers
- Sizes: S-5XL



Hood for 300D Ripstop Safety Jacket

V1200350 5400H Hi-Viz Orange

V1200360 5401H Hi-Viz Yellow/Green

• Sizes: Fit-All



300D Ripstop Safety Jacket

V1200250 5400 Hi-Viz Orange

V1200260 5401 Hi-Viz Yellow/Green

- 300 Denier durable ripstop polyester, PU coated
- Abrasion-, puncture- and tear-resistant
- CSA Z96-09 Class 2 Level 2
- StarTech™ reflective tape with polyester knit trim
- Double-stitched and sealed seams
- Fleece-lined collar with chin guard
- 2 radiophone clip straps
- Fully mesh and taffeta lined
- Front and back ventilation
- Embroidery access zipper
- Full front 2-way zipper with snap placket
- Drop back
- 2 lower zip pockets, 2 lower inside pockets, concealed chest zip pocket on left side
- Ribbed elastic waist
- Elastic wrists with hook and loop closure
- Sizes: S-4XL

300D Ripstop Safety Pants

V1200450 5404 Hi-Viz Orange

V1200460 5405 Hi-Viz Yellow/Green

- 300 Denier durable ripstop polyester, PU coated
- 100% waterproof and windproof
- Abrasion-, puncture- and tear-resistant
- CSA Z96-09 Class 3 Level 2 when worn with 5400/5401
- StarTech™ reflective tape with polyester knit trim
- Double-stitched and sealed seams
- Fully lined
- Leg zippers with hook and loop plackets and straps
- Zippered bib pocket
- Zippered fly access on each side
- 5404 - Sizes: S-4XL
- 5405 - Sizes: XS-4XL

Tough 150D Oxford Poly/PVC Rain Suit

V1080250 5608

Hi-Viz Orange

- 2 pieces: hooded jacket and bib pant, fold into zippered storage pouch
- Extra tough 100% waterproof 150 Denier oxford polyester with PVC backing
- CSA Class 1 Level 2
- StarTech™ reflective tape
- Taped and heat sealed seams
- Full back vent for working comfort
- Jacket: 2 lower flap pockets, drawstring with toggle on hem, half mesh lined back, full zipper front, hood folds into collar
- Overall: elastic suspenders, metal buckles, snaps on leg hems to snug to boots
- Sizes: XS-4XL

EuroWear™ Work Pant

V2040440

7016 Beige

- Heavy-duty, 65% polyester 35% cotton, 10 oz (340 gsm) canvas
- Key seams triple stitched for maximum strength
- Cordura®-reinforced knees and ankles
- Knee pad insert slots
- YKK brass fly access zipper
- Knee pouches for inserting #160 or #162 knee pads (sold separately)
- 8 tool and storage pockets
- Pen and knife slots
- Hammer loop
- Extra-wide belt loops

Sizes:

- Length 30, waist 30/32/34/36/38/40
- Length 32, waist 30/32/34/36/38/40/42/44
- Length 34, waist 32/34/36/38/40/42



FR 1/4 Zip Cotton Safety Pullover

V2570570 334 Black

V2570670 334SF Black

- 100% FR treated preshrunk cotton, 12 oz (400 gsm)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 12 / contact test: 10.5
- 334SF - CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 23 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- 334SF - Double-stitched StarTech™ reflective tape
- Sewn with inherently FR thread
- Standup collar with FR 1/4 zip
- Elastic rib cuffs and hem
- Front pouch pocket
- Sizes: XS-5XL



Low-Cut Metal-Free Safety Hiker/Warehouse Shoe

V4810170 1098 Black

- CSA Class 1 composite toe/plate
- CSA Omega electric shock resistant to 18 kV
- Premium, lightweight, metal-free construction
- Contender 88 composite safety toe cap
- Wellmax Flex-05 non-metallic safety sole plate
- Breathable, moisture-wicking nylon mesh lining
- Removable moulded EVA footbed
- Comfortable cushioning Phylon midsole
- Slip-, oil- and wear-resistant Havoc rubber outsole
- Meets BS EN ISO 13287:2007 standard for sole slip resistance
- Upper features breathable nylon mesh panels
- Safety reflective stripe design
- Durable microfibre vamp, quarter and heel
- Sizes 7, 8 to 10.5 (half sizes), 11 to 15



Thermal Wool Blend Sock

V4800370 124B Black mix

- Thermal wool blend (5% wool, 90% polyester, 5% elastane)
- Warm terry knit
- Extra long leg and cuff
- Size: Fit-All
- 1 dz/cs



"Magic" Rolling Duffel Bag with Logos

V6061000 XY106 Black

- Tough 900D oxford polyester
- Hard ABS plastic bottom compartment and frame
- Retractable pull handle, padded top handle, side handles
- Zippered side pocket, gusseted side compartment
- Large main zippered compartment
- Durable oversize wheels





SRL'S



SRL-50502-7



SRL-50602-7



SRL-53302-20

- Cast aluminum housing with swivel attachment point
- Swivel snap hook with fall indicator
- 300-lb capacity for 1 worker (combined weight of person, tools, clothing, etc.)
- Sewn-in load indicator on lifeline (SRL's with webbing only)

Product No.	Description	Housing	Lifeline Material	Working Length	Type
V845525007	SRL-50502-7 SRL 2 Legs w/ Snap Hooks	Aluminum	Webbing	7 ft (2 m)	Type 2
V845526007	SRL-50602-7 SRL 2 Legs w/ Form Hooks	Aluminum	Webbing	7 ft (2 m)	Type 2
Product No.	Description	Housing	Lifeline Material	Working Length	Type
V845533020	SRL-53302-20 SRL w/ Snap Hook	Aluminum	Galv. Steel Cable	20 ft (6 m)	Type 2
V845533040	SRL-53302-40 SRL w/ Snap Hook	Aluminum	Galv. Steel Cable	40 ft (12 m)	Type 2
V845533060	SRL-53302-60 SRL w/ Snap Hook	Aluminum	Galv. Steel Cable	60 ft (18 m)	Type 2



SRL'S



SRL-53303-60



SRL-50302-6



SRL-40302-12

- Plastic housing with swivel attachment point
- 300-lb capacity for 1 worker (combined weight of person, tools, clothing, etc.)
- Sewn-in load indicator on lifeline (SRL's with webbing only)
- Rescue units come with release pins and two-way winding handle, to engage rescue/recovery mode

Product No.	Description	Housing	Lifeline Material	Working Length	Type
V845423012	SRL-40302-12 SRL w/ Snap Hook	Plastic	Webbing	12 ft (3.5 m)	Type 2
V845423018	SRL-40302-18 SRL w/ Snap Hook	Plastic	Webbing	18 ft (5.5 m)	Type 2
V845523006	SRL-50302-6 SRL w/ Snap Hook	Aluminum	Webbing	6 ft (1.8 m)	Type 2

- Cast aluminum housing with swivel attachment point
- Swivel snap hook with fall indicator
- 300-lb capacity for 1 worker (combined weight of person, tools, clothing, etc.)

Product No.	Description	Housing	Lifeline Material	Working Length	Type
V845534060	SRL-53303-60 SRL w/ Recovery	Aluminum	Galv. Steel Cable	60 ft (18 m)	Type 3
V845534108	SRL-53303-108 SRL w/ Recovery	Aluminum	Galv. Steel Cable	108 ft (33 m)	Type 3

®Registered trademark of JET Equipment & Tools Ltd. JET Equipment & Tools Ltd. is not responsible for typography errors.

