# Safety Data Sheet

Dynatex 49560 Anti-Seize & Lubricating Compound

### Section 1. Identification

Product Identifier

Dynatex 49560 Anti-Seize & Lubricating Compound 49560AL10

Synonyms Manufacture Stock

**Numbers** 

49560AL10

Recommended use Uses advised against Refer to Technical Data Refer to Technical Data

Manufacturer Contact

Address

Dynatex Inc. 350 Ring Road

Elizabethtown, KY, 42701

**USA** 

Phone

Emergency

Fax

Phone

(270) 769-3385

(800) 424-N/A 9300 Chemtrec

## Section 2. Hazards I dentification

Classification

N/A

Signal Word

Pictogram

N/A

**Hazard Statements** Precautionary Statements

> N/A Response Prevention N/A Storage N/A Disposal N/A

Ingredients of unknown 0% toxicity

Hazards not Otherwise Classified

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and

proper use of the product. This SDS should be retained and available for employees and other users of this product.

## Section 3. Ingredients

CAS	Ingredient Name	Weight %
Not applicable	There are no additional ingredients present which, within the current knowledge	Unknown

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First-aid Measures

Eye Contact Immediately flush eyes with water for at least 15 minutes. Get

medical attention if irritation develops.

Skin Contact Wash affected area throughly with soap and water. Remove

contaminated clothing and launder before re-use. Get medical

attention if irritation develops.

Inhalation Remove to fresh air. If symptoms persist, obtain appropriate

medical attention.

Ingestion Do not induce vomiting. Keep warm. Get medical attention.

## Section 5. Fire Fighting Measures

Suitable Extinguishing N/A

Media

Procedures

Unsuitable N/A

Extinguishing Media

Extinguishing Media Carbon Dioxide, Dry Chemical, Foam

Special Fire Fighting Cnemical, Foam
Fight like a fuel oil fire.

Cool fire exposed containers with water spray. Use water to keep fire exposed containers cool to prevent pressure build-up. Fire fighter should wear OSHA/NIOSH approved self-contained

Unusual Fire or Some known breathing apparatus.

Explosion Hazards

Hazardous

Decomposition Products

Thermal breakdown of this product during fire or

very high heat conditions may evolve the following hazardous decomposition products: Carbon Dioxide Carbon Monoxide Trace

metal oxides

#### Section 6. Accidental Release Measures

Steps to be taken in case of spill or release

Stop flow, scrape, wipe, mop up or absorb with diatomaceous earth or other inert material. Disposal should be in accordance with local, state, and federal regulations.

## Section 7. Handling and Storage

Handling Spills may cause slippery floors. Proper footwear required. Remove

contaminated clothing and launder before reuse. Wash hands with soap and water before eating, drinking or smoking. Discard

contaminated leather gloves and shoes.

Storage Avoid storage near open flame or other sources of ignition.

## Section 8. Exposure Controls/Personal Protecction

Occupational Exposure Limits

Ingredient Name

ACGIH OSHA STEL
There are no additional ingredients present which, within the current knowledge

ACGIH OSHA STEL
TLV PEL STEL

Personal Protective Equipment

Eye Protection
Skin Protection

Respiratory Protection

Other Duetestive

Other Protective Equipment

Hygiene Measures

N/A

Safety goggles or glasses with side shields are recommended. Use neoprene or nitrile rubber gloves to prevent skin contact. No respiratory protection should be needed with good local ventilation.

Use chemical-resistant apron or other impervious clothing, if needed, to avoid contaminating regular clothing, which could

result in prolonged or repeated skin exposure.

Exercise good industrial hygiene practice. Wash after handling,

especially before eating, drinking or smoking.

# Section 9. Physical and Chemical Properties

Physical State	Soft solid	
Color	Aluminum	
Odor	Petroleum	
Odor Threshold	Not	
	available	
Solubility	Insoluble in	
	water	
Partition coefficient Water/n-	Not	
octanol	available	
Viscosity	Not	
	available	
Specific Gravity	1.1	
Density Ibs/Gal	N/A	
Pounds per Cubic Foot	N/A	
Flash Point	221.11C	
	420F	
FP Method	COC	
Ph	Not	
	available	
Melting Point	Not	
	available	
Boiling Point	Not	
	available	
Boiling Range	N/A	
LEL	N/A	
UEL	N/A	
Evaporation Rate	Not	
	available	
Flammability	Not	
	available	
Decomposition Temperature	Not	
	available	
Auto-ignition Temperature	Not	
	available	
Vapor Pressure	Not	
	available	
Vapor Density	Not	
	available	

NoteThe above information is not intended for use in preparing product specifications. Contact Accumetric LLC before writing specifications.

## Section 10. Stability and Reactivity

Chemical Stability Stable
Hazardous Will not

Polymerization

Will not occur

Materials to Avoid / Incompatibility

Avoid contact with strong oxidizing agents.

Conditions to Avoid Do not heat above flash point. Do not weld.

## Section 11. Toxicological Information

Component Toxicology

No known applicable information.

Information

Special Hazard Information on Components

Carcinogenicity

No known applicable information.

This product is not known to be a carcinogen.

## Section 12. Ecological Information

Fate and Effects in

Complete information is not yet available.

Waste Water Treatment

**Plants** 

Environmental Fate and Complete information is not yet available.

Distribution

**Environmental Effects** Complete information is not yet available.

## Section 13. Disposal

Waste Disposal Method We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

# Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	N/A
DOT Classification	N/A
Packing Group	N/A

**Road Shipment** Information (DOT) Air Shipment (IATA)

Ocean Shipment (IMDG)

Not subject to DOT regulations. Not subject to IATA regulations.

Not subject to IMDG

code.

## Section 15. Regulatory Information

The contents of this MSDS comply with the OSHA Hazard

Communication Standard 29 CFR 1910.1200.

TSCA Status All chemical substances found in this product comply with the

Toxic Substances Control Act inventory reporting requirements.

SARA Title III Section

302 Extremely

Hazardous Substances

SARA Titre III Section None

304 CERCLA Substances

dangereuses

SARA Title III Section 313 Toxic Chemicals

California Proposition

65

Aluminum (7429-90-5)

This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement

Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: None known

New Jersey Aluminum (7429-90-5)

Pennsylvania Aluminum (7429-90-5) Graphite (7782-42-5)

#### Section 16. Other Information

Revision Date Disclaimer

2/19/2015

The data contained herein is based upon information that Accumetric LLC believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.