Page 1/3

	Safety Data Sheet	
Printing date 02/23/2016	Revise	ed On 02/23/2016
1 Identification of the substance a	nd manufacturer	
Trade name:	MRO ALUMINUM (GALLONS)	
Product code:	0000011411	
Product category Manufacturer/Supplier:	PC9a Paints and coatings. Seymour of Sycamore	
	917 Crosby Avenue	
	Sycamore, IL 60178 Phone: 815-895-9101 www.seymourpaint.com	
Emergency telephone number:	CHEMTEL 1-800-255-3924, or 813-248-0585.	
2 Hazard(s) identification Classification of the substance or m Flam. Liq. 2 H225 Highly flammable I Eye Irrit. 2A H319 Causes serious ey STOT RE 1 H372 Causes damage to GHS Hazard pictograms	iquid and vapor.	
Signal word	Danger	
Hazard statements	Highly flammable liquid and vapor.	
	Causes serious eye irritation. Causes damage to the central nervous system through prolonged or repeated exposed	sure.
Precautionary statements	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wash hands thoroughly after handling.	
	Do not eat, drink or smoke when using this product.	
	Wear protective gloves / eye protection / face protection. Wear protective gloves/protective clothing/eye protection/face protection.	
	Keep container tightly closed.	
	Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.	
	Use only non-sparking tools.	
	Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray.	
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with w	/ater/shower.
	If in eyes: Rinse cautiously with water for several minutes. Remove contact lense and easy to do. Continue rinsing.	es, if present
	Get medical advice/attention if you feel unwell.	
	In case of fire: Use for extinction: CO2, sand, extinguishing powder. If eye irritation persists: Get medical advice/attention.	
	Store in a well-ventilated place. Keep cool.	ntornational
	Dispose of contents/container in accordance with local/regional/national/in regulations.	memational
3 Composition/information on ing		
Chemical characterization: Mixtures Chemical Description:	This product is a mixture of the substances listed below with nonhazardous addition	C
Dangerous components:		15.
64742-47-8 Mineral Spirits		39.27%
7429-90-5 Aluminum flake		8.85%
64742-89-8 VM&P Naphtha		5.78%
8052-41-3 Stoddard Solvent 2807-30-9 Glycol Ether EP		4.76%
64742-95-6 Solvent naphtha, light aro	matic	1.36%
4 First-aid measures		
After skin contact:	Remove contaminated clothing. Wash exposed area with soap and water.	
After eye contact: After swallowing:	Rinse opened eye for several minutes under running water. Rinse out mouth and then drink plenty of water.	
-	Rinse mouth with water. Do not induce vomiting.	
Most important symptoms and effects:	No further relevant information available.	
Indication of any immediate medical		
attention needed:	No further relevant information available.	
E Eiro fighting managemen		
5 Fire-fighting measures Special hazards:	No further relevant information available.	
Protective equipment for		
firefighters:	No special measures required.	
6 Appidentel release measure		
6 Accidental release measures Personal precautions, protective		
equipment and emergency		
procedures: Methods and material for	Wear protective equipment. Keep unprotected persons away.	
containment and cleaning up:	Ensure adequate ventilation.	
J T		Contd. on page 2)

Printing date 02/23/2016

Safety Data Sheet

Revised On 02/23/2016

Page 2/3

nting date 02/23/2016	Revised On 02/23/20
ade name: MRO ALUMINUM (GALLONS)	
	(Contd. of page Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Handling and storage	
Precautions for safe handling Storage requirements:	Use only in well ventilated areas. Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezir conditions. Store locked up.
Exposure controls/personal pro	tection
	require monitoring at the workplace:
7429-90-5 Aluminum flake	
PEL (USA) Long-term value: 15*; 15* *Total dust; ** Respirable	* mg/m³
REL (USA) Long-term value: 10* 5**	
as AI*Total dust**Respira	blē/pyro powd./welding f.
TLV (USA) Long-term value: 1* mg/m as Al; *as respirable fract	
8052-41-3 Stoddard Solvent	
PEL (USA) Long-term value: 2900 m	
REL (USA) Long-term value: 350 mg/ Ceiling limit value: 1800*	/m³ ma/m³
*15-min	
TLV (USA) Long-term value: 525 mg, Hygienic protection:	/m³, 100 ppm Keep away from foodstuffs and animal feed. Wash hands after use.
	Wash hands after use.
Breathing equipment:	Do not eat or drink while working. Not required.
Hand protection:	Nitrile gloves.
Eye protection:	Protective gloves. The glove material must be impermeable and resistant to the substance. Tightly sealed goggles
Physical and chemical propertie	S
Appearance: Odor threshold:	Liquid. Not determined.
pH-value:	Not determined.
Melting point/Melting range Boiling point:	Undetermined. 85 °C (185 °F)
Flash point: Flammability (solid, gas):	-19 °C (-2 °F) Highly flammable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
Lower Explosion Limit: Upper Explosion Limit:	0.5 Vol % 6.5 Vol %
Vapor pressure:	Not determined.
Vapour density	Not determined.
Evaporation rate Partition coefficient: n-octonal/wate	Not determined.
Solubility:	Not determined.
Viscosity:	Not determined.
VOC content:	493.6 g/l / 4.12 lb/gl
VOC content (less exempt solvents MIR Value:): 52.5 % 0.00
Solids content:	51.8 %
Stability and reactivity Conditions to avoid:	No decomposition if used according to specifications.
Possibility of hazardous reactions:	No dangerous reactions known.
Incompatible materials: Hazardous decomposition:	No further relevant information available. No dangerous decomposition products known.
Toxicological information	
LD/LC50 values that are relevant fo	
64742-95-6 Solvent naphtha, light a Oral LD50 >6800 mg/kg (radius)	
Dermal LD50 >3400 mg/kg (ra Inhalative LC50/4 h >10.2 mg/l (rat)	
DermalLD50>3400 mg/kg (raInhalativeLC50/4 h>10.2 mg/l (rat)Information on toxicological effects	: No data available.
Dermal LD50 >3400 mg/kg (ra Inhalative LC50/4 h >10.2 mg/l (rat)	

Page 3/3

Printing data 02/22/2016	Deviced On 02/02/04/
Printing date 02/23/2016	Revised On 02/23/2016
Trade name: MRO ALUMINUM (GALLONS)	
	(Contd. of page 2
Sensitization:	No sensitizing effects known.
Carcinogenic categories	
IARC (International Agency for Rese	earch on Cancer)
None of the ingredients is listed.	
NTP (National Toxicology Program)	
None of the ingredients is listed.	
12 Ecological information	
Aquatic toxicity: Persistence and degradability:	Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes.
Bioaccumulative potential:	No further relevant information available.
Mobility in soil:	No further relevant information available.
Other adverse effects:	No further relevant information available.
13 Disposal considerations	the and federal conditions. Denote matters is in the terms of Definition of the
Dispose of in accordance with local, s	state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans mus at or cut empty containers with electric or gas torches.
Recommendation:	Completely empty cans should be recycled.
14 Transport information	
UN-Number	UN1263
DOT	Consumer Commodity ORM-D
ADR	1263 Paint
Transport hazard class(es): Class	3 Flammable liquids
Marine pollutant:	No
Special precautions for user:	Warning: Flammable liquids
EMS Number	
EMS Number:	F-E, <u>S-E</u>
UN "Model Regulation":	F-E, <u>S-E</u> UN1263, Paint, 3, II
UN "Model Regulation":	
UN "Model Regulation": 15 Regulatory information	UN1263, Paint, 3, II
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazard	UN1263, Paint, 3, II dous substances):
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product	UN1263, Paint, 3, II dous substances): : are listed.
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch	UN1263, Paint, 3, II dous substances): : are listed.
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product	UN1263, Paint, 3, II dous substances): are listed. hemical listings):
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake	UN1263, Paint, 3, II dous substances): are listed. hemical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake CPSC:	UN1263, Paint, 3, II dous substances): a are listed. hemical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. a known to cause cancer:
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake CPSC: California Proposition 65 chemicals None of the ingredients in this product CANADIAN ENVIRONMENTAL	UN1263, Paint, 3, II dous substances): are listed. hemical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. s known to cause cancer: are listed.
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake CPSC: California Proposition 65 chemicals None of the ingredients in this product CANADIAN ENVIRONMENTAL PROTECTION ACT:	UN1263, Paint, 3, II dous substances): are listed. memical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. known to cause cancer: are listed. All hazardous ingredients for this product appear on the Canadian Domestice Substance List.
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake CPSC: California Proposition 65 chemicals None of the ingredients in this product CANADIAN ENVIRONMENTAL	UN1263, Paint, 3, II dous substances): are listed. hemical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. known to cause cancer: are listed. All hazardous ingredients for this product appear on the Canadian Domestice Substance List. B2 - Flammable liquid
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake CPSC: California Proposition 65 chemicals None of the ingredients in this product CANADIAN ENVIRONMENTAL PROTECTION ACT:	UN1263, Paint, 3, II dous substances): are listed. memical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. known to cause cancer: are listed. All hazardous ingredients for this product appear on the Canadian Domestice Substance List.
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake CPSC: California Proposition 65 chemicals None of the ingredients in this product CANADIAN ENVIRONMENTAL PROTECTION ACT:	UN1263, Paint, 3, II dous substances): are listed. hemical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. known to cause cancer: are listed. All hazardous ingredients for this product appear on the Canadian Domestice Substance List. B2 - Flammable liquid
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake CPSC: California Proposition 65 chemicals None of the ingredients in this product CANADIAN ENVIRONMENTAL PROTECTION ACT: WHMIS Symbols for Canada:	UN1263, Paint, 3, II dous substances): are listed. hemical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. known to cause cancer: are listed. All hazardous ingredients for this product appear on the Canadian Domestice Substance List. B2 - Flammable liquid
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake CPSC: California Proposition 65 chemicals None of the ingredients in this product CANADIAN ENVIRONMENTAL PROTECTION ACT: WHMIS Symbols for Canada: EPA:	UN1263, Paint, 3, II dous substances): are listed. hemical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. known to cause cancer: are listed. All hazardous ingredients for this product appear on the Canadian Domestice Substance List. B2 - Flammable liquid
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake CPSC: California Proposition 65 chemicals None of the ingredients in this product CANADIAN ENVIRONMENTAL PROTECTION ACT: WHMIS Symbols for Canada:	UN1263, Paint, 3, II dous substances): are listed. hemical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. known to cause cancer: are listed. All hazardous ingredients for this product appear on the Canadian Domestice Substance List. B2 - Flammable liquid
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake CPSC: California Proposition 65 chemicals None of the ingredients in this product CANADIAN ENVIRONMENTAL PROTECTION ACT: WHMIS Symbols for Canada: EPA: None of the ingredients is listed.	UN1263, Paint, 3, II dous substances): are listed. hemical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. known to cause cancer: are listed. All hazardous ingredients for this product appear on the Canadian Domestice Substance List. B2 - Flammable liquid
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake CPSC: California Proposition 65 chemicals None of the ingredients in this product CANADIAN ENVIRONMENTAL PROTECTION ACT: WHMIS Symbols for Canada: EPA:	UN1263, Paint, 3, II dous substances): are listed. memical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. known to cause cancer: are listed. All hazardous ingredients for this product appear on the Canadian Domestice Substance List. B2 - Flammable liquid B6 - Reactive flammable material
UN "Model Regulation": 15 Regulatory information SARA Section 355 (extremely hazar None of the ingredients in this product SARA Section 313 (Specific toxic ch 7429-90-5 Aluminum flake CPSC: California Proposition 65 chemicals None of the ingredients in this product CANADIAN ENVIRONMENTAL PROTECTION ACT: WHMIS Symbols for Canada: EPA: None of the ingredients is listed.	UN1263, Paint, 3, II dous substances): are listed. hemical listings): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. known to cause cancer: are listed. All hazardous ingredients for this product appear on the Canadian Domestice Substance List. B2 - Flammable liquid