Printing date 02/08/2016 Revised On 01/15/2016

1 Identification of the substance and manufacturer

STRIPE RED/ORANGE FLUORESCENT Trade name:

0000200958 **Product code:**

PC9a Paints and coatings. **Product category** Seymour of Sycamore Manufacturer/Supplier:

917 Crosby Avenue Sycamore, IL 60178 Phone: 815-895-9101 www.seymourpaint.com

Emergency telephone number: CHEMTEL 1-800-255-3924, or 813-248-0585.

2 Hazard(s) identification

Classification of the substance or mixture

Flam. Aerosol 1 H222 Extremely flammable aerosol.

Press. Gas H280 Contains gas under pressure; may explode if heated.

Repr. 1B H360 May damage fertility or the unborn child.

STOT SE 3 H335 May cause respiratory irritation.

GHS Hazard pictograms

GHS02 GHS04 GHS07 GHS08

Signal word Danger

Hazard statements Extremely flammable aerosol.

Contains gas under pressure; may explode if heated. May damage fertility or the unborn child.

May cause respiratory irritation.

Obtain special instructions before use. **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use

Use only outdoors or in a well-ventilated area.

Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapors/spray.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor if you feel unwell.

Store locked up

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Protect from sunlight. Store in a well-ventilated place. Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international

regulations.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions.

Dangerous components:					
Calcium Carbonate	27.32%				
propane	15.74%				
VM&P Naphtha	10.4%				
n-butane	9.25%				
Mineral Spirits	8.15%				
heptane	6.51%				
isobutyl acetate	5.45%				
N-methyl-2-pyrrolidone	0.36%				
	Calcium Carbonate propane VM&P Naphtha n-butane Mineral Spirits heptane				

4 First-aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Remove contaminated clothing. Wash exposed area with soap and water.

Rinse opened eye for several minutes under running water. Then consult a doctor. After eye contact:

Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. After swallowing:

Most important symptoms and

effects:

Dizziness

Indication of any immediate medical

attention needed: No further relevant information available.

5 Fire-fighting measures

Protective equipment for

Extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray. Special hazards: Can form explosive gas-air mixtures.

firefighters: A respiratory protective device may be necessary. Printing date 02/08/2016 Revised On 01/15/2016

Trade name: STRIPE RED/ORANGE FLUORESCENT

(Contd. of page 1)

6 Accidental release measures

Personal precautions, protective equipment and emergency

procedures:

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Methods and material for containment and cleaning up:

Ensure adequate ventilation.

7 Handling and storage

Precautions for safe handling

Use only in well ventilated areas.

Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up. Storage requirements:

8 Exposure controls/personal protection

6 Exposure controls/personal protection						
Components	with limit values that require monitoring at the workplace:					
74-98-6 propane						
PEL (USA)	Long-term value: 1800 mg/m³, 1000 ppm					
REL (USA)	Long-term value: 1800 mg/m³, 1000 ppm					
TLV (USA)	refer to Appendix F inTLVs and BEIs book					
106-97-8 n-butane						
REL (USA)	Long-term value: 1900 mg/m³, 800 ppm					
TLV (USA)	Short-term value: 2370 mg/m³, 1000 ppm					
142-82-5 heptane						
PEL (USA)	Long-term value: 2000 mg/m³, 500 ppm					
REL (USA)	Long-term value: 350 mg/m³, 85 ppm					
	Ceiling limit value: 1800* mg/m³, 440* ppm *15-min					
TLV (USA)	Short-term value: 2050 mg/m³, 500 ppm					
	Long-term value: 1640 mg/m³, 400 ppm					
110-19-0 isobutyl acetate						
PEL (USA)	Long-term value: 700 mg/m³, 150 ppm					
REL (USA)	Long-term value: 700 mg/m³, 150 ppm					
TLV (USA)	Short-term value: NIC-712 mg/m³, NIC-150 ppm					
	Long-term value: (713) NIC-238 mg/m³, (150) NIC-50 ppm					
872-50-4 N-methyl-2-pyrrolidone						
WEEL (USA)	Long-term value: 10 ppm					
	Skin					

Ingredients with biological limit values:

872-50-4 N-methyl-2-pyrrolidone

BEI (USA) 100 mg/L

Medium: urine Time: end of shift

Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone

Hygienic protection: Keep away from foodstuffs and animal feed. Wash hands after use.

Immediately remove all soiled and contaminated clothing.

Wash hands after use.

Do not eat or drink while working.

Breathing equipment: A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be

worn. If you suspect overexposure conditions exist, please consult an authority on chemical

hygeine.

Hand protection: Nitrile gloves.

Protective gloves. The glove material must be impermeable and resistant to the substance.

Eye protection: Tightly sealed goggles

9 Physical and chemical properties

Appearance: Aerosol Odor: Aromatic Odor threshold: Not determined. pH-value: Melting point/Melting range Not determined. Undetermined. **Boiling point:** -44 °C (-47 °F) -19 °C (-2 °F) Flash point: Extremely flammable. Flammability (solid, gas):

Decomposition temperature: Not determined. Auto igniting: Product is not self-igniting.

Danger of explosion: In use, may form flammable/explosive vapour-air mixture. **Lower Explosion Limit:** 1.7 Vol %

Upper Explosion Limit: 10.9 Vol % Vapor pressure: Not determined.

(Contd. on page 3)

(Contd. of page 2)

Printing date 02/08/2016 Revised On 01/15/2016

Trade name: STRIPE RED/ORANGE FLUORESCENT

Relative Density: Between 0.77 and 0.85 (Water equals 1.00)

Vapour density Not determined. **Evaporation rate** Not applicable. Partition coefficient: n-octonal/water: Not determined. Solubility: Not determined. Viscositý: Not determined. **VOC** content: 432.7 g/l / 3.61 lb/gl

VOC content (less exempt solvents): 57.1 % MIR Value: 0.62 Solids content: 42.9 %

10 Stability and reactivity

Reactivity: Stable at normal temperatures.

Conditions to avoid: Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing

temperatures.

Chemical stability: Not fully evaluated.

Possibility of hazardous reactions: No dangerous reactions known.

Incompatible materials: No further relevant information available. Hazardous decomposition: No dangerous decomposition products known.

11 Toxicological information

LD/LC5	0 values th	at are relevant for classification:		
	8 n-butane			
Inhalativ	/e LC50/4 ł	658 mg/l (rat)		
110-19-0 isobutyl acetate				
Oral	LD50	4763 mg/kg (rbt)		
872-50-4 N-methyl-2-pyrrolidone				
Oral	LD50	3600 mg/kg (rat)		

Information on toxicological effects: No data available. Skin effects: No irritant effect. No irritating effect. Eye effects:

8000 mg/kg (rbt)

Sensitization: No sensitizing effects known.

Carcinogenic categories

LD50

Dermal

IARC (International Agency for Research on Cancer)

None of the ingredients is listed. NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

Aquatic toxicity: Persistence and degradability: Hazardous for water, do not empty into drains.

The product is degradable after prolonged exposure to natural weathering processes.

Bioaccumulative potential: No further relevant information available. Mobility in soil: No further relevant information available.

Ecotoxical effects:

Remark: Toxic for fish

Other adverse effects: No further relevant information available.

13 Disposal considerations

Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

Recommendation: Completely empty cans should be recycled.

14 Transport information

UN-Number UN1950 DOT UN1950

DOT Consumer Commodity ORM-D

Aerosols, flammable

Transport hazard class(es):

Class

2.1 Marine pollutant: Yes

Symbol (fish and tree)

Special marking (ADR): Symbol (fish and tree) Special precautions for user: Warning: Gases EMS Number: F-D,S-Ŭ

Packaging Group: UN "Model Regulation": UN1950, Aerosols, ENVIRONMENTALLY HAZARDOUS, 2.1

D

Printing date 02/08/2016 Revised On 01/15/2016

Trade name: STRIPE RED/ORANGE FLUORESCENT

(Contd. of page 3)

15 Regulatory information

SARA Section 355 (extremely hazardous substances):

None of the ingredients in this product are listed.

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

CPSC:

This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.

California Proposition 65 chemicals known to cause cancer:

100-41-4 ethyl benzene

California Proposition 65 chemicals known to cause developmental

toxicity:

CANADIAN ENVIRONMENTAL PROTECTION ACT: WHMIS Symbols for Canada:

872-50-4 N-methyl- pyrrolidone

All hazardous ingredients for this product appear on the Canadian Domestice Substance List.

A - Compressed gas



F	P	Δ	

142-82-5 heptane

110-19-0 isobutyl acetate

D

16 Other information

Contact:
Date of preparation / last revision

Regulatory Affairs 02/08/2016 / -