

MANUFACTURED WITH THE HIGHEST QUALITY MATERIALS
LARGE SPRAY BUTTON WITH ADJUSTABLE HORIZONTAL OR VERTICAL FAN SPRAY
VALUE ADDED 20 OUNCE CAN



SANDING PRIMERS



All Seymour PBE PROFESSIONAL Sanding Primers are manufactured to give you excellent adhesion to all types of metal, aluminum and prepared surfaces.

- Dry to touch 5 minutes
- Recoat anytime
- Dry to sand 5 minutes
- Dry to top coat 10 minutes
- Packaged in 20 Ounce Cans/6 Per Case



WELD THRU PRIMER

Seymour PBE PROFESSIONAL Weld thru primer provides excellent adhesion and anti-corrosion protection to bare metal. This protection also applies to welded surfaces. Enjoy the advantage of weld through ability.

- Dry to touch 10 minutes
- Dry to top coat 30 minutes
- Packaged in 20 Ounce Cans/6 Per Case



20-1675 Gray



GRAY FILLER PRIMER

Seymour PBE PROFESSIONAL Filler Primer contains higher solids for filling deeper surface scratches and blemishes.

Dries fast to form a hard sandable surface.

- Dry to touch 5 minutes
- Dry to top coat 10 minutes
- Packaged in 20 Ounce Cans/6 Per Case

20-1674 Gray

TRIM COLORS

Seymour PBE PROFESSIONAL trim colors are formulated using an acrylic resin that resists U.V. fading and chemical attack.

- Dry to touch 5 minutes
- Dry to to top coat 15 minutes
- Packaged in 20 Ounce Cans/6 Per Case



1K CLEAR ACRYLIC

Incredibly resistant to corrosion and impervious to most oils & solvents.

- Dry to touch 10 minutes
- Tack free in 30 minutes
- Packaged in 20 Ounce Cans/6 Per Case





- Ideal for Use in the Automotive, Industrial, Aeronautical and Marine Industries
- Quick Dry Time (10 Minutes to Touch) and Excellent Solvent Resistance
- Specially Formulated for Use with a Wide Variety of Paints; Acrylics, Enamels, Lacquers, Two-Component Epoxy and Aliphatic Polyurethanes
- Exceptional Protection Against Rust and Corrosion, Including Sea Coast Exposure
- Chemically Bonds with Iron, Steel and Aluminum to Form a Hard, Highly Adherent, Water-Resistant Coating
- Packaged in 16 Ounce Cans/6 Per Case





i den i de la competition

REWIER

16-899 Green 16-897 Yellow

QUIET SEAL I 20-6

Autobody undercoating for application to undercarriage for rust protection and sound deadening qualities. Asphalt based - remains pliable and resists temperature extremes. Does not contain lead, CFC's, chromates or chlorinated solvent. Packaged in 20 Ounce Cans/12 Per Case

QUIET SEAL II 20-46

A rubberized undercoating for all automobile under surfaces. Seals out rust producing moisture and acts as a sound barrier. Does not contain lead, CFC's, chromates or chlorinated solvents.

Packaged in 20 Ounce Cans/12 Per Case

GLASS CLEANER 20-20

Non-abrasive, quick acting. Retards fogging, brightens and polishes. Use on glass, mirrors, and painted surfaces, etc. Packaged in 20 Ounce Cans/12 Per Case

SPRAY MATCH BLENDS

WATER BLEND 16-393 A specialized blend of water, solvents and propellant that will aerosolize most water based paints. SOLVENT BLEND 16-395 A special blend of solvents and propellant that can be used to aerosolize most enamel, lacquer, vinyl, acrylic paints and stains. Packaged in 16 Ounce Cans/12 Per Case

FILL MACHINES & ACCESSORIES

Z-1501 & Z-2001: Fills cans of the universal water and universal solvent blends with your custom color. Fill one can for a small job or twenty cans for a large job.

Z-100: Flexible and portable. Easily add a second component to Seymour's pre-charged custom fill blend cans at time of application. No mess or extensive cleaning. Reusable.

"The Inventor of Aerosol Spray Paint"

917 Crosby Avenue • Sycamore, Illinois 60178-1394 Phone: 800-435-4482 or 815-895-9101 • Fax: 800-343-4258 or 815-895-8475

Web Site: www.seymourpaint.com





Part # 7032 01/16

of SYCAMORE, INC.



Z-2001 neumatic I Machine





to Body ercoati

System 15

Z-1501 Hand Operated Fill Machine