



"The Inventor of Aerosol Spray Paint"



Seymour of Sycamore, Inc.

917 Crosby Avenue • Sycamore, Illinois 60178 • P 800.435.4482/815.895.9101 • F 800.343.4258/815.895.8475 • seymourpaint.com

www.seymourpaint.com



TABLE OF CONTENTS

INTRODUCTION

Seymour's History.....3

GENERAL USE/SPECIALTY COATINGS

Grass & Shrub Renew.....4
 Spruce.....5-6
 Enamel, Metallics and Engine
 Hi-Tech7-8
 Enamel, Lacquer and Engine
 Fresh-n-Quick.....9
 Great American Colors.....10
 Technical Sprays11
 Roofing Accessory Paint.....11
 Cleaners12
 Alumi-Match12
 White Out.....12
 Ceiling Tile.....12
 Epoxy.....12
 Spray-Glo13
 Hot Spot.....13
 Good Grip.....13
 Seal it.....13
 Rapid Seal.....13
 Graffiti Remover.....14
 Stainless Steel14
 Galvanized Coatings.....14
 Primers14

INDUSTRY PAINTS

MRO15-16
 Reflective Coating17
 Farm and Industry.....17
 Green Rebar.....17

PRIVATE LABEL

Matchmaker.....18

MARKING PAINTS

Inverted Tip19-20
 Air, Waterbased, Solvent Based, Latex, Temporary
 and Paver's Reflective
 Athletic Field and Golf & Turf21-22
 Traffic Ready23-24
 Regular, Extra and Latex
 Tree & Industrial25
 Econo-Mark25
 Upright Marking.....25
 Accessories26-28
 Machines, Displays and Templates

AUTOMOTIVE

Big Rig.....29
 Tool Crib30
 PBE Professional31
 Quiet Seal32
 Alumi Blast and Cast Blast.....32
 Chrome Brite32
 X-treme FX.....32
 Black Wrinkle.....32
 Truck Bed Coating.....32

UNIVERSAL BLENDS

Spray Match.....33-34
 Automotive Blends33-34
 Athletic Water Blends.....33-34
 PBE Universal Blends33-34
 Filling Machines35-36

DISPLAYS & HEADERS

Z-48 and Z-61237
 Z-120 and Z-24038



Visit our website, www.seymourpaint.com for our complete paint and product line, new products and additional product information!

INTRODUCTION

Seymour's History

Celebrating Over 65 Years of Quality Service

The Beginning — In 1949, Mr. Edward H. Seymour met the challenge. The first can of aerosol spray paint was in production, and consequently Seymour of Sycamore became recognized as "The Inventor of Aerosol Spray Paint". It was quickly recognized in those early years that expansion would be necessary. As depicted in the accompanying graphic, purchasing twelve acres of land for future expansion proved to be a wise decision.

Where We Are Today — Seymour's mission has been to provide the highest quality products to our customers. We continue this mission today with a continuous effort to improve our manufacturing process, products and customer service. Our dedicated staff has over 1100 years of experience in producing the quality products that you have come to expect from Seymour.

Our Network — Combined manufacturing, warehousing and office facilities now occupy approximately 170,000 square feet. This makes Seymour of Sycamore one of the largest independently owned basic aerosol paint manufacturers in the world.



Edward H. Seymour is recognized as the inventor of aerosol spray paint, an idea fostered by his wife Bonnie in 1949. Seymour of Sycamore is now one of the largest independently owned aerosol paint manufacturers in the industry.



SPECIALTY COATINGS

Grass & Shrub Renew




Grass & Shrub Renew [20-602] — Restore a lush green look to your lawn with this fast drying paint. Cover up brown spots while still allowing new grass and shrubbery to grow. Will not harm grass or shrubs and does not wash away with rain or irrigation. Can be sprayed by hand or with the #Z-13 spray handle.

Suggested Uses:

- Brown spots in lawns & shrubbery
- Grass stressed by fertilization and drought
- Lawns that turn brown in the hot summer months
- Avoid fines from your homeowner's association

20 ounce cans, packaged 12 in a case.



PRODUCT OVERVIEW

GENERAL USE PAINTS

Spruce® > Enamel • Lacquers • Metallics • Engine

High Quality Paints for Indoor & Outdoor Use

Spruce General Use spray paint is formulated to give you a full service line of quality, low priced aerosol products.

- Designed for close-up (8-10") spraying
- Eliminates wasted paint, over-spraying and sag
- Does not contain lead, CFC's or chlorinated solvents

Spruce Engine Paint quickly restores the OEM appearance of automotive and marine engines and transmissions.

- Resists blistering, peeling or cracking at normal engine temperatures
- Resistant to rust, heat and chemicals
- OEM colors available

Primers are specially formulated paint intended to be used on bare surfaces to improve the effectiveness of a finish coating.

- Finish coat may be applied within 20 minutes
- Use on most types of bare wood and metal surfaces
- Sandable - gives finish coat a professional appearance
- Top coat with any Seymour finish paint

16 ounce cans, packaged 12 in a case.



 Chrome Aluminum 98-1/41	 Gloss White 98-2	 Gloss Black 98-3/18	 Gloss Cherry Red 98-4	 Gold [Metallic] 98-5	 Brass [Metallic] 98-6	 Gloss Smoke Gray 98-7
 Gloss Hunter Green 98-8	 Flat Black 98-10/30	 Gloss Clear 98-11	 Flat White 98-12	 Satin White 98-13	 Copper [Metallic] 98-14	 Light Gray 98-15
 Black 98-16	 Nickel [Gun Metal Gray] 98-17	 Gloss Brick Red 98-20	 Gloss Tan 98-22	 Gloss Almond 98-23	 Satin Black 98-24	 Red Iron Oxide Primer 98-26
 Gloss Dove Gray 98-27	 Gloss Orange 98-28	 Gloss Clear 98-31	 Dull Aluminum [Metallic] 98-32	 Gloss Light Yellow 98-34	 Gloss Medium Blue 98-35	 Gloss Brown 98-36
 Gloss Light Blue 98-37	 Semi-Gloss Black 98-38	 Gloss Pink 98-39	 Universal Black [GM] 98-42	 Ford Gray 98-43	 Ford/Chrysler Red 98-44	 Ford Blue 98-46
 Chevy Orange 98-48	 Universal Gold [Metallic] 98-50	 Cadillac Blue 98-56	 GM Blue 98-67	 Parrot Green 98-81	 Gloss Dark Yellow 98-86	 Gloss Dark Blue 98-87
 Gloss Bright Green 98-88	 Gloss Purple 98-89					

GENERAL USE PAINTS

Hi-Tech® [Enamel • Lacquer • Engine]

Hi-Tech Coating Paints







































Hi-Tech Enamel — A premium grade spray paint formulated for general purpose applications where maximum indoor/outdoor coating performance is required. Hi-Tech provides a tough finish that inhibits rust and resists heat and gasoline. Available in a complete line of high gloss colors, with some available in semi-gloss and flat finishes. Hides well, dries fast, and resists chipping and peeling.

Hi-Tech Metallics and Lacquers — A fast drying lacquer base spray paint that provides durable indoor and outdoor protection. Resistant to the effects of weather and many chemicals. Resists abrasion and heat (250°F).

Hi-Tech Engine Enamels — This is a heat resistant spray paint that restores engines to their original factory color. Protects engines, transmissions, and other O.E.M. Equipment. This paint dries fast, has superior durability, and is resistant to gasoline oil and heat (300°F).

16 ounce cans, packaged 12 in a case.



 Aluminum 16-111	 Dove Gray 16-112	 Gloss White 16-113/813	 Gloss Black 16-115/815	 Safety Yellow 16-116	 Dark Gray 16-117	 Safety Orange 16-120
 Gloss Clear UV 16-121/821	 True Red 16-122	 Gloss Green 16-126	 Gloss Blue 16-127	 Hunter Green 16-128	 Safety Blue 16-129	 Gloss Brown 16-130
 Vista Green 16-131	 Dull Aluminum 16-132	 Flat Black 16-133	 Flat White 16-134	 Semi-Gloss Black 16-139/838	 Colonial White 16-140	 Dull Black 16-806
 Gold 16-812	 Chrome Aluminum EN-41	 Universal [GM] Black EN-42	 Ford Gray EN-43	 Ford/Chrysler Red EN-44	 Ford Blue EN-46	 Chevy Orange EN-48
 Universal Gold [Metallic] EN-50	 Ford & Mustang Blue EN-56	 General Motors Red EN-59	 Alpine Green [Detroit Diesel] EN-60	 Chrysler Blue EN-63	 AMC Blue [Metallic] EN-66	 GM Blue EN-67
 Gloss Clear EN-70	 Dull Aluminum EN-71	 Cummins Beige EN-73				

GENERAL USE PAINTS

Fresh-N-Quick®

Multi-Purpose Spray Enamel

A high quality spray paint available in a wide range of popular colors and economically priced. Black and white available in a gloss or flat finish. It covers well, dries fast, and holds up well outdoors. Bare or rusted surfaces should be cleaned and primed with Fresh-N-Quick Gray Primer [11-15].

16 ounce cans, packaged 6 in a case.



GENERAL USE PAINTS

Great American Colors®

All Around Good Quality Paint

Great American Colors come in a wide range of colors. They have a quick dry formula and can be used on most types of metal, wood, and wicker for indoor/outdoor use. Resists cracking, peeling and chipping and are environmentally friendly. They do not contain lead, chromates, chlorinated solvents and CFC's. Use Great American Colors aerosol products wherever a durable finish is required.

16 ounce cans, packaged 6 in a case.



SPECIALTY COATINGS

Technical Sprays • Roof Accessory Paint

C-Block [16-394] — A corrosion resistant lubricant that prohibits electrolytic reaction between dissimilar metals. This aids in the disassembly of mating parts that are subjected to extreme heat, pressure and friction. Reduces wear and prevents galling and seizure up to 1000°F (538°C). Will not wash, scrape or burn off. An extension tube is furnished as well for pinpoint application.

16 ounce cans, packaged 6 in a case.

Rust Converter [16-45] — Seymour's Rust Converter can be applied to any iron or steel surface to penetrate rust and turn it into a protective black coating. This protective coating will be resistant to moisture and prevents future rust growth. Greatly reduces time spent wire brushing and sanding. Durable and tough, it can be left as is, but is also compatible with most top coats.

16 ounce cans, packaged 6 in a case.

Plasta Wrap® [16-2410] — This unique product is an aerosol coating that forms a skin-tight rubber film which will not lose flexibility and can be peeled away at any time. It prevents nicks and scratches on a variety of surfaces including metal, wood, glass, fiberglass and plastic. Also resists humidity, corrosion, chipping and household chemicals.

16 ounce cans, packaged 12 in a case.

Roof Accessory Paint — High quality rust resistant enamel designed for use by the professional roofing contractor. Excellent for stacks, vents, flashings, valleys and other residential roof renovations. For all metal, vinyl, wood, masonry & PVC roof accessories, stacks and vents. Not for asphalt shingle surfaces.

16 ounce cans, packaged 12 in a case.



SPECIALTY COATINGS

Brite & Clear® • Stainless Steel Cleaner • Alumi-Match®
• White Out • Ceiling Tile • Epoxy

Brite and Clear® [20-20] — A quick working glass cleaner for many applications. Contains ammonia plus several other powerful cleaning additives. Brightens and polishes without leaving a film.

20 ounce cans, packaged 12 in a case.

Stainless Steel Cleaner [20-21] — A fast acting, non-abrasive cleaner that brightens and polishes stainless steel appliances and other fixtures. This powerful cleaner cuts through grease and does not leave a filmy residue. Excellent for commercial and industrial applications.

20 ounce cans, packaged 12 in a case.

Alumi-Match® — A professional grade touch-up paint that matches the color of most extruded aluminum building structures. Touch-up scratches and abrasions before or after installation on doors, window frames, siding and gutters.

16 ounce cans, packaged 12 in a case.

White Out — A primer sealer that blocks out and seals stains made by smoke, fire, water lipstick, ink, crayon, grease or other similar household products. Interior/exterior applications with excellent hiding qualities.

16 ounce cans, packaged 12 in a case.

Ceiling Tile — A water based formulation for touching up stains that appear on both textured and acoustical ceiling tiles. Designed to spray in the upright position for easy overhead applications.

20 ounce cans, packaged 12 in a case.

Epoxy — A specially formulated coating that dries to form a porcelain hard finish with exceptional durability. Resists most harsh cleaners and chemicals. High gloss finish that is resistant to chipping, cracking and peeling. Able to withstand heavy use which makes it ideal for use in kitchens, bathrooms, on machinery and floors.

16 ounce cans, packaged 12 in a case.



SPECIALTY COATINGS

Spray-Glo • Hot Spot® • Good Grip® • Seal It • Rapid Seal

Spray Glo — An ultra high visibility coating that has 400% greater visibility than regular paint. Suggested uses include hobby models, house numbers, outdoor equipment, safety markings, warning signs.

16 ounce cans, packaged 12 in a case.

Hot Spot® — A special formulation that can withstand temperatures up to 1200°F on a continuous basis. A porcelain-like bond is formed at high temperatures. Resists blistering, peeling, discoloration, or loss of adhesion.

16 ounce cans, packaged 12 in a case.

Good Grip — Seymour's Good Grip aerosol is manufactured with a special plastic bead suspended in an epoxy resin system. Good Grip is designed to improve traction on most surfaces. The quality resin system will stand up to tough industrial demands, but works equally well for a do-it-yourselfer because of its ease of application. Meets the OSHA recommended static coefficient of friction (0.5).

16 ounce cans, packaged 12 in a case.

Seal-It — This is a multi-purpose sealant that seals small cracks and does not lose flexibility. Resists water, protects against UV sunlight and will not crack in cold temperatures. The thermoplastic elastomer base makes it an ideal product for sealing leaks around roofs, windows and doors. Can be topcoated with oil or latex paints as well.

20 ounce cans, packaged 12 in a case.

Rapid Seal [20-146] — A tough, flexible, rubberized sealant for applications on a variety of surfaces. Elastic barrier seals out moisture. Can be top coated after curing with no bleed through.

20 ounce cans, packaged 12 in a case.



SPECIALTY COATINGS

Graffiti Remover • Stainless Steel • Primer • Galvanized

Graffiti Remover [20-47] — A multi-purpose formula for effectively removing graffiti from almost any surface. Ideal for use as a gasket remover. Adheres to vertical surfaces. Works quickly and applies with minimal overspray.

20 ounce cans, packaged 12 in a case.

Stainless Steel [16-54] — Contains 100% 316L stainless steel pigment. Provides maximum protection against weather, sunlight, oil and water. USDA authorized for incidental contact in Federally inspected meat and poultry plants.

16 ounce cans, packaged 6 in a case.

Galvanized Coatings

Spra-Galv® [16-845] — Weld thru primer that protects iron and steel surfaces even when scratched. Dry film is 90% zinc which results in less smoke and electrode wear when welding.

Shiny Galv [16-841] — A smooth, zinc enhanced compound that dries to form a durable, crack resistant coating on iron and steel surfaces. Excellent for restoration of chain link fences and guard rails.

O.E. Shiny Galv [16-842] — Dried paint film contains a minimum of 65% zinc. Considered a sacrificial coating and meets ASTM A780 specifications.

Cold Galv [16-1445] — Effective touch-up for all marred or hot dipped galvanized surfaces. Dries to form a durable, crack resistant coating to protect iron and steel surfaces.

16 ounce cans, packaged 6 in a case.

Primers — A fast drying spray primer that provides maximum rust protection and adhesion for a finishing top coat. Can be used with lacquer, enamel, and acrylic paints. Provides excellent resistance to heat and corrosion. VOC compliant. For best results, sand lightly with fine sandpaper or steel wool prior to applying finish coat.

16 ounce cans, packaged 6 in a case.



INDUSTRY PAINTS

MRO® High Solids

MRO Industrial Enamel — A superior industrial spray paint formulated for maintenance operations where maximum performance is required. This high solids paint does not run or sag, and gives twice the coverage of conventional spray paints. Resists oil, gas, heat and sunlight.

20 ounce cans, packaged 6 in a case.

MRO Stainless Steel — A special formulation containing stainless steel pigment to provide maximum corrosion resistance and protections against weather, sunlight, oil, and water. Authorized for use in food processing plants in the USA and Canada. Dries quickly to a satin sheen finish. Recommended for use as a topcoat and not a primer.

20 ounce cans, packaged 6 in a case.


































MRO Industrial Primers — A rust proof industrial primer formulated specifically for use with MRO Industrial Protective Coatings. This high solids paint gives twice the coverage of conventional aerosol primers. Heat resistant, VOC compliant, and fast drying.

20 ounce cans, packaged 6 in a case.

MRO Gallons — A superior industrial grade enamel paint formulated for heavy duty applications where maximum performance is required. This paint has excellent adhesion, protects against rust and corrosion, and is heat resistant to 300°F. Can be applied by brush, roller, or sprayer.

1 gallon, packaged 4 in a case, except 1-1445 is packaged 1 in a case



 Red Iron Oxide Primer 620-1407/1-1407	 Aluminum 620-1411/1-1411	 Flat White 620-1412	 Gloss White 620-1413/1-1413	 Gloss Black 620-1415/1-1415	 Gray [ANSI 61] 620-1416	 Dark Machinery Gray 620-1417/1-1417
 Light Machinery Gray 620-1418/1-1418	 Safety Yellow 620-1419/1-1419	 Safety Red 620-1423/1-1423	 Light Blue 620-1425	 Deep Blue 620-1426	 Safety Blue 620-1427/1-1427	 Lift Blue 620-1430
 Light Gray Primer 620-1431/1-1431	 SJ Orange 620-1432	 Flat Black 620-1433/1-1433	 Tan 620-1435	 JL Orange 620-1436	 SB Green 620-1437	 Forklift Orange 620-1438
 Waste Blue 620-1440	 IHC Red 620-1441	 Equipment Yellow 620-1443/1-1443	 Cold Galvanize 1-1445	 Ryder Yellow 620-1446	 Cummins Beige 620-1447	 Cascade Green 620-1448
 Dark Green 620-1449	 Omaha Orange 620-1450	 Safety Orange 620-1451/1-1451	 Safety Green 620-1452/1-1452	 Sandstone 1-1480		

INDUSTRY PAINTS

Reflective • Green Rebar • Farm & Industry

Reflective Coatings — These extremely durable coatings are formulated using glass microsphere technology. The water base polyurethane resin, extremely fade resistant pigments and reflective glass spheres ensure years of bright reflection. These products are useful to mark safety hazards or objects which need to be located in low-light or dark areas: fire hydrants, industrial equipment, safety equipment, guard rails, electrical switch boxes, gas meters, boat piers, docking buoys, to name a few. They reflect brightly back to the source of light, a flashlight or headlights, for example. They are known as retroreflective (night brightness) products.

16 ounce cans, packaged 12 in a case.



Clear
16-511



Yellow
16-516



Fire Hydrant Red
16-530



Aluminum Base Coat
16-532

Green Rebar [16-547] — Rebar Epoxy is a fast drying industrial coating with built-in high performance under exacting conditions, including gasoline, chemicals and many solvents. It is used on rebar cut-offs and many other structural steel applications, to provide a true barrier to uncoated steel rebar which retards rust and lowers life cycle costs. Also available in gallons.

16 ounce cans, packaged 12 in a case/1 gallon cans, packaged 4 per case.



Green Rebar
16-547/1-547

Farm & Industry — Farm and Industry paint not only environmentally safer, but economical to use. More coverage and better hide per can requires fewer cans to get the job done. Seymour Farm and Industry spray enamel is heat resistant to 300°F, and dries quickly to a hard, long-lasting finish. Offered in a wide variety of factory-matched colors that won't fade, chip, crack or peel and is resistant to many chemicals including gasoline, oil and grease. Excellent for touch-up on farm tractors, implements, industrial and construction equipment.

16 ounce cans, packaged 12 in a case.



Allis Chalmers Orange
16-210

Equipment Yellow [old]
16-212

Equipment Yellow
16-213

IHC Red
16-214

Farm & Implement Case Green
16-224

Ford Blue
16-242

Farm & Implement New Yellow
16-266


Farm & Implement New Green
16-268

Case Power Tan
16-272

School Bus Yellow
16-286

PRIVATE LABEL

Matchmaker



In house, we offer MATCHMAKER®, a computer matched spray paint and chemical service. We duplicate and clone your product. Minimum 600 cans each and every order per part number. MATCHMAKER® or generic black and white labels are available with your name, color or specs imprinted on every can.

PRIVATE LABEL, like MATCHMAKER®, also requires the minimum of 600 cans of each and every order per part number equivalent to one 55 gallon drum. You and our graphic department can coordinate designs for your label.

20 oz > 480 can minimum order

16 oz > 600 can minimum order

We Offer:

- Short Production Runs in as little as 480 cans – means you do not need to carry a large inventory
- Custom Color Match – means you can offer your customers the exact color they need
- In House Graphics & Printing – means we will help develop a Private Label just for you
- You deal directly with Seymour – No 3rd Party Supplier
- We can create labels quickly – means we can ship Private Label orders in as little as 3 weeks after initial order
- Our JIT Label Inventory – means we can control costs
- Lithograph quality label provided using our Ryobi 755 5-Color Printing Press
- Reverse Engineering – means we can replicate Competitors formulas, chemicals

MARKING PAINTS

Inverted Tip Utility Marker - Waterbased

Heavy-duty Industrial Marking & Striping Systems that are Environmentally Formulated

Seymour Stripe® products are formulated to address today's environmental concerns while providing efficient and dependable performance in a wide range of marking applications. From utilities and construction to recreational and maintenance applications, Seymour offers a Stripe product suited to your needs.

Inverted Tip Marker — A heavy-duty industrial marker available in water and solvent based formulations. The no-clog, fast drying formula is available in a full range of construction and APWA colors. All come with the Seymour converta-cap, a specially designed protective cover that does not need to be removed before using. This provides the user with a convenient marking tool without the worry of accidentally spraying. Seymour's Spray Tip allows product to be used with most types of marking equipment.

Solvent based is a fast drying marking paint designed to be sprayed in an inverted position. Produces vivid marks, does not clog, and is safe for grass. The solvent based formulation works well in low temperatures. Meets APWA color standards and is VOC compliant.

16 and 20 ounce cans, packaged 12 in a case.

Inverted 3-Series Marker — A fast drying marking paint designed to be sprayed in an inverted position. Uses a patented technology to cut the environmental impact in half (as compared to standard solvent based marking paint). Produces vivid marks, does not clog, and is safe for grass. The solvent based formulation works well in low temperatures. Meets APWA color standards.






20 ounce cans, packaged 12 in a case.

Temporary Inverted Tip Marker — A patented temporary marking paint that dries fast and produces vivid lines. Temporary marking paint is water soluble and can be removed immediately with a garden hose or gradually after a few rains. Covers approximately 400 linear feet per can.

20 ounce cans, packaged 12 in a case.

Can be applied using our Z-605 and Z-606 marking accessories.



 Clear* 20-631	 Aluminum* 20-651	 White 16/20-652 20-352/633/952	 Precaution Blue 16/20-653 20-353/630/953	 Red Fluorescent 16/20-654 20-354/954	 Safety Green 16/20-655 20-355/629/955	 Orange Fluorescent 16/20-657 20-357/637/957
 Red/Orange Fluorescent 16/20-658 20-358/958	 Light Blue 16-659	 Black [Asphalt] 20-363/663	 Green Fluorescent 16/20-668 20-368/968	 Blue Fluorescent 16/20-669 20-369/969	 Alert Orange 16/20-670 20-370	 Safety Red 16/20-671 20-371/635/971
 Hi-Viz Yellow 16/20-676 20-376/636/976	 Caution Yellow [Highway] 16-677	 Utility Yellow 20-378/678/978	 Pink Fluorescent 16/20-679 20-379/979	 Purple 20-380/638/680		

*Available only in Solvent Base. Solvent Label Series start with 9XX & Temporary Series start with 63X and are only available in 20 ounce cans.

MARKING PAINTS

Athletic Field and Golf & Turf

Athletic Field Marker — Specially formulated for line striping athletic fields. Engineered for use in the inverted position for quick and easy application with Seymour's turf machine (Z-607). Makes 3" - 6" wide stripes. One can will stripe approximately 300 linear feet. Can be applied using our Z-607 and Z-608 marking accessories.

20 ounce cans, packaged 12 in a case.

Bulk Athletic Field Marker — A long lasting field marking paint for grass and dirt. This biodegradable paint is VOC compliant, safe for grass, and dries in 30 minutes. Will not harm the uniforms or players, and can be applied by brush, roller or airless spray to produce well defined stripes. Recommended dilution ratio: Two parts water to one part paint for white. For the other colors, do not exceed one part water to one part paint. Can be applied using our Z-613 Pump-N-Go Machine.

Available in 5 gallon pails and 1 gallon pre-mix that is ready to spray.

Golf & Turf Marker — A 20 oz water-base marker for use on golf courses and other porous applications. Formulated not to harm grass, this marker is not water soluble and will not wash away during rain or irrigation. This marker comes with the Seymour converta-cap. Can be applied using our Z-605 and Z-606 marking accessories.

20 ounce cans, packaged 12 in a case.












Synthetic Turf Marker — A long lasting athletic field paint that makes crisp, well defined stripes in one application. This product is extremely durable on synthetic turf and will not flake or rub off on player uniforms. Can be easily removed with a pressure washer and does not leave ghost marks. Safe for grass, dries in 15 minutes, and has the lowest VOC content of any aerosol marking paint. One can will stripe approximately 300 linear feet (at 4 inch stripes). Makes stripes 3-5 inches wide using our Z-607 Turf Machine. The universal sprayhead also works in competitive marking machines as well.

20 ounce cans, packaged 12 in a case.

Penalty Marker [6-9999] — This innovative product is a vanishing white foam that allows soccer referees to mark where players may stand during free kicks. The non-toxic formulation disappears in minutes, does not stain shoes, and is safe for grass. The can spray is triggered with your index finger and fits conveniently into a pocket or small holster.

8 ounce cans, packaged 6 in a case.



						
Blue Fluorescent 20-622	Hi-Viz Yellow 20-623 5-821	Yellow 20-624/696 5-824	Blue 20-640/693 5-840	Red 20-643/694 5-843	White 20-644/692 5-844/21-844	Orange 20-645
						
Green 20-695	Red/Orange Fluorescent 20-698	Grass Green 5-822	Orange Fluorescent 5-845			

MARKING PAINTS

Traffic Ready

Traffic Marker — A water-base paint formulated with high pigment solids ideally suited for a wide range of applications including concrete, blacktop, gravel or dirt. Not affected by water.

20 ounce cans, packaged 12 in a case.

Traffic Extra Marker — Formulated for heavy-duty application in high traffic areas. This marker offers maximum adhesion and durability. Stripe Extra is easily applied and dries quickly to provide a durable coating. Non-bleed formulation is ideal for freshly paved parking lots.

20 ounce cans, packaged 12 in a case.

Latex Traffic Marker — A water-borne formulation for line striping. Engineered to be used in the Z-604 Traffic Machine for quick and easy application on concrete, blacktop and most other surfaces.

20 ounce cans, packaged 12 in a case.

Concrete & Asphalt Renew — Permanent marking paints that remain on streets and sidewalks after they're needed can be a nuisance. Concrete (20-600) and Asphalt (20-701) Renew will cover up those marks, helping you avoid the time and expense of using paint stripper. The concrete coating has a similar texture and color to most sidewalks. The jet black coating is asphalt based — identical to standard driveway sealers. Both are quick dry, highly durable, and are compatible with our Z-604 marking machine.

20 ounce cans, packaged 12 in a case.

Paver's Reflective Marker — Unique marking paint system provides considerable cost savings and ease of application when compared to reflective tape. Can be applied immediately to hot asphalt and dries in less than two minutes. Produces an easily visible line. Reflects brightly, day or night.

20 ounce cans, packaged 12 in a case.

Can be applied using our Z-602, Z-604 and Z-608 marking accessories.



White
20-642/782/842



Yellow
20-646/786/846



Red
20-647



Handicap Blue
20-648/848



Dark Handicap Blue
20-649/789



Clear
20-780



Fluorescent Yellow School Safety Zone
20-781



Black
20-783

MARKING PAINTS

Tree & Industrial • Econo-Mark • Upright

Tree and Industrial Marker — Seymour's Tree and Industrial Marker is a permanent water-base spray paint designed for marking trees, grading steel, identifying lumber, mine marking and other industrial uses where color coding is required. Formulated to produce a highly visible mark with a narrow, concentrated spray. Its water-base formula reduces the flammability hazard and potential damage to trees, but the paint is not water soluble. Higher paint solids and reduced VOCs mean increased coverage per can and less solvents sprayed into the environment. It is easy to use, long lasting and non-clogging and offers brighter, more vivid marks even on porous surfaces.

16 ounce cans, packaged 12 in a case.

Econo-Mark — Seymour's Econo-Mark is a truly economical marking paint for the petrochemical, forestry, lumber industries and other industrial uses. A specially designed spray head makes it quick and easy to write, spot or line mark on pipes, trees, logs, lumber, steel, etc. The water-base formula provides reduced flammability, high opacity and non-clogging benefits, and yet the paint is long lasting and will not wash away with water. It is VOC compliant, safer for the environment and very economical to use.

16 ounce cans, packaged 12 in a case.

Upright Marking Spray — A 20 oz. water-base formulation designed for all types of overhead applications. Uses include mining operations, bridge and building construction, color coding of piping and HVAC systems.

20 ounce cans, packaged 12 in a case.



MARKING PAINTS

Stencils & Displays

Stripe Product Line Displays and Headers

Stencils — Reusable stencil board or heavy duty plastic. 3" letter & number kit, 24" & 48" handicap symbols, 3" & 12" visitor, no parking, reserved, and firelane.

Stripe Traffic Machine Display [Z-610] — The unit holds 24 cans of Stripe products*, one Traffic Machine [Z-604]*, and two Marking Wands [Z-606]*.

*Not included

Stripe Traffic Machine Mini Display [Z-611] — This unit holds one Traffic Machine [Z-604]*.

*Not included



MARKING PAINTS

Striping Machines/Accessories

Traffic Marking Machine Z-602

[Small]

New smaller size designed exclusively for Stripe Traffic Paints providing greater maneuverability. This easy-to-use machine applies crisp, even 2 to 4 inch lines to concrete or asphalt.

Traffic Marking Machine Z-604

Designed exclusively for Stripe Traffic Paints. This easy-to-use machine applies crisp, even 2 to 4 inch lines to concrete or asphalt.

Marking Wand Z-606/608

The Z-606 is used with a variety of Stripe inverted tip marking paints (those with a straight tip). This lightweight tool is ideal for a wide range of precise marking applications. The Z-608 is great for marking curbs, applying numbers and logos. Works with Stripe Traffic and Athletic marking paints (T-tips or pyramid shaped tips) only.

Stripe® Gun Z-605

Compact and light-weight, this tool is ideal for free-hand marking with any Stripe Inverted Tip Marking Paint.

Athletic Marking Machine Z-607

For use with Stripe Athletic Field Marking Paints. Allows application of lines to range from 3 to 6 inches on athletic fields or other turf surfaces.

Pump-N-Go Machine Z-613

For use with Seymour's Ready to Spray Athletic Field Marking Paints. Incorporates a reusable 2 gallon container with a hand pump actuator.















AUTOMOTIVE


Big Rig®

Goes the Extra mile

A superior, lead-free high solids coating that covers 3-4 times more than standard aerosols. An industrial coating formulated for fleet maintenance applications where maximum performance is required. Big Rig protects against rust, weather, oil, gasoline and most corrosive chemicals. This professional coating also resists abrasion and heat, withstands high humidity and has single coat hiding. Heat resistant up to 300°F.

20 ounce cans, packaged 6 in a case.

			
Aluminum 20-1611	Fleet White 20-1613	Gloss Frame Black 20-1615	Fleet Red 20-1623
			
Light Gray Primer 20-1631	Flat Black 20-1633	Medium Gray [Bumper Paint] 20-1635	Equipment Yellow 20-1643
			
Cummins Beige 20-1647	Cast Blast 20-1648	Stainless Steel 20-1660	School Bus Yellow 20-1686



AUTOMOTIVE

Tool Crib®

Tool Crib® Chemicals

A complete line of chemical and lubricant products that will keep your equipment clean and running smoothly. Most products come with an all position valve that allows use in any position, even upside down.

20 ounce cans, packaged 6 in a case.

Silicone Lube 620-1500	Open Gear Lube 620-1501	Chain & Cable Lube 620-1502	Dry Moly Lube 620-1505
Dry Graphite Lube 620-1506	Heavy Duty Anti-Seize 620-1507	Red Insulating Varnish 620-1525	Electric Motor Contact Cleaner 620-1526
Tinted Ignition Sealer 620-1529	Carb & Choke Cleaner 620-1536	Contractor's Grade Adhesive 620-1538	5 Way Corrosion Inhibitor & Lube 620-1541
Penetrating Oil 620-1543	Non-Chlorinated Brake & Parts Cleaner 620-1548	Tool Cutting Oil 620-1557	Toolmaker's Blue Layout Ink 620-1558
Toolmaker's Layout Ink Remover 620-1559	Cleaner/ Degreaser 620-1568	Cleaner/ Degreaser 1-068 Gallon	

Application Guide

TYPICAL COMPONENTS

PRODUCT	GEARS SPROCKETS	CHAINS CABLES	THREADED CONNECTIONS PRESS FIT	WAYS/ SLICES	BEARINGS	CHUCKS COLLETS LATHE CENTERS
SILICONE	YES	YES		YES	YES	
OPEN GEAR	YES	YES				
CHAIN & CABLE		YES		YES	YES	
DRY MOLY	YES	YES	YES	YES	YES	YES
DRY GRAPHITE	YES	YES	YES	YES	YES	YES
5-WAY CORROSION INHIBITOR		YES	YES	YES	YES	
PENETRATING OIL			YES	YES		
ANTI-SEIZE			YES		YES	YES

TYPICAL COMPONENTS

PRODUCT	SPEED	HIGH* TEMP	LOW* TEMP	HEAVY LOADS	CORROSIVE WET	DUSTY DIRTY
SILICONE	1,2,3	400°F	-40°F	NO	YES	YES
OPEN GEAR	1	150°F	-10°F	YES*	YES	YES
CHAIN & CABLE	1,2,3	150°F	-50°F	YES	YES	YES
DRY MOLY	1,2,3	600°F	-100°F	YES*	NO	YES
DRY GRAPHITE	1,2,3	750°F	-100°F	YES*	YES	YES
5-WAY CORROSION INHIBITOR	1,2,3	150°F	-20°F	NO	YES	NO
PENETRATING OIL	N/A	150°F	-20°F	N/A	YES	NO
ANTI-SEIZE	1	750°F	0°F	YES*	YES	YES
ELECTRIC MOTOR/CONTACT CLEANER	N/A	N/A	N/A	N/A	N/A	N/A
ADHESIVE	N/A	250°F	-20°F	N/A	YES	NO
TOOL CUTTING OIL	N/A	N/A	N/A	N/A	N/A	N/A
BLUE LAYOUT INK	N/A	N/A	N/A	N/A	N/A	N/A
LAYOUT INK REMOVER	N/A	N/A	N/A	N/A	N/A	N/A

*Continuous Service
1 = less than 500 RPM
3 = 2,000+ RPM

2 = 500 - 2,000 RPM
4 = EXTREMELY HEAVY LOADS

AUTOMOTIVE

PBE Professional

Comes in a Can, but Sprays like a Gun

Professional grade products for the automotive repair specialist that provide high quality results. Complete line of primers and top coat products with a large button, fan tip spray.


Self Etching/Sanding Primers — Sanding Primers are manufactured with a modified acrylic resin to give you excellent adhesion to all types of metal, aluminum and prepared surfaces.

Self Etching/Weld Thru Primers — Weld thru self etching primer provides excellent adhesion and anti-corrosion protection to bare metal. This protection also applies to welded surfaces. Bonds to trim and molding to give you a smooth surface for top coating. Enjoy the advantage of weld through ability.

Gray Filler Primer — Filler Primer contains higher solids for filling deeper surface scratches and blemishes. Dries fast to form a hard sandable surface.

Trim Colors — Trim colors are formulated using an acrylic resin that resists U.V. fading and chemical attack.

20 ounce cans, packaged 6 in a case.



AUTOMOTIVE

Quiet Seal • Alumi & Cast Blast®

- Chrome Brite • X-treme FX®
- Black Wrinkle • Truck Bed Coating



Quiet Seal

Rubberized Undercoating [20-46] — A paintable undercoating for all vehicle undercarriages. Forms a rubberized skin that reduces road noise and protects metal from salt corrosion and road debris. Dries fast and does not sag. Does not “bleed-thru” when topcoated.

Undercoating [20-006] — An autobody undercoating for application to the undercarriage for rust protection and sound deadening. Asphalt base undercoating remains pliable and resists temperature extremes. Sprays evenly and dries completely to a smooth consistency. Does not sag and dries quickly.

20 ounce cans, packaged 12 in a case.

Alumi Blast® [16-55] — A high quality coating that provides rebuilt cast aluminum parts with a factory-fresh appearance. Easy to apply without smudging. Resists corrosion and protects against abrasions.

16 ounce cans, packaged 6 in a case.

Cast Blast® [16-48] — A professional grade coating that restores rebuilt cast iron engine parts to their original luster. Quick drying, durable, and non-abrasive, Cast Blast prevents rust and can be top coated with OEM colors.

16 ounce cans, packaged 6 in a case or 5-gallon pails and 55-gallon drums

Chrome Brite [16-41] — A primer sealer that blocks out and seals stains made by smoke, fire, water lipstick, ink, crayon, grease or other similar household products. Interior/exterior applications with excellent hiding qualities.

16 ounce cans, packaged 6 in a case.

X-treme FX® [16-1034] — A distinctive, highly brilliant metallic coating that combines the look of chrome with the durability of a professional acrylic enamel. An excellent replacement for “chrome-like” metallics that burnish or rub off.

16 ounce cans, packaged 6 in a case.

Black Wrinkle [16-2448] — A durable black wrinkle paint that is gasoline and heat resistant. It has excellent hiding qualities and can be used where conventional coatings break down. Two coats are needed to achieve the wrinkle texture, can recoat 3 minutes after the first coat. The wrinkling effect does not appear immediately after spraying. Allow 8 hours to cure.

16 ounce cans, packaged 6 in a case.

Truck Bed Coating [20-41] — This product is a thick, durable black sealant that forms a protective skin that is both tough and flexible. Protects against corrosion and abrasion, withstands impacts, provides improved traction, and resists water. With its fast cure time and excellent adhesion, Truck Bed Coating greatly extends equipment and vehicle life expectancy.

20 ounce cans, packaged 6 in a case.

UNIVERSAL BLENDS

Spray Match • Automotive • Athletic • PBE



Water Blend [16-3393/C16-3393] — A specialized blend of water, surfactants, propellant, and proprietary ingredients which can be used to aerosolize most latex, waterborne, and water reducible paints. It's unique cap functions as the paint reservoir during the filling process.

Solvent Blend [16-3395/C16-3395] — A specialized blend of solvents and propellant which can be used to aerosolize most enamel, lacquer, vinyl, and acrylic paints. It's unique cap functions as the paint reservoir during the filling process.

16-3393, C16-3393, 16-3395, and C16-3395 can only be used with the Z-2501.

16 ounce cans, packaged 12 in a case.



Water Blend [16-4393/C16-4393/16-4397/C16-4397] — A specialized blend of water, surfactants, propellant, and proprietary ingredients which can be used to aerosolize most latex, waterborne, and water reducible paints. It's unique cap functions as the paint reservoir during the filling process.

Solvent Blend [16-4395/C16-4395/K16-4395/CK16-4395] — A specialized blend of solvents and propellant which can be used to aerosolize most enamel, lacquer, vinyl, and acrylic paints. It's unique cap functions as the paint reservoir during the filling process.

Special Blends

- 16-4398 Waterborne: Compatible with PPG Envirobase®, Dupont Cromax Pro®, and Spies Heche® Paints
- 16-4397 & C16-4397 Latex: Only compatible with SW AWX® Paints
- K16-4395 Solvent: Only compatible with Dupont Chroma Base® Paints

16-4393, C16-4393, 16-4395, K16-4395, CK16-4395, 16-4397 and C16-4397 can only be used with the Z-2507.

16 ounce cans, packaged 12 in a case.



Water Blend [16-393] — Ideal for aerosolizing most water based and latex paint with low odor and non-flammable once latex paint is added. Can quickly touch-up damaged areas and great for many uses for interior design plans in the house.

Solvent Blend [16-395] — Aerosolizes most solvent based, Enamels, Lacquers, Vinyl, Acrylic, Paints, and Stains. Great uses for automotive maintenance and industrial touch-up. Some types of two component products.

PBE Professional Solvent Blend [16-1681] — An extremely convenient way to create aerosol products in small quantities of spray paint in hard to find OEM colors. One sku reduces number and quantities of aerosol blank cans to be inventoried.

16-393, C16-393, 16-395, and 16-1681 can be used with the Z-100, Z-500, Z-2001 and Z-1501.

16 ounce cans, packaged 12 in a case.



Athletic Water Blend [16-3396] — Inverted tip for marking the ground for custom color team logos. Low odor and non-flammable once latex paint is added and quickly touches- up damaged areas. Used to mark athletic fields of all types.

16-3396 can only be used with the Z-2501.

16 ounce cans, packaged 12 in a case.

UNIVERSAL BLENDS

Filling Machines/Accessories

One Step Custom Fill Machine Z-2501/Z-2507

Paint is added into Seymour's exclusive decorator overcap. The decorator cap is placed on the appropriate water or solvent base pre-charged Seymour aerosol can, placed into the one step filling machine and in seconds, the can is ready to use. No clean-up needed. The cap utilizes an insert to inject the paint. A small air compressor is required to operate. Refer to our website for an instructional video.

Use products 16-3393, C16-3393, 16-3395, and C16-3395.



One Step Custom Fill Machine Z-2510/Z-2511

This is a unique aerosol can filling machine that lets you effortlessly fill pre-charged cans by hand. Extremely reliable — no more replacing fatigued o-rings and washers. The unique cap lets you avoid messy prep and cleanup while leaving you with the actual color inside the cap for easy reference. This is a must have tool for paint stores and contractors. Refer to our website for an instructional video.

Use products 16-4393, C16-4393, 16-4395, K16-4395, CK164395, 16-4397 and C16-4397



Pneumatic Custom Fill Machine Z-2001

You can custom fill specialty colors in large quantities. It is simple and easy to operate and works with all Seymour Universal Blend Cans. A small air compressor is required to operate and holds up to one gallon of product.

Use products 16-393, C16-393, 16-395, and 16-1681



Manual Custom Fill Machine Z-1501

Easy to set up and can be used almost anywhere. Use to fill all Seymour universal blend cans with minimal cleaning. Holds up to one quart of product.

Use products 16-393, C16-393, 16-395, and 16-1681.



The Paint Crank Z-500

Ideal for use with latex or solvent based paints and stains. Durable metal construction will provide years of service. The paint crank can help eliminate the need to keep a partial container of paints or stains for future touch ups. Works with all Seymour Universal Blend cans. Ideal for Tool Crib, on the job site and around the house.

Use products 16-393, C16-393, 16-395, C16-395, 16-3393, C16-3393, 16-3395, and C16-3395.



Zip Spray Hand Pump Z-100

Flexible and portable with no mess or extensive cleaning and is reusable. Easily add a second component to Seymour's pre-charged custom fill blend cans at time of application. Catalyze 2-K Systems.

Use products 16-393, C16-393, 16-395, C16-395, 16-3393, C16-3393, 16-3395, and C16-3395..



DISPLAYS & HEADERS

Z-48 and Z-612

DISPLAYS & HEADERS

Z-120 and Z-240



Z-612



Z-120 — 80 lbs

- Adjustable Shelves holds 240 Cans and One Shelf for Gallons
- 24"W x 22"D x 68"H (with header)
- Z-241 Anti-Pilfer Kit

Z-240 — 40 lbs

- Holds 120 Cans
- 18"W x 22"D x 68"H (with header)

Z-612 — 18 lbs

- Holds 64 Cans
- 13"W x 14"D x 48"H (with header)

Z-120 and Z-240 Header



Z-120



Z-240

