



**KLONDIKE®**

**Independent Canadian Company**  
**270 Oils and Lubricants • Locally Supplied**

[www.klondikelubricants.com](http://www.klondikelubricants.com)



10W-30 CJ-4 SAE 10W CF SAE 40 CF-2 0W-30 CJ-4 FULL SYN  
 SAE 30 CF-2 SAE 50 CF-2 0W-40 CJ-4 FULL SYN  
 15W-40 SAE 40 **LOW ASH** 15W-40 5W-40 CJ-4 FULL SYN  
 SAE 40 15W-40 CJ-4 FULL SYN

Heavy Duty Engine Oils

3

0W-20 SN/GF-5 dexos1® FULL SYN 5W-20 SN/GF-5 SYN BLEND  
 5W-20 SN/GF-5 dexos1® FULL SYN 5W-30 SN/GF-5 SYN BLEND  
 5W-30 SN/GF-5 dexos1® FULL SYN 10W-30 SN/GF-5 SYN BLEND  
 10W-40 SN 20W-50 SN 5W-40 SN/CF EUROPEAN FULL SYN

Automotive Engine Oils

7

80W-90 GL-5 LIMITED SLIP 85W-140 GL-5 LIMITED SLIP ISO 150 EP FULL SYN  
 75W-90 GL-5 FULL SYNTHETIC LIMITED SLIP ISO 220 EP  
 75W-140 GL-5 FULL SYNTHETIC LIMITED SLIP ISO 320 EP  
 ISO 150 EP ISO 220 EP ISO 320 EP ISO 460 EP ISO 460 EP

Gear Lubricants

11

DEXRON® -VI / MERCON® LV ATF FULL SYN  
**CVT** UNIVERSAL ATF FULL SYN HD ATF FULL SYN  
 TDTO-4 ALL SEASON SYN BLEND SAE 50 10W TDTO-4  
 TDTO-4 ARCTIC FULL SYN 30 TDTO-4 50 TDTO-4

Transmission Fluids

15

MV AW 15 MV AW 36 MV AW 22 MV AW 46  
 AW 22 AW 32 AW 100 MAX™ AW 22 32 BIO AW 46 AW 46 ZINC FREE ISO 46 ISO 68 LONG LIFE TURBINE  
 AW 68 MAX™ AW 32 UNIVERSAL TRACTOR FLUID  
 AW 46 MAX™ AW 46 MAX™ AW 68 UNIVERSAL TRACTOR FLUID FULL SYN

Hydraulic Fluids

19

WINTER BAR & CHAIN COMPRESSOR ISO 46 ISO 68 ROCK DRILL  
 ALL SEASON 2 CYCLE FORM RELEASE 68 WAY  
 SUMMER TC-W3 SOLUBLE CUTTING ISO OIL

Industrial & Functional Fluids

25

ULTRA TAC EP-00 SYN BLEND MOLY TAC EP-1  
 ULTRA TAC EP-0 SYN BLEND MOLY TAC EP-2  
 ULTRA TAC EP-1 SYN BLEND  
 ULTRA TAC EP-2 MULTI-PURPOSE OPEN GEAR

Greases

29


-40°C WASHER FLUID

SOLVENT

BRAKE CLEAN

Chemicals

33

A person wearing a red and yellow safety suit is using a chainsaw to cut through a tree trunk in a forest. The chainsaw is red and black, and the person is wearing a red helmet and safety glasses. The background is a dense forest with green trees and a bright sky. The text is overlaid on a semi-transparent white box on the right side of the image.

## The KLONDIKE Story

KLONDIKE started under the Westec banner in 1987 as a chemical and lubricants supplier to the OEM Dealer Networks and professional service and repair facilities throughout Canada. Known by a demanding customer base for our dedication to quality and outstanding service we earned a great amount of trust and confidence by providing solutions to a broad range of industries. This led to a rapid level of growth that would be exemplary in today's marketplace.

Throughout the late 80's and early 90's we maintained a high level of service while meeting the ever-expanding technical requirements in the chemical and lubrication industry. As distribution requirements increased throughout the late 90's and early 2000's, we expanded our warehousing and delivery capacity to answer the wide-ranging and specialized needs of the marketplace throughout Canada.

In 2009 we used this knowledge and expertise to capitalize on a once in a lifetime challenge known as the 'Mountain Pine Beetle Epidemic'. This catastrophe was wide ranging in its destruction and infected many forests along the west coast of Canada. Millions of hectares of infected trees had to be removed quickly throughout the mountainous terrain, one of the most extreme climates in this region of the world. Contractors tasked with the harvest were faced with a host of unexpected problems. In addition to extreme weather conditions this softwood species was dead and extremely dry. Continuously warping bars and chains due to lack of moisture and extraordinarily high frictional temperatures made for a difficult and costly cutting operation. Traditional chain oil blends were not up to the rigorous needs of the immense operation at hand. The advanced viscosity requirements formulated by our technical team and other global technical experts gave birth to KLONDIKE – BRAVING THE FORCE OF MOVEMENT.

# Heavy Duty Engine Oils

 = Conventional       = Synthetic Blend       = Full Synthetic

KLONDIKE **heavy duty** engine oils are formulated to assist in maximizing engine life and minimizing wear. While providing a protective film, heavy duty engine oils must work to disperse soot and reduce sludge in order to optimize engine performance. Our advanced processes and technologies enable KLONDIKE heavy duty motor oils to strike a balance between durability, emission control, and optimized drain intervals and improved efficiencies for your equipment. Specially engineered with Million Mile Technology, they meet the needs of heavy duty diesel and gasoline engines operating under all service conditions. The exclusive KLONDIKE Arctic Performance Technology ensures improved reliability in extreme climatic conditions. KLONDIKE heavy duty oils have been approved by world's leading manufacturers, including:



**10W-30** **SAE 10W-30 CJ-4** is OEM certified by Cummins, Detroit Diesel, Volvo, Mack, and Renault; and recommended for use in all engines specifying API CJ-4 Service Category and SAE 10W-30.

 **5 QUART** KL-HD0360     **PAIL** KL-HD0380     **DRUM** KL-HD0390     **TOTE** KL-HD0395     **BULK** KL-HD0399

Price:    

**15W-40** **SAE 15W-40 CJ-4** is OEM certified by Cummins, Detroit Diesel, Volvo, Mack, and Renault; and recommended for use in all engines specifying API CJ-4 Service Category and SAE 15W-40.

 **QUART** KL-HD0540     **5 QUART** KL-HD0560     **PAIL** KL-HD0580     **EZE-BOX** KL-HD0582     **DRUM** KL-HD0590     **TOTE** KL-HD0595     **BULK** KL-HD0599

Price:    

**0W-30** **SAE 0W-30 CJ-4 Full Synthetic** is recommended for use in heavy duty engines specifying API Service Categories CJ-4, CI-4 PLUS, CI-4, SN and SAE grade 0W-30.

 **5 QUART** KL-HD2060     **PAIL** KL-HD2080     **DRUM** KL-HD2090

Price:

**0W-40** **SAE 0W-40 CJ-4 Full Synthetic** is recommended for use in heavy duty engines specifying API Service Categories CJ-4, CI-4 PLUS, CI-4, SN and SAE grade 0W-40.

 **5 QUART** KL-HD2560     **PAIL** KL-HD2580     **DRUM** KL-HD2590     **TOTE** KL-HD2595     **BULK** KL-HD2599

Price:

# Heavy Duty Engine Oils



**5W-40**

SAE 5W-40 CJ-4 Full Synthetic is OEM certified by Detroit Diesel, Volvo, Mack, and Renault; and recommended for use in all engines specifying API CJ-4 Service Category and SAE 5W-40.

- 5 QUART  
KL-HD3060
- PAIL  
KL-HD3080
- EZE-BOX  
KL-HD3082
- DRUM  
KL-HD3090
- TOTE  
KL-HD3095
- BULK  
KL-HD3099



Price: \_\_\_\_\_



**15W-40**

SAE 15W-40 CJ-4 Full Synthetic is recommended for use in heavy duty engines specifying API CJ-4 Service Category and SAE 15W-40.

- 5 QUART  
KL-HD3560
- PAIL  
KL-HD3580
- DRUM  
KL-HD3590
- TOTE  
KL-HD3595
- BULK  
KL-HD3599

Price: \_\_\_\_\_



**10W CF**

SAE 10W CF Heavy Duty Engine Oil is recommended for use in four-stroke gasoline and diesel engines where SAE 10W monograde meeting API CF is specified.

- PAIL  
KL-HD6080
- DRUM  
KL-HD6090
- TOTE  
KL-HD6095
- BULK  
KL-HD6099

Price: \_\_\_\_\_



**30 CF-2**

SAE 30 CF-2 Heavy Duty Engine Oil is recommended for use in four-stroke gasoline and diesel engines where SAE 30 monograde meeting API CF-2 is specified.

- QUART  
KL-HD6340
- 5 QUART  
KL-HD6360
- PAIL  
KL-HD6380
- DRUM  
KL-HD6390
- TOTE  
KL-HD6395
- BULK  
KL-HD6399

Price: \_\_\_\_\_



**40 CF-2**

SAE 40 CF-2 Heavy Duty Engine Oil is recommended for use in four-stroke gasoline and diesel engines where SAE 40 monograde meeting API CF-2 is specified.

- 5 QUART  
KL-HD6660
- PAIL  
KL-HD6680
- DRUM  
KL-HD6690
- TOTE  
KL-HD6695
- BULK  
KL-HD6699

Price: \_\_\_\_\_

# Heavy Duty Engine Oils



**50 CF-2**

SAE 50 CF-2 Heavy Duty Engine Oil is recommended for use in four-stroke gasoline and diesel engines where SAE 50 monograde meeting API CF-2 is specified.

- PAIL  
KL-HD6880
- DRUM  
KL-HD6890
- TOTE  
KL-HD6895
- BULK  
KL-HD6899

Price: \_\_\_\_\_



**40 LOW ASH**

SAE 40 Low Ash is recommended for heavy duty stationary turbo-charged or naturally aspirated, stoichiometric or lean burn engines running on natural gas and requiring low ash engine oil.

- DRUM  
KL-HD7690
- TOTE  
KL-HD7695
- BULK  
KL-HD7699

Price: \_\_\_\_\_

# Automotive Engine Oils

 = Conventional     
  = Synthetic Blend     
  = Full Synthetic

KLONDIKE advanced technology **automotive** engine oils are formulated for optimum efficiency and are designed for use in modern, highly fuel efficient engines that are subject to increasing levels of stress such as stop-and-go city driving, frequent short trips, extreme high and low operating temperatures, extended idling and towing. KLONDIKE synthetic blend and full synthetic motor oils for passenger cars offer superior oxidation stability, extra protection against heavy load conditions, additional high temperature protection, and better cold weather properties than conventional motor oils. Additionally, KLONDIKE premium quality automotive engine oils are formulated under the newest technology and are certified under the latest ILSAC GF-5 and API SN specifications. This technology is also good for use in the prior ILSAC GF-4 or API SM specifications.



**10W-40**

SAE 10W-40 SN uses a specialized formula for older, high mileage engines. Recommended for use in passenger cars, light trucks, sport utility vehicles, and other stationary or mobile engines.



Price:



**20W-50**

SAE 20W-50 SN uses a specialized formula for older, high mileage engines. Recommended for use in passenger cars, light trucks, sport utility vehicles, and other stationary or mobile engines.



Price:



**5W-20**

SAE 5W-20 SN/GF-5 Synthetic Blend is recommended for use in automobiles and other stationary or mobile engines specifying SAE 5W-20 grade and API SN/GF-5 Service Category.



Price:



**5W-30**

SAE 5W-30 SN/GF-5 Synthetic Blend is recommended for use in automobiles and other stationary or mobile engines specifying SAE 5W-30 grade and API SN/GF-5 Service Category.



Price:

HEAVY DUTY ENGINE OILS  
 AUTOMOTIVE ENGINE OILS  
 GEAR LUBRICANTS  
 TRANSMISSION FLUIDS  
 HYDRAULIC FLUIDS  
 INDUSTRIAL OILS  
 GREASES  
 CHEMICALS

# Automotive Engine Oils



**10W-30**

SAE 10W-30 SN/GF-5 Synthetic Blend is recommended for use in automobiles and other stationary or mobile engines specifying SAE 10W-30 grade and API SN/GF-5 Service Category.



Price: \_\_\_\_\_



**0W-20**

SAE 0W-20 SN/GF-5 dexos1® Full Synthetic is certified for use in GM dexos1® and recommended for use in stationary or mobile engines specifying SAE 0W-20 grade and API SN/GF-5.



Price: \_\_\_\_\_



**5W-20**

SAE 5W-20 SN/GF-5 dexos1® Full Synthetic is certified for use in GM dexos1® and recommended for use in stationary or mobile engines specifying SAE 5W-20 grade and API SN/GF-5.



Price: \_\_\_\_\_



**5W-30**

SAE 5W-30 SN/GF-5 dexos1® Full Synthetic is certified for use in GM dexos1® and recommended for use in stationary or mobile engines specifying SAE 5W-30 grade and API SN/GF-5.



Price: \_\_\_\_\_




**5W-40**

SAE 5W-40 SN/CF Euro Full Synthetic is recommended for use in modern European 4, 6 and 8+ cylinder multi-cam, multi-valve, naturally aspirated, super- and turbo-charged engines.



Price: \_\_\_\_\_

# Automotive Engine Oils



Tough operating conditions are no match for KLONDIKE gear oils. They are specially formulated for maximum protection, durability, and efficiency no matter what climate or conditions are prevalent. Only the finest technology available is used in manufacturing our premium synthetic gear lubricants. KLONDIKE robust formulations are designed for gears and differentials that place rigorous demands on fluid technology and require extreme temperature and pressure protection. Driveline components in today's automotive and heavy duty vehicles have become increasingly stressed by increased engine output, higher operating temperatures, and extended service intervals. KLONDIKE's advanced gear oil technology protects against severe wear while balancing fluid durability in heavy load conditions, including extended drain intervals when applicable.



**80W-90**

Price:

SAE 80W-90 GL-5 is designed for differentials, manual transmissions, power take off units, and final drives specifying SAE 80W-90, and API GL-5/MT-1 including limited slip.



**85W-140**

Price:

SAE 85W-140 GL-5 is designed for differentials, manual transmissions, power take off units, and final drives specifying SAE 85W-140, and API GL-5/MT-1 including limited slip.



**75W-90**

Price:

SAE 75W-90 GL-5 Full Synthetic is recommended for use in heavy duty gear applications specifying SAE 75W-90 and API GL-5/MT-1 including limited slip.



**75W-140**

Price:

SAE 75W-140 GL-5 Full Synthetic is recommended for use in heavy duty gear applications specifying SAE 75W-140 and API GL-5/MT-1 including limited slip.





# Transmission Fluids

HEAVY DUTY ENGINE OILS  
 AUTOMOTIVE ENGINE OILS  
 GEAR LUBRICANTS  
 TRANSMISSION FLUIDS  
 HYDRAULIC FLUIDS  
 INDUSTRIAL OILS  
 GREASES  
 CHEMICALS

 = Conventional       = Synthetic Blend       = Full Synthetic

KLONDIKE **transmission** fluids are formulated for use in a full range of automatic transmissions and provide premium shifting characteristics. This full range of automatic transmission fluids offer smooth yet responsive shifting, long service life, and outstanding fuel efficiency. KLONDIKE transmission oils are engineered to provide improved performance, extended transmission life, as well as premium flow characteristics at very low temperatures and protection against oxidation, varnish and sludge at high temperatures.



## ATF MD3

ATF MD3 is designed and recommended for use in most pre-2006 automatic transmissions that reference specifications GM DEXRON III, Ford MERCON and similar.



Price:



## DEX/MERC

DEXRON®-VI / MERCON® LV ATF Full Synthetic is OEM certified by General Motors and Ford.



QUART  
KL-TF2840

Approvals:  
DEXRON®-VI  
MERCON® LV

Price:



## HD ATF

Heavy Duty ATF Full Synthetic is formulated for high performance and long service life in heavy duty automatic transmissions in urban and rural commercial vehicles.



Price:



## CVT

CVT Fluid Full Synthetic is formulated for belt and chain driven continuously variable transmissions. Do not use as a replacement for ATF.



QUART  
KL-TF3440

Price:

# Transmission Fluids

**ATF Universal Full Synthetic** is one highly advanced and truly universal automatic transmission fluid ideal for global application. Meets the performance requirements of (but not limited to):

- Aisin Warner** – AW-1, JWS 3309, 3324, M313 A-1, T-IV
- Acura** – ATF-Z1
- Allison** – C-3, C-4, TES-295, TES-389
- Audi** – ZF 5HP (18FL, 19FL, 24A, 30), 6HP (1375.4), TL52162 (LT71141), G-052-025-A2, G-052-162-A1/A2, G-055-025
- BMW** – ZF 5HP (18FL, 19FL, 24A, 30), 6HP (1375.4), LA2634, ETL-7045E, ETL-8072B, N402, LT71141 83.22.9.400 (272, 275), 83.22.9.407 (738, 765, 807, 858, 859), 83.22.0.397 (114), 83.22.0.403 (248, 249)
- Caterpillar** – Power Shift TO-2
- Chrysler** – AS 68 RC (“T-IV”), ATF+3 (MS7176-E), ATF+4 (MS9602)
- Daewoo** – LT71141
- Fiat** – Type T-IV
- Ford Mercon®**
  - Mercon (XT-2-QDR, XT-2-QSM syn)
  - Mercon V (XT-5-QM, XT-5-DM, WSS-M2C-202B)
  - Mercon SP (XT-6-QSP, XT-6-DSP, WSS-M2C-919D)
  - Mercon LV (XT-10-QLV, WSS-M2C-938A)
  - WSS-M2C33-A/B/C/D/F/G, WSS-M2C138-CJ, WSS-M2C166-H, 185-A, 195-A, 202-B, WSS-M2C-922-A1, 924-A (XT-8-QAW)
- GM Dexron®**
  - Dexron VI, III-H, III-G, III-F, II-E, II-D, II, Type A, T-IV
  - GM Transfer Fluid 12378515 (Transynd® applications)
  - GM Transfer Case 12378396, 12378508
- Honda** – ATF-Z1, VTM-4, DW-1
- Hyundai/Kia** – Red 1, SP-II, SP-III, SP-IV, NWS-9638
- Infinity** – Matic-D, Matic-J, Matic-K, Matic-S
- IDEMITSU** – K17, JATCO 3100 PL085
- Isuzu Bescom** – ATF-II, ATF-III,
- Jaguar** – ZF 5HP24, ZF 6HP26, LT71141, JLM20238, JLM21044, ATF 3403 M115, M1375.4



Price:



## ATF



## SAE 50

**SAE 50 Manual Transmission Full Synthetic** is recommended for use in all applications specifying SAE grade 50 and API Service Category MT-1.



Price:

- JASO** – M315-2004 1A, 2A-02
- Jeep** – ATF+3, ATF+4, AS 68 RC (T-IV)
- Lexus** – Type T, T-II, T-III, T-IV, WS (JWS 3324)
- MAN** – 339,F, V1, V2, Z1, Z2, Z3
- Mazda** – ATF-M III, ATF-MV, V (XT-9-QMM5, FNR 5)
- MERCEDES** – ZF 4HP20, 223.2, 236.1, 236.10, 236.11, 236.12, 236.14, 236.41, 236.5(C-4), 236.6, 236.7, 236.8, 236.9,
- Mini Cooper** – 83 22 0 402 413 9 (JWS 3309)
- Mitsubishi** – Diamond SP-II, SP III, SP IV, Dia Queen J2
- NAG** - 1 (Jeep Cherokee), 2 (Chrysler)
- Nissan** – Matic-D, Matic-J, Matic-K, Matic-S, 402
- Porsche** – ATF 3403 M115, LT71141, T IV (JWS 3309)
- RENK** – DOROMAT
- SAAB** –T-IV (JWS 3309), 93 165 146/147
- SATURN** – T-IV, (SEE GM LISTING)
- Scion** – “all vehicles”\*
- Shell** – 3403, 3353, LA2634, ATF-134, M-1375.4, M-1375.5, M-1375.6,
- Subaru** – ATF, AT-HP
- Suzuki** – ATF 3309, 3314, 3317
- Texaco** – ETL-7045E, ETL-8072B, N402
- Toyota** – Type T, T-II, T-III, T-IV, WS (JWS 3324)
- Vickers** – M-2950-S, I-286-S
- Voith Turbo** – G607 (55.6335.XX), G1363 (55.66336.XX), TURBO, ZF, ECOMAT
- Volkswagen** – ZF 5HP (18FL, 19FL, 24A, 30), 6HP (1375.4), TL 52162 (LT71141), TL 52533, G-052-025, G-055-025-A2, G-052-162-A1/A2, G-052-182-A2, G-052-990-A2
- Volvo** – 97340, 97341
- ZF - TE-ML 02F, TE-ML 03D, TE-ML 04D, TE-ML 09, TE-ML 11A, TE-ML 14A, TE-ML 14B, TE-ML 14C, TE-ML 16L, TE-ML 17 C, 5 HP 18FL/19 FL/24A

# Transmission Fluids

**SAE 10W TDTO-4 Transmission and Drivetrain Fluid** is designed for heavy duty mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids for SAE 10W grade are specified.



Price:



**SAE 30 TDTO-4 Transmission and Drivetrain Fluid** is designed for heavy duty mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids for SAE 30 grade are specified.



Price:



**SAE 50 TDTO-4 Transmission and Drivetrain Fluid** is designed for heavy duty mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids for SAE 50 grade are specified.



Price:



**All Season Synthetic Blend TDTO-4** is for all season use across a wide T° range in heavy duty mobile and stationary equipment where Caterpillar TO-4, TO-4M, or Allison C-4 fluids are specified.



Price:



**Arctic Full Synthetic Blend TDTO-4** with Arctic Performance Technology is designed for ultra-low T° use in heavy duty equipment where Caterpillar TO-4 or Allison C-4 fluids are specified.



Price:



HEAVY DUTY ENGINE OILS

AUTOMOTIVE ENGINE OILS

GEAR LUBRICANTS

TRANSMISSION FLUIDS

HYDRAULIC FLUIDS

INDUSTRIAL OILS

GREASES

CHEMICALS

HEAVY DUTY ENGINE OILS

AUTOMOTIVE ENGINE OILS

GEAR LUBRICANTS

TRANSMISSION FLUIDS


HYDRAULIC FLUIDS

INDUSTRIAL OILS

GREASES

CHEMICALS

KLONDIKE anti-wear **hydraulic** fluids are designed to operate in the most extreme conditions. Today, operating conditions require greater precision and pressure than ever before. While advanced systems do more work and are more responsive, they are also more vulnerable to wear and deposit formation when operated at higher temperatures and pressures. Highly tested KLONDIKE hydraulic lubricants are specially formulated with the finest base oils and additive systems that deliver unrivaled performance and protection.



**AW 22**

**AW 22 Hydraulic Fluid** is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where AW 22 viscosity is specified.



Price:



**AW 32**

**AW 32 Hydraulic Fluid** is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where AW 32 viscosity is specified.



Price:



**AW 46**

**AW 46 Hydraulic Fluid** is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where AW 46 viscosity is specified.



Price:



**AW 68**

**AW 68 Hydraulic Fluid** is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where AW 68 viscosity is specified.



Price:

## Hydraulic Fluids

**AW 100**

**AW 100 Hydraulic Fluid** is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where AW 100 viscosity is specified.



**PAIL** KL-HF1880  
**DRUM** KL-HF1890  
**BULK** KL-HF1899

Price:

**MAX™ AW 22**

**MAX™ Long Life AW 22** is an anti-wear hydraulic fluid recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where AW 22 viscosity is specified.



**PAIL** KL-HF3080  
**DRUM** KL-HF3090  
**BULK** KL-HF3099

Price:

**MAX™ AW 32**

**MAX™ Long Life AW 32** is an anti-wear hydraulic fluid recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where AW 32 viscosity is specified.



**PAIL** KL-HF3280  
**DRUM** KL-HF3290  
**BULK** KL-HF3299

Price:

**MAX™ AW 46**

**MAX™ Long Life AW 46** is an anti-wear hydraulic fluid recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where AW 46 viscosity is specified.



**PAIL** KL-HF3480  
**DRUM** KL-HF3490  
**BULK** KL-HF3499

Price:

**MAX™ AW 68**

**MAX™ Long Life AW 68** is an anti-wear hydraulic fluid recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where AW 68 viscosity is specified.



**PAIL** KL-HF3680  
**DRUM** KL-HF3690  
**BULK** KL-HF3699

Price:

## Hydraulic Fluids

**AW 46 ZINC FREE**

**Zinc Free AW 46** is an ashless hydraulic fluid with very low acute aquatic toxicity, does not contain metal based performance additives, and is classified as inherently biodegradable.



**PAIL** KL-HF5880  
**DRUM** KL-HF5890  
**TOTE** KL-HF5895

Price:

**MV AW 15**

**Multi-Viscosity AW 15** with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment operating in ultra-low temperatures.



**PAIL** KL-HF4880  
**DRUM** KL-HF4890  
**TOTE** KL-HF4895

Price:

**MV AW 22**

**Multi-Viscosity AW 22** with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment.



**PAIL** KL-HF5080  
**DRUM** KL-HF5090  
**TOTE** KL-HF5095

Price:

**MV AW 36**

**Multi-Viscosity AW 36** with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment across a broad temperature range.



**PAIL** KL-HF5280  
**DRUM** KL-HF5290  
**TOTE** KL-HF5295

Price:

**MV AW 46**

**Multi-Viscosity AW 46** with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment across a broad temperature range.



**PAIL** KL-HF5480  
**DRUM** KL-HF5490

Price:

HEAVY DUTY ENGINE OILS  
 AUTOMOTIVE ENGINE OILS  
 GEAR LUBRICANTS  
 TRANSMISSION FLUIDS  
 HYDRAULIC FLUIDS  
 INDUSTRIAL OILS  
 GREASES  
 CHEMICALS

## Hydraulic Fluids



### BIO AW 32

BIO AW 32 is a readily biodegradable, non-toxic, ashless fluid designed for high performance hydraulic systems in mobile and stationary equipment where AW 32 viscosity is required.



Price: \_\_\_\_\_



### BIO AW 46

BIO AW 46 is a readily biodegradable, non-toxic, ashless fluid designed for high performance hydraulic systems in mobile and stationary equipment where AW 46 viscosity is required.



Price: \_\_\_\_\_



### TURBINE 46

Long Life Turbine Oil ISO 46 is designed for use in non-geared steam, hydro-electric and gas turbines as well as a high temperature bearing lubricant and coolant.



Price: \_\_\_\_\_



### TURBINE 68

Long Life Turbine Oil ISO 68 is designed for use in non-geared steam, hydro-electric and gas turbines as well as a high temperature bearing lubricant and coolant.



Price: \_\_\_\_\_



### UTF

Universal Tractor Fluid is the one single fluid that may be used to lubricate all conventional points on an agricultural or industrial tractor or piece of mobile equipment with a common sump.



Price: \_\_\_\_\_

## Hydraulic Fluids



### UTF

Universal Tractor Fluid Full Synthetic is formulated with Arctic Performance Technology for use in all kinds of farm equipment, off-highway machinery, and industrial tractors.



Price: \_\_\_\_\_

HEAVY DUTY ENGINE OILS  
 AUTOMOTIVE ENGINE OILS  
 GEAR LUBRICANTS  
 TRANSMISSION FLUIDS  
 HYDRAULIC FLUIDS  
 INDUSTRIAL OILS  
 GREASES  
 CHEMICALS

 = Conventional       = Synthetic Blend       = Full Synthetic

The KLONDIKE family of **industrial** and **functional** fluids is formulated for exceptional performance and reliability using world-class technologies that have been trusted and proven by industry professionals for many years and is relied on by industry users all year round. Our bar and chain oil is of the highest quality and operates in extreme climatic - high or low temperature - conditions. It offers unsurpassed durability and performance for equipment operating in high heat conditions, and performs flawlessly in the logging and the saw mill industries that require the most robust and durable lubricant formulations in order to maximize efficiency and productivity.



**WINTER**  
Price:

**Light Hi-Tack Bar & Chain Oil** is a low viscosity formula for winter use in all types of chain saws with manual or automatic oilers for lubrication of the bar, chain, and sprocket.



5 QUART KL-IO1060    PAIL KL-IO1080    DRUM KL-IO1090    TOTE KL-IO1095    BULK KL-IO1099



**ALL SEASON**  
Price:

**Hi-Tack Bar & Chain Oil** is a medium viscosity formula for all-season use in all types of chain saws with manual or automatic oilers for lubrication of the bar, chain, and sprocket.



5 QUART KL-IO1260    PAIL KL-IO1280    DRUM KL-IO1290    TOTE KL-IO1295    BULK KL-IO1299



**SUMMER**  
Price:

**Hi-Tack Bar & Chain Oil** is formulated for all season use in chain saws, open bearings, gears, and chains found in industrial applications or anywhere a tacky oil is required.



5 QUART KL-IO1460    PAIL KL-IO1480    DRUM KL-IO1490    TOTE KL-IO1495    BULK KL-IO1499



**ROCKDRILL**  
Price:

**Rock Drill Oil ISO 32** is formulated for the internal mechanisms and moving parts of pneumatic drilling equipment operating in heavy duty service environments where ISO 32 is specified.



PAIL KL-IO2280

## Industrial Oils

ISO 150  
**ROCKDRILL**

**Rock Drill Oil ISO 150** is formulated for the internal mechanisms and moving parts of pneumatic drilling equipment operating in heavy duty service environments where ISO 150 is specified.

PAIL  
KL-103080DRUM  
KL-103090

Price: \_\_\_\_\_

ISO 260  
**COMPRESSOR**

**ISO 260 Natural Gas Compressor Oil** is specifically designed for the lubrication of large, heavy duty pipeline compressors pumping hydrocarbons such as natural gas.

DRUM  
KL-104490TOTE  
KL-104495

Price: \_\_\_\_\_

**2 CYCLE**

**2-Cycle TC-W3** is a NMMA certified ashless engine oil formulated for use in pre-mix and mix-on-demand VRO oil delivery system applications requiring oils meeting API TC.

QUART  
KL-1060405 QUART  
KL-106060DRUM  
KL-106090

Price: \_\_\_\_\_

ISO 68  
**WAY OIL**

**ISO 68 Way Oil** is specifically formulated for use in the lubrication of bearings, slides, and ways of machine tools such as lathes, planers, shapers, and tapping machines.

PAIL  
KL-107280DRUM  
KL-107290

Price: \_\_\_\_\_

**CUTTING OIL**

**Soluble Cutting Oil** is a water-soluble cutting fluid designed for long service life and low maintenance; and suitable for use on a wide range of materials and machining operations.

PAIL  
KL-107880

Price: \_\_\_\_\_

## Industrial Oils

**FORM OIL**

**Dust Suppressant/Form Oil** is colorless, odorless, neutral oil for dust suppression and concrete form release as well as other similar commercial applications.

DRUM  
KL-109990TOTE  
KL-109995

Price: \_\_\_\_\_

 = Conventional       = Synthetic Blend       = Full Synthetic

KLONDIKE produces a range of unique robust and tacky **greases** that provide premium lubrication in difficult operating conditions and are tailored to industry requirements for improved productivity. They are specially engineered for environments with extreme temperature requirement, moisture and dirt contamination, heavy loads, extended maintenance intervals and other conditions that impact performance. Our greases are created with the finest base oils and additives in order to provide outstanding tackiness, lubrication and protection. These formulations will guard against oxidation and wear in extreme pressure and high temperature applications.



**MULTI-PURPOSE**

**Multi-Purpose Red Grease** is recommended for greasing applications of plain bearings, rolling elements, antifriction bearings, bushings and pins.



Price:



**EP-00**

**Ultra Tac EP-00 Synthetic Blend** is recommended for pressurized auto grease systems, industrial bearings operating at high speed, and where ultra-low T° limits the mobility of heavier grease.



Price:



**EP-0**

**Ultra Tac EP-0 Synthetic Blend** is designed for heavy duty use in industrial, on- and off-road vehicle, and heavy equipment applications operating in extreme cold T° where NLGI 0 is specified.



Price:



**EP-1**

**Ultra Tac EP-1 Synthetic Blend** is designed for heavy duty use in industrial, on- and off-road vehicle, and heavy equipment applications operating in extreme cold T° where NLGI 1 is specified.



Price:



The KLONDIKE product category of chemicals is dynamically striving to meet the ever-changing needs of our customers. KLONDIKE -40° Windshield Washer Fluid is created for the harsh Canadian winter climate and the toughest driving conditions requiring formulations that go above and beyond the typical blue color fluid formulas. It protects against freezing down to -40°C. KLONDIKE Industrial Solvent is a premium low flashpoint solvent for general purpose cleaning. It effectively removes grease, lubricating oils, metal working fluids, and fine particles from metal surfaces. KLONDIKE Brake Blast is an advanced blend with low odor, designed to quickly dry and instantly degrease. The superior cleaning and degreasing power of this professional formula works fast on the toughest grime.



**-40°C WASH**

**-40°C Washer Fluid** is a special de-icing formulation for the Canadian winter climate which cuts through frost and ice buildup on the windshield and wiper blades to maintain maximum visibility.



**JUG**  
KL-CH5450



**DRUM**  
KL-CH5490

Price: \_\_\_\_\_



**SOLVENT**

**Solvent** is a general purpose solvent for industrial use and is recommended for parts washer machines or application by hand or by hand held sprayer.



**PAIL**  
KL-CH8280



**DRUM**  
KL-CH8290

Price: \_\_\_\_\_



**BRAKE BLAST**

**Brake Blast** is a non-chlorinated solvent designed to remove contaminants from brake parts quickly and easily. Surfaces dry residue free for improved, smooth brake performance.



**AEROSOL**  
KL-CH8630



**PAIL**  
KL-CH8680



**DRUM**  
KL-CH8690

Price: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

## KLONDIKE Lubricants Corporation Warranty

KLONDIKE Lubricants Corporation warrants that at the time of sale, all lubricant, grease, and engine coolant products bearing the KLONDIKE brand meet their written product specifications and are free of defective materials, design, and workmanship.

The KLONDIKE warranty is in addition to, and does not invalidate, any warranty supplied by an original equipment manufacturer when used in accordance with the KLONDIKE written product recommendations and the original equipment manufacturers' written specifications\*.

**KLONDIKE is 100% committed to our customers. To support this commitment, KLONDIKE Lubricants Corporation will repair or replace equipment parts that have been damaged as a direct result of the failure of any of our products\*.**

*\*For specific warranty details and procedures, contact KLONDIKE Lubricants Corporation at [info@klondikelubricants.com](mailto:info@klondikelubricants.com).*

## KLONDIKE Cross-Reference Table

KLONDIKE®	Shell	Chevron	Petro Canada	Esso/Mobil	Conoco-Phillips	Castrol
AW Hydraulic Fluid	TELLUS S2	HYDRAULIC OIL AW	N/A	HYDRESSTIC NUTO	HYDRAULIC AW	HYSPIIN AWS
MAX Long Life Hydraulic Fluid	TELLUS S2 MX	RANDO HD	HYDREX AW	N/A	MEGAFLOW AW	PARADENE AW
Multi-Viscosity Hydraulic Fluid	TELLUS S2 V	RANDO HDX	HYDREX MV and MV ARCTIC	UNIVIS N-C	MEGAFLOW AW HVI	DUAL RANGE HV
15W-40 CJ-4 Engine Oil	ROTELLA T TRIPLE PROTECTION	DELO 400 LE	DURON-E	DELVAC 1300 SUPER, DELVAC ELITE	FLEET SUPREME EC, GUARDOL ECT	TECTION EXTRA
0W-30/0W-40/5W-40 CJ-4 Full Synthetic Oil	ROTELLA T6	DELO 400 SYNTHETIC LE (SAE 5W-40 only)	DURON-E SYNTHETIC	DELVAC 1 ESP	TRITON ECT FULL SYNTHETIC (SAE 5W-40 only)	ELIXION (SAE 5W-30 only)
80W-90 GL-5 Gear Oil	SPIRAX S2 A	DELO ESI/RPM Universal Gear	TRAXON	MOBILUBE HD PLUS	MP GEAR LUBE	AP GEAR, HYPOY C
75W-90/75W-140 Synthetic Gear Oils	SPIRAX S6 AXME	DELO SYN-GEAR HD, XDM	TRAXON-E SYNTHETIC	DELVAC SYN GEAR	TRITON SYNLUBE LDO, SYNGEAR SS, FE	SYNTEC FULL SYNTHETIC
Universal Tractor Fluid	SPIRAX S4 TXM	1000 THF	DURATRAN	MOBIL HYDRAUL	HYDRAULIC/TRACTOR FLUID	UNIVERSAL TRACTOR FLUID
EP-0, EP-1 & EP-2 Grease	GADUS S3 V220C	DELO HD EP, DELO ESI, MULTIFAK, STARPLEX	PRECISION/VULTREX	DELVAC XTREME, EPIC 102, MOBILUX, RONEX, UNIREX	DYNALIFE HT, DYNALIFE L-EP, MILUBE WR, MULTIPLEX RED, RED TAC, SUPERSTA, UNOBA EP	MP GREASE, PYROPLEX GOLD, PYROPLEX RED
Bar & Chain Oil ISO 90/150/220	CHAIN OIL	RED CHAIN BAR OIL	DURATAC	MOBIL HD CHAIN OIL	SPECIAL BAR & CHAIN	N/A

## Industry Applications



### AGRICULTURE

KLONDIKE agriculture fluids are formulated to ensure maximum productivity in a critically time sensitive seasonal industry. Proper lubrication goes beyond protection, and our lubricants are created with premium base oils and inhibitors to disperse soot and reduce sludge. Formulated with Million Mile Technology, the KLONDIKE engine oils provide durability and reliability, and consistent performance during the long, demanding hours of the harvest season.



### AUTOMOTIVE

The KLONDIKE product lines of automotive engine oils and automatic transmission fluids employ advanced formulations to meet and exceed the world's leading automakers requirements. Our cutting-edge synthetic blend and full synthetic formulas are engineered to provide maximum protection and optimum performance in all driving conditions. Certified by GM's dexos1<sup>®</sup>, GM's DEXRON<sup>®</sup>-VI, Ford's MERCON<sup>®</sup> LV.



### CONSTRUCTION & EXPLORATION

Understanding the rigorous challenges and the no-hassle requirements placed on construction and exploration equipment, KLONDIKE has engineered robust lubricants for environments with moisture and dirt contamination, heavy loads, extended maintenance intervals and other harsh conditions. The KLONDIKE Arctic Performance Technology line ensures maximum protection with smooth and reliable performance in extreme cold weather conditions.



### FORESTRY

With relentless work schedules, environmental challenges, competitive pricing and harsh climatic conditions faced by the forestry industry, we are continually enhancing the KLONDIKE range of oils and lubricants to ensure harvesting, transportation and wood-production is as efficient and cost effective as possible. Our line of tough greases is blended for maximum lubrication and adhesion with minimum fly-off, making them ideal for milling operations.

## Industry Applications



### INDUSTRIAL

KLONDIKE has a vast range of premium industrial lubricants from conventional hydraulic fluids thru to premium environmentally friendly oils. We provide solutions that increase uptime, productivity, and efficiency. The KLONDIKE lubricants can be utilized to extend maintenance intervals and prolong the life of your equipment. Our technical professionals will identify your needs and provide solutions for faster production and greater cost efficiency.



### MARINE

The KLONDIKE range of high quality marine oils is tailored for reliability, stringent safety standards and strict environmental requirements as specified by marine authorities. Engineered for durability and maximum protection, whether it is salt or fresh water, these hard-working lubricants will ensure that your marine vessels or pleasure craft run smoothly and efficiently. Certified by the National Marine Manufacturers Association - NMMA<sup>®</sup>.



### MINING

We offer a complete selection of oils and lubricants tailored to the requirements of all types of mining operations from equipment to process lubrication. The KLONDIKE line of heavy duty engine oils will deliver optimum efficiency and performance to every application and specification found in the wide range of machinery used in mining. From surface to underground mining our oils and greases are formulated to deliver outstanding equipment protection.



### ON-ROAD HEAVY DUTY

Our heavy duty engine oils are formulated to protect your investment in your equipment and maximize the life of your engine. KLONDIKE heavy duty engine oils provide high performance in extreme temperatures, heavy-load requirements and challenging terrain. They are designed to meet the difficult challenge of effectively balancing durability, extended drain intervals, and emission control. Certified by Cummins, Detroit Diesel, Volvo, Mack, and Renault.

## KLONDIKE Distribution Facilities

Dedicated to meeting the delivery needs of our customers, we have warehousing and distribution centers that are strategically located throughout Canada to cater to the time-sensitive nature of your industry.

### BRITISH COLUMBIA

#### Serving BC

101-1005 Derwent Way  
Delta, BC V3M 5R4

### ALBERTA

#### Serving Northern BC, AB, SK, YT and NT

12810 170 Street NW  
Edmonton, AB T5V 0A6

### MANITOBA

#### Serving MB, Northwestern ON and NU

1510 Wall Street NW  
Winnipeg, MB R3G 2T3

### ONTARIO

#### Serving ON, QC and the Atlantic Provinces

1615 Clark Blvd  
Brampton, ON L6T 4W1



# KLONDIKE Lubricants Corporation

1-877-293-4691 • [info@klondikelubricants.com](mailto:info@klondikelubricants.com) • [www.klondikelubricants.com](http://www.klondikelubricants.com)



**BRAVING THE FORCE OF MOVEMENT®**