# Spinker of agra max inc.

# Protect our Environment SORBENTS AND GRANULARS

## SPILKLEEN, A Div. Of AgraMax Inc.

2395 Drew Road, Unit 1 Mississauga, Ontario L5S 1A1 Toll Free: 1-877-455-5336 / Phone: (905) 293-9995 Fax: (905) 293-9996 4216 54th Avenue SE, Bays 3 & 4 Calgary, Alberta T2C 2E3 Toll Free: 1-877-455-5336 / Phone: (403) 236-0015 Fax: (403) 236-0016

www.spilkleen.com sales@spilkleen.com



## RETEC CELLULOSE ABSORBENT PADS

## **UNIVERSAL**

Contain spills and leaks with this high performance *eco-friendly* sorbent. Ideal for surrounding spilled fluids or wrapping around leaky machinery. Easy and convenient to put in place.

Universal applications include oil, coolants, solvents and water. Handy to have whenever you have a variety of spills. Not recommended for use with acids, bases or other aggressive liquids.

Made from **70% recycled cellulose products**, these pads and rolls are strong and tough. Perforated so you can tear off only what you need. Conveniently packaged in a box for easier shipping.

Fire retardant for added safety, flame-tested in accordance with ASTM Standard E84-08.

Universal	Description	Size	Units/Case
HRCU100	RETEC Pads	15"x18"	100
HRCU150	RETEC Rolls	30"x150'	1
HRCUS150	RETEC Split Rolls	15"x150'	2



## OIL ONLY

These high performance *eco-friendly* oil only sorbents contain and soak-up petroleum-based fluids fast while repelling water.

Ideal for surrounding spills and leaks from spreading into larger areas and becoming slippery hazards. Easy and convenient to put in place. Flexible to wrap around machinery and provide a snug fit with no leakage. Conveniently packaged in a box for easier shipping.

Made from **70% recycled cellulose products**, you will find these pads and rolls strong and tough. Perforated so you can tear off only what you need.

Fire retardant for added safety, flame-tested in accordance with ASTM Standard E84-08.

Oil Only	Description	Size	Units/Case
HRC100	RETEC Pads	15"x18"	100
HRC150	RETEC Rolls	30"x150'	1
HRCS150	RETEC Split Rolls	15"x150'	2







## **BLENDED POLY OIL-ONLY PRODUCT LINE**

This is a premium, 100% blended poly *oil-only* product which contains a very high recycled content. It is manufactured using recycled ultra long poly fibers unlike other competing products that are made from pulverized polypropylene scrap.

It features:

- a high water chemical resistance, out performs meltblown
- exceptional web structure that provides added strength
- inside core fibers less likely to fall out when cover stock is torn
- extremely soft and drapable

Applications include: requirement for high oil absorbency, outdoor and very wet environments, around tight-fitting equipment, MRO/maintenance.

Oil Only	Description	Size	Units/Case
AMEP100	Pads	16"x18"	100
AMER150	Rolls	28"x150'	1
AMESR150	Split Rolls	14"x150'	2





## **BLENDED POLY UNIVERSAL PRODUCT LINE**

This premium line of universal sorbents contain a very high recycled content and is manufactured using recycled ultra long poly fibers. It has a very high water chemical resistance and outperforms meltblown.

The exceptional web structure provides added strength therefore the inside core fibers are less likely to fall out when the cover stock is torn. They are extremely soft and drapable.



Great for outdoor use and very wet environments or if you need to wrap around tight fitting equipment.

Universal	Description	Size	Units/Case
AMEUP100	Pads	16"x18"	100
AMEUR150	Rolls	28"x150'	1
AMEUSR150	Split Rolls	14"x150'	2







# **MELTBLOWN** OIL ONLY SORBENTS - PADS, ROLLS, PILLOWS

Oil Only	Description	Weight	Size	Units/Case	
P100	Pads	Heavy	15"x18"	100	
P200	Pads	Light	15"x18"	200	
P50	Pads	Heavy	30"x34"	50	
EP100	Pads	Medium	15"x18"	100	
R144	Rolls	Heavy	30"x150'	1	
SR144	Split Rolls	Heavy	15"x150'	2	so
ER144	Rolls	Medium	30"x150'	1	ab
ESR144	Split Rolls	Medium	15"x150'	2	Pa
SAKPIL10	Pillow		4"x20"	10	ea





Pure meltblown fibers are the most cost-effective abtion technology today. Fast-wicking fibers

absorb 25 times their weight in hydrocarbon. Pads and rolls are bonded and perforated for easy use.

# MELTBLOWN BONDED FINE FIBER SORBENT ROLLS & PADS - OIL ONLY



Bonded Pads are constructed from three layers of high quality polypropylene fibers and are ideal

for wiping applications when increased tensile strength is necessary. The sonic bonding process

ltem	Description	Weight	Size	Pkg. Qty.
BP100	Bonded Pads	Heavy	15"x18"	100
BP200	Boned Pads	Light	15"x18"	200
BEP100	Bonded Pads	Medium	15"x18"	100
BR144	Bonded Rolls	Heavy	30"x150'	1
BER144	Bonded Rolls	Medium	30"x150'	1
BSR144	Bonded Split Rolls	Heavy	15"x150'	2
BESR144	Bonded Split Rolls	Medium	15"x150'	2

creates a stronger more durable fiber, without effecting absorption. Bonded and perforated for easy use.

## **MELTBLOWN** FINE FIBER SORBENT ROLLS & PADS - OIL ONLY

This fine fiber product line is made from the purest and highest quality polypropylene. Outer layers are made from small diameter densely woven polypropylene fibers. These layers are then ultrasonically bonded to a high loft and meltblown core.

Item	Description	Weight	Size	Pkg. Qty.
QB100P	Pads	Heavy	15"x18"	100
QB200P	Pads	Light	15"x18"	200
QBR150P	Rolls	Heavy	30"x150'	1
QBSR150P	Split Rolls	Heavy	15"x150'	2
QBER150P	Rolls	Medium	30"x150'	1
QBESR150P	Split Rolls	Medium	15"x150'	2







Oil Only sorbents contain and soak-up petroleum-based fluids while repelling water. By selectively absorbing only petroleum-based liquids, these sorbents can be left on the job longer.

Ideal for surrounding spilled fluids or wrapping around leaky machines. Contain spills to keep fluids from spreading into larger areas and becoming slippery hazards. Socks and booms are flexible to conform around machine bases and will offer a snug fit with no leakage.

Oil Only	Description	Weight	Size	Units/Case
B510	Booms		5"x10'	4
B810	Booms		8"x10'	4
MOPO3048	Socks		3"x48"	30
MOPO10120	Socks		3"x120"	10
MOPO815	Socks		3"x96"	15
SP818-10	Pillows		8"x18"	10
SP1818-10	Pillow		18"x18"	10



## MELTBLOWN ANTI-STATIC OIL ONLY

Pure meltblown polypropylene fibers are the most cost-effective absorption technology today. Fast-wicking fibers absorb up to 25 times their weight in hydrocarbon. These durable, heavy-weight static resistant pads absorb petroleum based liquids, but never water. Ideal when you have to clean up highly flammable oily spills or drips.

Item	Description	Weight	Size	Pkg. Qty.
ASTAT144	Rolls	Heavy	30"x150'	1
ASTAT100	Pads	Heavy	15"x18"	100
ASTAT25	Pads	Heavy	15"x18"	25





## MELTBLOWN UNIVERSAL SORBENTS



Universal socks are solid performers that can be used in a variety of situations. Universal socks absorb oils, coolants, solvents and water. Use them when you have a variety of spills and only want to stock one sock to cover everything.

Ideal to use when you need to "surround" spilled fluids or if you need to wrap around machinery. Use to contain

Universal	Description	Weight	Size	Units/Case
UP118	Pads	Heavy	15"x18"	100
UP200G	Pads	Light	15"x18"	200
UP118-9	Pads	Medium	15"x18"	100
UR136	Rolls	Heavy	30"x150'	1
UR118S	Rolls	Heavy	15"x150'	1
UR136-9	Rolls	Medium	30"x150'	1
UR118-9	Rolls	Medium	15"x150'	2

spills from spreading into larger areas and be-

coming a hazard.



UNIVERSAL SORBENTS

Universal sorbents are designed to pick-up aggressive hydrocarbon (oil and water) spills. Suitable for non-aggressive acids, caustics, coolants, solvents, water and solutions. Bonded and perforated for easy use.

Universal	Description	Weight	Size	Units/Case		
UB510	Booms		5"x10'	4		
UB810	Booms		8"x10'	4		Marches 1
MOPU3048	Socks		3"x48"	30	1000	
MOPU10120	Socks		3"x120"	10		au T
SPU818-10	Pillows		8"x18"	10	-	- A
SPU1818-10	Pillows		18"x18"	10	1	

## MELTBLOWN FINE FIBER ROLLS & PADS - UNIVERSAL

Offering the best product consistency and uniformity available, meltblown fine fiber sorbents are manufactured using state-of-the-art technology. Outer layers are made from small diameter densely woven polypropylene fibers. These layers are then ultrasonically bonded to a high loft meltblown core.






ltem	Description	Size	Weight	Pkg. Qty.
UQ100P	Pads	15"x18"	Heavy	100
UQ200P	Pads	15"x18"	Light	200
UQR150P	Roll	30"x150"	Heavy	1
UQSR150P	Split Roll	15"x150'	Heavy	2
UQER150P	Roll	30"x150'	Medium	1
UQESR150P	Split Roll	15"x150'	Medium	2



# MELTBLOWN SONIC BONDED PADS & ROLLS - HAZMAT

Hazmat	Description	Weight	Size	Units/Case
YP118	Pads	Heavy	15"x18"	100
YP200	Pads	Light	15"x18"	200
YR150	Rolls	Heavy	30"x150'	1
YSR150	Split Rolls	Heavy	15"x150'	2
MOPY3048	Socks		3"x48"	30
MOPY815	Socks		3"x96"	15
HAZPILL2117	Pillows		21"x17"	16

Hazmat meltblown sorbent pads and rolls are made to tackle aggressive chemical spills.



# MELTBLOWN FINE FIBER PADS & ROLLS - HAZMAT

This premium three layer line of fine-fiber hazmat pads and rolls are made to tackle aggressive chemical spills.

Hazmat	Description	Weight	Size	Units/Case
YP100F	Pads	Heavy	15"x18"	100
YP200F	Pads	Light	15"x18"	200
YR150F	Rolls	Heavy	30"x150'	1
YSR150F	Split Rolls	Heavy	15"x150'	2



# MELTBLOWN GENERAL PURPOSE SOCKS

Item	Description	Size	Pkg. Qty.
GP3048	General Purpose Socks	3"x48"	30
GP10120	General Purpose Socks	3"x120"	10




## DRUM TOPS

Pre-cut to fit 50-gallon drums perfectly with allowance for fill and breather holes. Available in white oil only and gray universal.

Item	Description	Pkg. Qty.
UDTP25	Universal	25
ODTP25	Oil Only	25







## **NEEDLE PUNCH RUGS**

Needle Punch Rugs are constructed from a single layer of synthetic fibers that are then heavily needle-punched and heat-set. Added fire retardant and chemical additives significantly boost absorbency. All needle punch is tough enough to withstand forklift and foot traffic. Its charcoal color hides the dirt much longer than the typical black needle punch products so it can stay on the job longer.

Item	Description	Weight	Size	Pkg. Qty.
NP100	Pads	Heavy	18"x18"	50/bale
NP150	Rolls	Heavy	36"x150'	1
NP300	Rolls	Light	36"x300'	1
PBIR100	Poly-Backed Industrial Rug	Heavy	36"x100'	1





## RAIL MATS

This tough, durable railroad mat is a heavy, oil-only absorbent barrier product produced by bonding three layers of material together. The top layer is a gray UV stabilized needle punch. The second layer is constructed from white meltblown and the base layer is heavy plastic. The entire laminate is then needle punched, which guarantees an even release of rainwater through the fabric while trapping oils.



Item	Description	Size	Pkg. Qty.
PRRTB18	Rolls	19"x100'	2
PRRTB56	Rolls	58"x100'	1

## RAG RUGS

Rag Rug is one of the most absorbent products available. Constructed from a single layer of natural and synthetic fibers that is then carefully needle-punched and heat-set. Added fire retardant and proprietary chemistry significantly boosts its absorbency. Care has been taken to insure that the fabric is both soft and durable.

Item	Description	Size	Pkg. Qty.
RAGPAD100	Pads	18"x18"	100/bale
RAGRUG150	Rolls	36"x150'	1
SRAGRUG150	Split Rolls	18"x150'	2









#### **SPEEDIKLEEN**

A premium oil absorbent is an all-purpose absorbent designed for the quick clean-up of water, oil and grease. Made from diatomaceous earth, a naturally occurring mineral with superior absorption ability, this high quality product delivers 50% more absorbency per pound than clay alternatives. SpeediKleen premium Oil Absorbent is available in a leak-resistant, moisture-proof polybag.

Part #: HD2205 - 20 lbs/bag, 75 bags/skid

#### **CANSORB**

A fast acting 100% organic oil absorbent. Picks-up 8-12 times its weight in hydrocarbons on land and water. An approved sorbent for leaks and spills in chemical, automotive, and steel facilities, as well as pulp & paper and food processors. Used by professional responders for over 30 years.

CANSORB - Part #: CB20 - 20lbs/bag, 30 bags/skid Part #: LFB5 - 5lbs/bag, 8 bags/case

#### **CANSORB-ALL**

*Cansorb-All* is an all purpose organic absorbent suitable for non-aggressive liquids. It quickly and efficiently absorbs oils, fuels, solvents, oil based paints and most chemicals. Non-abrasive, non-leaching and suitable for bio-remediation.

CANSORB ALL - Part #: CSA-8 - 1.1cu.ft, 6 bags/case







#### OIL GATOR

stops the leaching of spills into the soil or groundwater using nature's methods and materials - Contains natural ingredients necessary to accelerate microbes to a point where they will rapidly degrade unwanted hydrocarbons. Absorbs up to six times its weight in oil or oil-based products.

Part #: GATOR30 - 30lbs/bag, 50 bags/skid

### GRANSORB

is a industrial absorbent is made from 100% recycled post-consumer paper waste. This environmentally-responsible product absorbs oils, solvents, lubricants, coolants, water and most non-aggressive liquids on contact. Because Gransorb is created using fibrous sludge waste from select paper mills, it is safe for both environment and employee use. Gransorb has a weight-to-weight absorbency of one-to-one: eg: 30lbs will absorb 30 lbs of oil (equivalent to 4 gallons). *Gransorb is 100% silica-free*.



Part #: GRANSORB - 30lbs/bag, 65 bags/skid

GRANULARS



## TOLL FREE 1-877-455-5336

## **PROTECT OUR ENVIRONMENT**

#### **Head Office**

2395 Drew Road, Unit #1 Mississauga, Ontario L5S 1A1 Toll Free 1-877-455-5336 Phone (905) 293-9995 Fax (905) 293-9996

#### **Calgary Warehouse**

4216-54th Avenue SE, Bays 3 & 4 Calgary, Alberta T2C 2E3 Toll Free 1-877-455-5336 Phone (403) 236-0015 Fax (403) 236-0016

www.spilkleen.com sales@spilkleen.com

COMPLIANCE: When it comes to handling, storing and disposing, you must comply with all local, provincial and federal regulations. Various fluids absorbed or contained may be hazardous or toxic. Dispose according to the relevant government regulations.

CAUTION: Flammable and other hazardous liquids, under certain conditions can spontaneously ignite. Ensure that all personnel handling these materials do so with caution and always wear protective clothing and respiratory devices.

It is the Purchasers sole responsibility to conduct testing to establish the suitability of any product for Purchaser's intended use.

SpilKleen reserves the right to change, add to, and delete from its product line at any time without notice.