



# LEATHER GLOVES

## GOAT-GRAIN DRIVERS



ASTM TESTING



ENDURA®

**#378GKTA**

**XS-3XL**

- Goat-grain drivers glove
- Keystone thumb

**APPLICATIONS:**

General Maintenance, Construction, Welding, Agriculture, General Material Handling



ASTM TESTING



ENDURA®

**#378GFRES**

**S-XL**

- Goat-grain drivers glove
- Keystone thumb
- Built-in anti-static flame-resistant Rhovyl® and ESD carbon-blend liner

**APPLICATIONS:**

Gas Company Workers, Linesmen & Utilities Industry, Steel & Iron Industry, Light-Welding Operations, Material Handling, Mining



ASTM TESTING



ENDURA®

**#378GOB**

**S-3XL**

- Goat-grain drivers glove
- Keystone thumb
- Treated with Oilbloc™
- Elasticized backs

**APPLICATIONS:**

Steel Mills, Maintenance, Petroleum Industry, Construction, Utilities, Industrial Contractors



ASTM TESTING



ENDURA®

**#378GAXTK**

**XS-2XL**

- High tensile-strength goat-grain palms
- Reinforced leather fingertips and knuckle straps
- Blue-spandex stretch back

**APPLICATIONS:**

General Maintenance, Construction, Agriculture, General Material Handling

## GOAT-GRAIN DRIVERS

ENDURA®

#378GAX

XS-XL

- High tensile-strength goat-grain palms
- Wing thumb
- Blue-spandex stretch back

**APPLICATIONS:**

---

General Maintenance, Construction, Agriculture, General Material Handling



ASTM TESTING



ENDURA®

#76GB

ONE SIZE

- A-grade goat-grain leather palms, fingertips and index finger
- Full nylon backs
- 3" (7.6 cm) safety cuff
- Leather side patch

**APPLICATIONS:**

---

Industrial, General Maintenance, Construction, Agriculture



ASTM TESTING



ENDURA®

#378GOT

S-2XL

- Goat-grain drivers glove
- Keystone thumb
- Hi-viz orange fingertips elevate the level of safety

**APPLICATIONS:**

---

General Maintenance, Construction, Welding, Agriculture, General Material Handling



ASTM TESTING



ENDURA®

#378GAHVB

S-XL

- Goat-grain drivers glove
- Keystone thumb
- Hi-viz yellow stretch backs
- 3M Scotchlite™ retro-reflective stripes
- Full-leather forefinger and thumbs

**APPLICATIONS:**

---

General Maintenance, Construction, Welding, Agriculture, General Material Handling



ASTM TESTING



## COWGRAIN DRIVERS

### LEATHER GLOVES



ASTM TESTING



**ENDURA®**

**#378A**

**XS-3XL**

- Grain cowhide, gunnecut styling and double stitching
- Backs are elasticized

**APPLICATIONS:**

---

Forklift Drivers, Truck Drivers, Construction, Farming, Maintenance, Material Handling



ASTM TESTING



**ENDURA®**

**#378C**

**S-3XL**

- Grain cowhide and clute-cut pattern
- Domed snaps at back of hand
- Double-stitched seams

**APPLICATIONS:**

---

Forklift Drivers, Truck Drivers, Construction, Farming/Ranching



ASTM TESTING



**ENDURA®**

**#378KTA**

**S-XL**

- American-style cowhide driver gloves
- Set in keystone thumb and double stitching
- Backs are elasticized

**APPLICATIONS:**

---

Forklift Drivers, Truck Drivers, Construction, Farming, Maintenance, Material Handling



ASTM TESTING



**ENDURA®**

**#3990SSC4**

**7-9**

- Cowgrain leather gloves
- Gunn-cut styling and Kevlar® out-seam sewn
- 4.5" split-leather gauntlet cuffs

**APPLICATIONS:**

---

Steel & Iron Industry, Material Handling

**ENDURA®**

**#399SC4**

**S-2XL**

- Cowgrain leather gloves
- Gunn-cut styling and double stitching
- 4.5" split-leather gauntlet cuffs

**APPLICATIONS:**

Steel & Iron Industry, Material Handling



ASTM TESTING



**ENDURA®**

**#365GC**

**M-2XL**

- Deluxe cowgrain leather
- Outseam sewn and fully welt protected
- 5" cowhide gauntlet cuffs
- Strapped thumbs
- Kevlar® sewn throughout

**APPLICATIONS:**

Welding, Linesmen & Utilities Industry, Steel & Iron Industry, Material Handling



ASTM TESTING



**ENDURA®**

**#365HBR**

**S-XL**

- Durable horsehide construction
- Split-leather backs
- 4" cowhide gauntlet cuff for wrist protection
- Kevlar® sewn throughout

**APPLICATIONS:**

TIG Welding, Material Handling, Fabrication



ASTM TESTING



**ENDURA®**

**#361DLX6**

**S-XL**

- Select heavyweight 3-1/2 oz grain horsehide leather
- Treated with Waterstop™
- Retro-reflective silver strips
- 6" gauntlet cuff
- Kevlar® sewn throughout

**APPLICATIONS:**

Utilities



ASTM TESTING





ASTM TESTING



**ENDURA®**  
**#365DLX6**

**S-2XL**

- Select heavyweight 3-1/2 oz grain horsehide leather
- Treated with Waterstop™
- Retro-reflective silver strips
- 6" gauntlet cuff
- Kevlar® sewn throughout

**APPLICATIONS:**

Utilities



ASTM TESTING



**ENDURA®**  
**#365DLX2**

**S-2XL**

- Select heavyweight 3-1/2 oz grain horsehide leather
- Treated with Waterstop™
- Retro-reflective silver strips
- 2" safety cuff
- Kevlar® sewn throughout

**APPLICATIONS:**

Utilities



ASTM TESTING



**ENDURA®**  
**#398BDLX**

**S-3XL**

- Glove body, palm and finger patches are Buffalo leather
- 3D ergonomically designed
- Retro-reflective silver strips
- Kevlar® sewn throughout

**APPLICATIONS:**

Utilities



ASTM TESTING



**ENDURA®**  
**#76YBDQ**

**S-XL**

- Economy cowgrain, patch palm
- Leather fingertips and knuckle strap
- Palm lined
- 2.5" (7cm) safety cuff

**APPLICATIONS:**

Maintenance, Construction, Farm Equipment, Ranching, Forestry

## COWGRAIN FITTERS

### ENDURA® #76EFL

ONE SIZE

- Top cowgrain, heavy-weight fitter glove
- Comfortable and durable
- Elastic cuff for a snug fit
- Fully cotton fleece lined

#### APPLICATIONS:

Farming, Construction, General Maintenance



ASTM TESTING



LEATHER GLOVES

### ENDURA® #76B

S-2XL

- Cowgrain palms, fingertips, index finger and knucklestrap
- 2.5" (7 cm) safety cuff
- Lined palm

#### APPLICATIONS:

Warehouses, Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



### ENDURA® #76BUL

ONE SIZE

- Cowgrain palms, fingertips, index finger and knucklestrap
- 2.5" (7 cm) safety cuff
- Unlined palm

#### APPLICATIONS:

Warehouses, Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



### ENDURA® #76BOE

ONE SIZE

- Cowgrain palms, fingertips, index finger and knucklestrap
- Outer elastic back
- 2.5" (7 cm) safety cuff
- Lined palm

#### APPLICATIONS:

Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



## SPLIT FITTERS



ASTM TESTING



### ENDURA® #76GR

ONE SIZE

- Cowgrain palms, fingertips, index finger and knucklestrap
- Lined palm
- 4.25" (10 cm) rubberized gauntlet cuff

#### APPLICATIONS:

Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



### ENDURA® #66Q Economy

ONE SIZE

- Cowhide split leather, patch palm
- Leather fingertips and knuckle strap
- 2.5" (7cm) safety cuff

#### APPLICATIONS:

Construction, Mining, Parts Handling, Maintenance, Agricultural



ASTM TESTING



### ENDURA® #66B

ONE SIZE

- Select cowhide split leather
- Leather fingertips and knuckle strap
- 2.5" (7cm) safety cuff
- Cotton-lined palms

#### APPLICATIONS:

Maintenance, Construction, Farming, Ranching, Forestry/Lumber



ASTM TESTING



### ENDURA® #66BR

ONE SIZE

- Select cowhide split leather
- Leather fingertips and knuckle strap
- 2.5" (7cm) rubberized safety cuff

#### APPLICATIONS:

Construction, Mining, Parts Handling, Maintenance, Agricultural

**ENDURA®**  
**#66BRL**

**ONE SIZE**

- Designed and anatomically engineered for a woman's hand
- Select cowhide split leather
- Leather fingertips and knuckle strap
- 2.5" (7cm) rubberized safety cuff

**APPLICATIONS:**

Construction, Mining, Parts Handling, Maintenance, Agricultural



**ENDURA®**  
**#66GR**

**ONE SIZE**

- Select cowhide split leather
- Leather fingertips and knuckle strap
- 4.25" (10 cm) rubberized safety cuff

**APPLICATIONS:**

Maintenance, Construction, Farming, Ranching, Forestry/Lumber



ASTM TESTING



**ENDURA®**  
**#66G**

**ONE SIZE**

- Select cowhide split leather
- Leather fingertips and knuckle strap
- 4.25" (10 cm) gauntlet cuff

**APPLICATIONS:**

Maintenance, Construction, Farming, Ranching, Forestry/Lumber



ASTM TESTING



**ENDURA®**  
**#66BRR**

**ONE SIZE**

- Select split cowhide leather
- Extra layer of heavyweight tri-tan leather on palm/index finger/thumb
- Gunn-cut style
- 2.5" (7 cm) rubberized safety cuffs

**APPLICATIONS:**

Construction, Mining, Parts Handling, Cable Handling



ASTM TESTING



## COWGRAIN FITTERS



ASTM TESTING



### ENDURA® #66BRRL

LADIES

- Designed and anatomically engineered for a woman's hand
- Select split cowhide leather
- Extra layer of heavyweight tri-tan leather on palm/index finger/thumb
- Gunn-cut style
- 2.5" (7 cm) rubberized safety cuffs

#### APPLICATIONS:

Construction, Mining, Parts Handling, Cable Handling



ASTM TESTING



### ENDURA® #66BRR2

ONE SIZE

- Select split cowhide leather
- Extra layer of heavyweight tri-tan leather on palm/index finger/thumb
- Gunn-cut style
- 2.5" (7 cm) rubberized safety cuffs

#### APPLICATIONS:

Construction, Mining, Parts Handling, Cable Handling



ASTM TESTING



### ENDURA® #66BD

ONE SIZE

- Select split cowhide leather
- Extra layer of heavyweight Tri-tan leather on palm
- 2.5" (7 cm) rubberized safety cuffs

#### APPLICATIONS:

Construction, Mining, Parts Handling, Cable Handling



ASTM TESTING



### ENDURA® #66BRRED

ONE SIZE

- Select split cowhide leather
- Gunn cut style with cotton back
- 2.5" (7 cm) rubberized safety cuffs

#### APPLICATIONS:

Construction, Mining, Parts Handling, Maintenance, Agricultural

## PIGSKIN FITTERS / CLUTE CUT GLOVES

ENDURA®

#66BRBLUE

ONE SIZE

- Select split cowhide leather
- Gunn cut style with cotton back
- 2.5" (7 cm) rubberized safety cuffs

**APPLICATIONS:**

---

Construction, Mining, Parts Handling, Maintenance, Agricultural



ASTM TESTING



ENDURA®

#76PB

ONE SIZE

- Grain pigskin
- Elastic back
- Lined palm
- 2.5" (7 cm) safety cuff

**APPLICATIONS:**

---

Lumber, Construction, Metal Work, General Purpose



ASTM TESTING



ENDURA®

#76PBUL

ONE SIZE

- Grain pigskin
- Elastic back
- Unlined palm
- 2.5" (7 cm) safety cuff

**APPLICATIONS:**

---

Warehouses, Construction, Agriculture, Utilities, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



ENDURA®

#67TKL

ONE SIZE

- Preshrunk 1.3 mm split leather, clute cut
- Full 8 oz. cotton twill back
- Reinforced leather fingertips
- Knitwrist cuff

**APPLICATIONS:**

---

Light Metal Stamping, Fabrication, General Purpose



ASTM TESTING



## CLUTE CUT LEATHER

LEATHER GLOVES



ASTM TESTING



### SUPERIOR® #650

ONE SIZE

- Preshrunk 1.3 mm split leather, clute cut
- Full 8 oz. cotton twill back
- Knitwrist cuff

#### APPLICATIONS:

Steel Mills, Maintenance



ASTM TESTING



### SUPERIOR® #650G

ONE SIZE

- Preshrunk 1.3 mm split leather, clute cut
- Full 8 oz. cotton twill back
- Cotton gauntlet cuff

#### APPLICATIONS:

Steel Mills, Maintenance



ASTM TESTING



### SUPERIOR® #650HB

ONE SIZE

- Preshrunk 1.3 mm split leather, clute cut
- Cotton twill backs
- Knitwrist cuff

#### APPLICATIONS:

Steel Mills, Maintenance



ASTM TESTING



### ENDURA® #650Q

M-XL

- Economy clute cut
- Shoulder split leather palm patch
- Cotton twill backs
- Knitwrist cuff

#### APPLICATIONS:

Steel Mills, Maintenance

**SUPERIOR®**

**#650i**

**ONE SIZE**

- Shoulder split leather palms
- Cotton twill backs
- Knitwrist cuff
- Reusable/Re-Washable

**APPLICATIONS:**

Steel Mills, Maintenance



ASTM TESTING



**SUPERIOR®**

**#630Ki**

**ONE SIZE**

- Shoulder split leather palms
- Cotton twill backs
- Leather index finger
- Knitwrist cuff

**APPLICATIONS:**

Steel Mills, Maintenance



ASTM TESTING



LEATHER GLOVES





# WELDING GLOVES



superiorglove®



ASTM TESTING



**ENDURA®**  
**#305GDSB**

**M-2XL**

- Deluxe gunn-cut welding gloves
- Grain deerskin palms fully sewn with Kevlar®
- Split cowhide backs
- 5" gauntlet cuffs
- Heat resistance up to 284°F (140°C)

**APPLICATIONS:**

TIG Welding, Material Handling, Fabrication



ASTM TESTING



**ENDURA®**  
**#335CBP**

**S-2XL**

- Reinforced reverse cowgrain back patch
- Strapped thumbs
- Extended cowhide gauntlet cuffs
- Fully Kevlar®-sewn seams
- Heat resistance up to 392°F (200°C)

**APPLICATIONS:**

TIG Welding, Material Handling, Fabrication



ASTM TESTING



**ENDURA®**  
**#335D6FKL**

**ONE SIZE**

- Split deerskin
- Fleeced-Kevlar® liner
- Fully Kevlar®-sewn seams
- Strapped thumbs
- Heat resistance up to 284°F (140°C)

**APPLICATIONS:**

TIG and MIG Welding, Fabrication



ASTM TESTING



**ENDURA®**  
**#335DBP**

**S-XL**

- Split deerskin
- Reinforced cowhide back patch
- Strapped thumbs
- Fully Kevlar®-sewn seams
- Heat protection of up to 284°F (140°C)

**APPLICATIONS:**

TIG Welding, Material Handling, Fabrication

**ENDURA®**  
**#335DTIG**

S-XL

- Split deerskin leather
- Strapped thumbs
- Fully Kevlar®-sewn seams
- 4" gauntlet cuffs
- Heat protection of up to 284°F (140°C)

**APPLICATIONS:**

Welding, Fabrication



ASTM TESTING



**ENDURA®**  
**#335PTIG**

S-XL

- Grain pigskin
- 4" cowhide gauntlet cuff
- Heat protection of up to 176°F (80°C)

**APPLICATIONS:**

TIG Welding, Material Handling, Fabrication



**ENDURA®**  
**#370CTIG**

S-2XL

- Grain goatskin leather
- Wide fitting Canadian-style 4" gauntlet cuff
- Fully Kevlar®-sewn seams
- Heat protection of up to 176°F (80°C)

**APPLICATIONS:**

Welding, Steel Mills



ASTM TESTING



**ENDURA®**  
**#370GFKL**

M-2XL

- Grain goatskin leather
- Lined with cut-and sewn fine-gauge Kevlar® interlock knit
- Fully Kevlar®-sewn seams
- Wide-fitting split-cowgrain gauntlet cuffs are gusseted
- Heat protection of up to 176°F (80°C)
- 625 grams of cut protection

**APPLICATIONS:**

MIG or TIG Welding, Steel Foundries, Stainless-Steel Welding



ASTM TESTING





ASTM TESTING



**ENDURA®**  
**#375GDFNL**

**XL-2XL**

- Deluxe grain deerskin
- Split cowhide back
- 5" cowhide gauntlet cuffs
- Heat resistance up to 482°F (250°C)
- Fully lined with DuPont™ Nomex® felt

**APPLICATIONS:**

Welding, Outdoor Winter Welding, Linesmen & Utilities Industry, Steel & Iron Industry, Material Handling



ASTM TESTING



**ENDURA®**  
**#365HBR**

**S-XL**

- White grain horsehide palms
- Split cowhide back
- Fully Kevlar®-sewn seams
- 4" cowhide gauntlet cuff
- Heat resistance up to 140°C (284°F)

**APPLICATIONS:**

TIG Welding, Material Handling, Fabrication



ASTM TESTING



**ENDURA®**  
**#675DBLB**

**XL**

- Deluxe natural split elk-skin palms
- Split deerskin backs
- Fully Kevlar®-sewn seams
- Fleece-jersey lined backs and unlined palm
- Gusseted 5.5" split cowhide gauntlet cuffs and wing thumbs
- Heat protection of up to 284°F (140°C)

**APPLICATIONS:**

MIG Welding



ASTM TESTING



**ENDURA®**  
**#505BS**

**ONE SIZE**

- Deluxe brown side-split cowhide
- Leather-welted critical seams
- Flame-resistant 4 mil thick jersey/foam lining
- Fully Kevlar®-sewn seams
- Heat protection of up to 392°F (200°C)

**APPLICATIONS:**

MIG Welding

**ENDURA®**  
**#505BU**

**ONE SIZE**

- Deluxe royal blue select split-cowhide
- Continuous one-piece back
- Fully Kevlar®-sewn seams
- Leather welting in all vulnerable seams
- Full semi-sock thermal-knit cotton lining
- Heat resistance up to 284°F (140°C)

**APPLICATIONS:**

MIG or Stick Welding, Steel Mills



ASTM TESTING



**ENDURA®**  
**#505BUWS**

**ONE SIZE**

- Select shoulder-split cowhide
- Full semi-sock thermal-knit cotton lining
- Reinforced extended double palm/thumb patch
- Fully Kevlar®-sewn seams
- Leather-welting critical seams
- Heat protection of up to 392°F (200°C)

**APPLICATIONS:**

MIG or Stick Welding, Steel Mills



ASTM TESTING



**ENDURA®**  
**#505RB**

**ONE SIZE**

- Deluxe rust brown side-split cowhide
- Continuous one-piece backs
- Full semi-sock thermal-knit cotton lining
- Fully Kevlar®-sewn seams
- Heat resistance up to 500°F (260°C)

**APPLICATIONS:**

MIG or Stick Welding, Steel Mills



ASTM TESTING



**ENDURA®**  
**#505GMB**

**ONE SIZE**

- Aluminized Heatstop™ lining in the thumbs and at the back of the hand
- Wide, protective strap on the thumb and palm
- Continuous one-piece backs
- Fully Kevlar®-sewn seams
- Full semi-sock thermal-knit cotton lining
- Heat protection of up to 284°F (140°C)

**APPLICATIONS:**

MIG or Stick Welding, Steel Mills



ASTM TESTING





ASTM TESTING



**ENDURA®  
#505i**

**ONE SIZE**

- Split cowhide
- Continuous one-piece backs
- Leather-welted critical seams
- Full semi-sock thermal-knit cotton lining
- Heat protection of up to 284°F (140°C)

**APPLICATIONS:**

MIG Welding, Steel Mills



ASTM TESTING



**ENDURA®  
#501i**

**ONE SIZE**

- Select side-split cowhide one-finger mitt
- Continuous one-piece backs
- Full semi-sock thermal-knit cotton lining
- Leather-welted critical seams
- Heat protection of up to 392°F (200°C)

**APPLICATIONS:**

MIG Welding, Steel Mills



**ENDURA®  
#505Li**

**LADIES**

- Designed and anatomically engineered for a woman's hand
- Split cowhide
- Continuous one-piece backs
- Leather-welted critical seams
- Full semi-sock thermal-knit cotton lining

**APPLICATIONS:**

MIG Welding, Steel Mills



ASTM TESTING



**ENDURA®  
#505Q**

**ONE SIZE**

- Split cowhide
- Continuous one-piece back
- Leather-welted critical seams
- Full semi-sock thermal-knit cotton lining
- Heat protection of up to 284°F (140°C)

**APPLICATIONS:**

MIG Welding, Steel Mills

**ENDURA®**  
**#685BFi**

**ONE SIZE**

- Chrome-tanned leather
- Silver reflective, dual density, non-woven felt lining
- 260°C (500°F) of heat protection
- 4" gauntlet cuffs
- Leather-weltd critical seams
- Fully Kevlar®-sewn seams

**APPLICATIONS:**

High-Heat Applications, Steel Mills, Foundries, Rugged-Material Handling



ASTM TESTING



**ENDURA®**  
**#681BFi**

**ONE SIZE**

- Chrome-tanned leather one-finger mitt
- Silver reflective, dual density, non-woven felt lining
- 260°C (500°F) of heat protection
- 4" gauntlet cuffs
- Leather-weltd critical seams
- Fully Kevlar®-sewn seams

**APPLICATIONS:**

High-Heat Applications, Steel Mills, Foundries, Rugged-Material Handling



ASTM TESTING



**ENDURA®**  
**#401SALDL**

**ONE SIZE**

- One-finger mitt
- Aluminized back reflects up to 95% of radiant heat
- Blue tri-tan leather is resistant to ultra violet radiation
- 608°F (320°C) of heat protection
- Cotton palm lined and wool lined back
- Fully Kevlar®-sewn seams

**APPLICATIONS:**

High-Heat Applications, Steel Mills, Foundries, Rugged-Material Handling



ASTM TESTING



**ENDURA®**  
**#505ALB**

**ONE SIZE**

- Aluminized back reflects up to 95% of radiant heat
- Black tri-tan leather is resistant to ultraviolet radiation
- Cotton palm lined and wool lined back
- Fully Kevlar®-sewn seams

**APPLICATIONS:**

MIG or Stick Welding, Steel Mills, Foundries



ASTM TESTING





ASTM TESTING



ASTM TESTING



**ENDURA®**  
**#399GKGL5**

**S-3XL**

- Goat-grain driver glove
- Extended gauntlet
- Kevlar®/composite filament fiber lining
- 1600 grams of cut protection

**APPLICATIONS:**

-----  
Metal Handling, Construction, Steel Plants, Oil and Gas, MIG Welding

**ENDURA®**  
**#399GKGTLS**

**S-3XL**

- Winter goat-grain driver gloves
- Kevlar®/ composite filament fiber and Thinsulate™ lining
- Extended gauntlet
- 3400 grams of cut protection

**APPLICATIONS:**

-----  
Metal Handling, Construction, Steel Plants, Oil and Gas, MIG Welding

# ANTI-VIBE GLOVES



superiorglove®



ASTM TESTING



EN 388 TESTING



**VIBRASTOP®**

**#S10VIB**

**M-XL**

- Black nylon, 7-gauge shell for durability
- Formed-chloroprene coated, seamless-lined gloves
- Meets anti-vibration standard EN ISO 10819:1996 and ANSI S3.40
- Elastic wrist for a snug fit

**APPLICATIONS:**

Automotive, Forestry and Landscaping, Construction



ASTM TESTING



**VIBRASTOP®**

**#VIBGV**

**M-2XL**

- Padded with 60 gram layer of vibration dampening polymer
- Good for protection from repetitive impact and work with pneumatic vibrating tools
- 2.5" long adjustable padded wrist strap

**APPLICATIONS:**

Repetitive Impact Work, Pneumatic Vibrating Tools, Construction, Maintenance, Grinding or Sanding Tools



ASTM TESTING



**VIBRASTOP®**

**#66BRVIB**

**ONE SIZE**

- Vibration-dampening fitter
- Split cowhide
- Safety-cuff
- Anti-vibration padded palm and double thumb

**APPLICATIONS:**

Repetitive Impact Work, Pneumatic Vibrating Tools, Construction, Maintenance, Grinding or Sanding Tools



ASTM TESTING



**ENDURA®**

**#385CS**

**M-XL**

- Eight-layer lining of specific chain-arrest woven Kevlar®
- Meets the EN 381:1999 Class 0 for chainsaw cuts
- Water-repellent
- Hi-viz nylon/Lycra® fabric

**APPLICATIONS:**

Forestry, Logging, Arborists

**ENDURA®**

**#505VIB**

S-L

- Padded with a layer of vibration dampening polymer
- Split cowhide
- Continuous one-piece backs
- Leather-welted critical seams
- Full semi-sock thermal-knit cotton lining

**APPLICATIONS:**

Repetitive Impact Work, Pneumatic Vibrating Tools, Construction, Maintenance, Grinding or Sanding Tools



ASTM TESTING



**VIBRASTOP®**

**#S10KCVIB**

M-XL

- Seamless 10-gauge knit 60% Kevlar®/ 40% cotton shell
- Meets anti-vibration standard EN ISO 10819: 1996 and ANSI S3.40
- Elastic wrist for a snug fit

**APPLICATIONS:**

Automotive, Forestry and Landscaping, Construction



ASTM TESTING



ANTI-VIBRATION GLOVES



# PUNCTURE GLOVES

DEXITY  
S10LXMB



superiorglove®



ASTM TESTING



**CLUTCH GEAR®**  
**#MXVSBPB**

**S-2XL**

- PVC Sure Grip® palm patches
- Lined with Punkban™ in palm
- Hi-viz lime-green backs
- TPR backing on hands
- Kevlar® thumb patch
- 2050 grams of cut protection
- ASTM F2878 4.62 newtons of puncture protection

**APPLICATIONS:**

Oil & Gas



ASTM TESTING



**CLUTCH GEAR®**  
**#MXHVPB**

**S-2XL**

- PVC Sure Grip® palm patches
- Lined with Punkban™ in palm
- Hi-viz lime-green backs
- Soft fabric patch on the thumb for wiping sweat or drippy noses
- 1375 grams of cut protection
- ASTM F2878 4.78 newtons of puncture protection

**APPLICATIONS:**

Lumber Yards, Waste Handling, Plywood, Recycling, Material Handling



ASTM TESTING



**CLUTCH GEAR®**  
**#MXHV2PB**

**S-2XL**

- PVC Sure Grip® palm patches
- Fully lined with Punkban™
- Hi-viz lime-green backs
- 2600 grams of cut protection
- ASTM F 2878 7.83 (palm) and 4.47 (back) newtons of puncture protection

**APPLICATIONS:**

Lumber Yards, Plywood, Material Handling, Waste Handling, Recycling, Medical Waste Handling



ASTM TESTING



EN 388 TESTING



**DEXTERITY®**  
**#S10LXPB**

**6-10**

- Hi-viz lime green puncture-resistant latex coating
- 10-gauge cotton/poly string knit
- Lined with two layers of Punkban™ in palm
- 2394 grams of cut protection
- ASTM F2878 6.73 newtons of puncture protection

**APPLICATIONS:**

Lumber Yards, Waste Handling, Plywood, Recycling, Material Handling

**SUPERIOR®**  
**#SLPB9TH**

ONE SIZE

- Made with Punkban™ material
- Spandex wrist with thumbhole
- Hi-viz lime-green
- Adjustable Velcro® closure
- 1981 grams of cut protection
- ASTM F2878 7.35 newtons of puncture protection
- Available lengths: 9"

**APPLICATIONS:**

Metal Handling, Steel Plants, Metal Fabrication, Glass Handling



ASTM TESTING



EN 388 TESTING



**ENDURA®**  
**#398DPPB**

M-XL

- Select heavyweight Buffalo leather palms
- Lined with Punkban™ in palm
- Gauntlet cuffs
- 3 Hi-viz lime-green fingertips
- Sewn with Kevlar® thread
- 2700 grams of cut protection

**APPLICATIONS:**

Lumber Yards, Plywood




ASTM TESTING



**PUNKBAN™**

Punkban™ offers unparalleled protection in a woven material. This breakthrough has been made possible by bringing together leading edge textile technology in spinning and weaving para-aramids, in a method pioneered by Superior Glove. The resultant super densely woven Kevlar® fabric is still flexible and supple, but unbelievably puncture resistant.

This engineered fabric is incorporated in our exclusive range of gloves that provide incredible puncture protection. You'll experience dexterity like never before in the new Punkban™ series.





A close-up photograph of a person's hands wearing white string knit gloves. The person is using a blue tool to work on a metal part held in a vise. The background is dark, and there are orange and grey geometric shapes overlaid on the image. The text "STRING KNIT GLOVES" is centered in a white box.

# STRING KNIT GLOVES





**SUPERIOR®**

**#LL100**

**7-10**

**#LL100D** (PVC-dotted palm)

**7,9,12**

- 100% cotton inspectors gloves, parade pattern
- Protect from contamination such as fingerprints, oils & scratches
- Form-fitting and reversible
- Can be worn as glove liner

**APPLICATIONS:**

Inspection, Liner for rubber gloves



**SUPERIOR®**

**#ML40**

**MENS  
LADIES**

**#LL40**

- Lightweight cotton/polyester knit
- Bleach white, slip on style
- Hand-to-hand reversible
- Can be worn as glove liner

**APPLICATIONS:**

Inspection, Liner for rubber gloves

**CFIA**



**SUPERIOR®**

**#ML80**

**MENS  
LADIES**

**#LL80**

- Heavy weight jersey knit
- Natural color, slip on style
- Hand-to-hand reversible
- Can be worn as glove liner

**APPLICATIONS:**

Inspection, Liner for rubber gloves

**CFIA**



**SUPERIOR®**

**#ML80K**

**MENS  
LADIES**

**#LL80K**

- Heavy weight jersey knit
- Natural color, slip on style
- Knit wrist cuff
- Can be worn as glove liner

**APPLICATIONS:**

Inspection, Liner for rubber gloves

**CFIA**

**SUPERIOR®**

**#MLNF**

7,8,10

- Lint-free continuous-filament nylon
- Protects surfaces from fingerprints, oils and scratches
- Washable
- Slip-on style

**APPLICATIONS:**

Electronics, Inspection, Paint Line, Glove Liner



 **CFIA**

**SURE KNIT™**

**#S13CL**

S-XL

- Lycral® cotton/stretch blend absorbs perspiration; can be used a liner
- Gloves protect product from contamination such as fingerprints, oils, scratches
- Form-fitting for comfort and high dexterity
- Washable, reversible

**APPLICATIONS:**

Assembly, Inspection Lines, Small Parts Handling, Glove Liners



**SUPERIOR®**

**#S13FRT**

S-XL

- 13-gauge Rhovyl®/ESD carbon-filament string-knit glove
- Flame resistant
- Rhovyl® is hypo-allergenic

**APPLICATIONS:**

Petrochemical, Oil Workers, Welding, Gas Companies, Military, Mining



**SURE KNIT™**

**#S13TN3K**

S-L

- 13-gauge low-linting polyester knit
- 3" knit wrist cuff
- 43 grams per pair

**APPLICATIONS:**

Assembly, Inspection, Paint Line, Glove Liner





**SURE KNIT™**  
**#S13TP3K**

**2XS-XL**

- 13-gauge low-linting polyester knit
- 3" knit wrist cuff
- 50 grams per pair

**APPLICATIONS:**

Automotive, Paint Line, Electronics, Cleanroom



**SURE KNIT™**  
**#SBQ**

**XS - XL**

- 7-gauge bleached cotton/polyester string knit
- 50 grams per pair
- Economy version

**APPLICATIONS:**

Automotive, Parts Handling, Maintenance

**CFIA**



**SURE KNIT™**  
**#SCP**

**XXS-XL**

- 7-gauge unbleached cotton/polyester string knit
- Heavy weight
- 63 grams per pair
- Loose fitting cuff

**APPLICATIONS:**

Automotive, Parts Handling, Maintenance, Food Handling

**CFIA**



**SURE GRIP®**  
**#SCP**

**XS-XL**

- 7-gauge unbleached cotton/polyester string knit
- PVC dotted on one side
- Extra heavy weight
- 64 grams per pair
- Loose fitting cuff

**APPLICATIONS:**

Automotive, General Purpose, Maintenance, Parts Handling, Assembly, Warehousing, Construction

**SURE KNIT™**

**#SCPH**

S-XL

- Extra heavy weight 7-gauge cotton/polyester string knit
- Unbleached, natural color
- 63 grams per pair
- Loose fitting cuff

**APPLICATIONS:**

Automotive, Parts Handling, Maintenance



**SURE KNIT™**

**#SNF**

S-XL

- High bulk nylon knit
- Bulk for improved insulation
- Specifically for commercial fisheries and fish processing

**APPLICATIONS:**

Commercial Fisheries, Food Processing



CFIA

**SURE KNIT™**

**#SQ**

XS-XL

- 7-gauge cotton/polyester blend
- Economy version
- 50 grams per pair

**APPLICATIONS:**

Parts Handling, Maintenance, Food Handling, General Purpose



CFIA

**SURE GRIP®**

**#SQD**

XXS-XL

- 7-gauge cotton/polyester blend
- PVC dotted palm
- Economy version
- 50 grams per pair

**APPLICATIONS:**

Parts Handling, Maintenance, Food Handling, General Purpose



## BLENDED STRING KNITS

STRING KNIT GLOVES



### SURE GRIP®

#### #SQ2D

S-XL

- 7-gauge cotton/polyester blend
- PVC dotted both sides
- Economy version
- 50 grams per pair

#### APPLICATIONS:

Parts Handling, Maintenance, Food Handling, General Purpose



CFIA

### SURE KNIT™

#### #SN

S-XL

- 7-gauge bright white nylon
- Hand-to-hand reversible
- Fully launderable
- 56 grams per pair

#### APPLICATIONS:

Commercial Fisheries, Food Processing



CFIA

### SURE KNIT™

#### #SNHB

XS-XL

- 7-gauge bright white hi-bulk nylon
- Hand-to-hand reversible
- Fully launderable
- 56 grams per pair

#### APPLICATIONS:

Commercial Fisheries, Food Processing



### OILBLOC™

#### #STCi

S-XL

- Nylon-filament tire-cord yarn
- Hand-to-hand reversible
- Grey color

#### APPLICATIONS:

Commercial Fisheries, Food Processing, General Purpose, Warehousing, Automotive

### SUPERIOR TOUCH®

#### #STN336K

6,9

- 13-gauge continuous filament nylon
- Ambidextrous
- 336 grams/dozen

#### APPLICATIONS:

---

Paint Line, Inspection, Glove Liner, Electronics, Cleanroom, Aerospace



### SURE KNIT®

#### #STNCF

S-XL

- Seamless knit, anti-static nylon/carbon yarn
- High degree of static dissipation
- Excellent comfort and dexterity
- Knitwrist cuff

#### APPLICATIONS:

---

Automotive, Paint Line, Electronics, Cleanroom





# DISPOSABLE GLOVES



superiorglove®



CFIA

**KEEPKLEEN®  
#RD15LPF**

**S-XL**

- Heavy duty 15 mil., powder-free latex
- Ambidextrous
- Beaded cuff
- Textured finish

**APPLICATIONS:**

Automotive Technicians, Paint Applications, Food Handling, Janitorial



CFIA

**KEEPKLEEN®  
#RDL**

**S-XL**

- 5 mil., latex
- Class 2 medical grade
- Beaded cuff
- Also available in powder-free version - #RDLPF
- **Available in Canada only**

**APPLICATIONS:**

Food Handling, Parts Handling, Janitorial, Painting and Finishing



CFIA

**KEEPKLEEN®  
#RD8NPF**

**S-2XL**

- 8 mil., powder-free nitrile
- Ambidextrous
- Beaded cuff

**APPLICATIONS:**

Food Handling, Parts Handling, Janitorial, Painting and Finishing



**KEEPKLEEN®  
#RD8BNPF12**

**S-XL**

- 8 mil., powder-free black nitrile
- 12-inch length
- Ambidextrous
- Beaded cuff

**APPLICATIONS:**

Parts Handling, Janitorial, Painting and Finishing

**KEEPKLEEN®**

**#RDN**

S-XL

- 4 mil., blue nitrile
- Class 2 medical grade
- Beaded cuff
- Available in powder-free version - #RDNPF - XS-2XL
- **Available in Canada only**

**APPLICATIONS:**

Food Handling, Parts Handling, Janitorial, Painting and Finishing



☘ **CFIA**

**KEEPKLEEN®**

**#RDCNPF**

XS-XL

- 4 mil., powder-free nitrile, 9" long
- Ambidextrous
- Beaded cuff

**APPLICATIONS:**

Food Handling, Parts Handling, Janitorial, Painting and Finishing



☘ **CFIA**

**KEEPKLEEN®**

**#RDNBLPF**

XS-2XL

- 4 mil., black powder-free nitrile
- Ambidextrous
- Beaded cuff
- **Available in Canada only**

**APPLICATIONS:**

Food Handling, Parts Handling, Janitorial, Painting and Finishing



☘ **CFIA**

**KEEPKLEEN®**

**#RDNPPF**

XS-XL

- 4 mil., pink powder-free nitrile
- Class 2 medical grade
- Beaded cuff
- Also available in pink powder-free version - #RDNPKPF - XS-XL
- **Available in Canada only**

**APPLICATIONS:**

Food Handling, Parts Handling, Janitorial, Painting and Finishing





CFIA

**KEEPKLEEN®  
#RDV**

**S-XL**

- 5 mil., vinyl
- Ambidextrous
- Beaded cuff
- Also available in powder-free version - #RDVPF
- **Available in Canada only**

**APPLICATIONS:**

Food Handling, Parts Handling, Janitorial, Painting and Finishing



CFIA

**KEEPKLEEN®  
#RDVEPF**

**S-XL**

- New Synthel™ composition of powder free vinyl and polyethylene
- Great alternative to latex
- Excellent touch-sensitivity

**APPLICATIONS:**

Food Handling, Janitorial



CFIA

**KEEPKLEEN®  
#RDNVPF**

**S-XL**

- 4 mil., powder-free Nylpro™
- Ambidextrous
- Beaded cuff
- Textured finish

**APPLICATIONS:**

Automotive Technicians, Paint Applications, Food Handling, Janitorial



CFIA

**KEEPKLEEN®  
#PD**

**S-L**

- .02mm thickness
- Polyethylene
- Ambidextrous
- Embossed pattern grip
- **Available in Canada only**

**APPLICATIONS:**

Automotive Technicians, Paint Applications, Food Handling, Janitorial



# CLEANROOM GLOVES



superiorglove®

## STRING KNITS

CLEANROOM/PAINTLINE GLOVES



 **CFIA**

### SURE KNIT® #STN120

ONE SIZE

- Lint-free, continuous filament nylon
- Ambidextrous
- 10 gr./pair
- CFIA approved

#### APPLICATIONS:

---

Inspection, Glove Liner, Paint Line, Electronics, Cleanroom, Aerospace



 **CFIA**

### SURE KNIT® #STN120HF

ONE SIZE

- Lint-free, continuous filament nylon
- Ambidextrous, half-finger gloves
- 10 gr./pair
- CFIA approved

#### APPLICATIONS:

---

Inspection, Glove Liner, Paint Line, Electronics, Cleanroom Assembly, Aerospace



### SURE KNIT® #STN220

ONE SIZE

- Lint-free, continuous filament nylon
- Ambidextrous
- 18 gr./pair

#### APPLICATIONS:

---

Inspection, Glove Liner, Paint Line, Electronics, Cleanroom Assembly, Aerospace



### SURE KNIT® #STNCF

S-XL

- Anti-static filament nylon
- High degree of static dissipation
- Touchscreen compatible

#### APPLICATIONS:

---

Inspection, Paint Line, Electronics, Cleanroom Assembly, Aerospace

## STRING KNITS/COATED STRING KNITS

### DEXTERITY®

#### #N10F

ONE SIZE

- Lint-free continuous-filament nylon
- Parade forchette thumb
- Slip-on styling
- Washable

#### APPLICATIONS:

Electronics, Cleanroom Assembly, Paintline



### SUPERIOR®

#### #MLNF

7, 8, 10

- Lint-free medium-weight continuous-filament nylon
- Parade forchette thumb
- Slip-on styling
- Washable

#### APPLICATIONS:

Laboratory, Pharmaceutical, Cleanroom Assembly



### SUPERIOR TOUCH®

#### #S13PU

5-12

- Fine 13-gauge non-linting filament nylon
- Polyurethane palm coating
- DMF free

#### APPLICATIONS:

Electronics, Cleanroom Assembly, Automotive, Small Parts Handling, Aerospace, General Industry



### SUPERIOR TOUCH®

#### #S13PUCF

6-10

- Fine 13-gauge carbon filament nylon
- Polyurethane palm coating
- Static-dissipative
- Touchscreen compatible

#### APPLICATIONS:

Assembly, Semiconductors, Electronics, Assembly, Product Inspection



CLEANROOM/PAINTLINE GLOVES



**SUPERIOR TOUCH®**  
**#S13SXP**

6-12

- Fine 13-gauge non-linting gloves made with Dyneema®
- Polyurethane palm coating
- Washable and bleachable (under 104°F/40°C)

**APPLICATIONS:**

Electronics, Cleanroom Assembly, Automotive, Small Parts Handling, Aerospace, General Industry



**TENACTIV™**  
**#S13TAPUCF**

7-10

- Fine 13-gauge HPPE blended with carbon filament
- Polyurethane palm coating
- ESD (electrostatic dissipating)
- DMF-free and touchscreen compatible

**APPLICATIONS:**

Electronics, Circuit Boards, Pharmaceutical, Automotive, Parts Assembly, Material Handling



**GROUND HOG™**  
**#1401L2GH**

S-L

- 1 mil. polyurethane film laminated to a knitted nylon backing
- Continuous, highly conductive silver strip
- Lint free, cleanroom compatible materials

**APPLICATIONS:**

Automotive, Electronics, Paintline



**CHEMSTOP™**  
**#NIF3018SS**

7-11

- 12" (30 cm) long, .018" thick nitrile, flock-lined
- Continuous, highly conductive silver strip
- Embossed finish

**APPLICATIONS:**

Automotive, Appliance Manufacturing, Aerospace, Paintline





# WINTER GLOVES



## WINTER LINEMAN

### WINTER GLOVES



**-5°C**  
**23°F**  

**ENDURA®**

**#398BDLXTL**

**S-2XL**

- Glove body, palm and finger patches are Buffalo leather
- 3D ergonomically designed
- 3M FR Scotchlite™ retro-reflective cuff
- All seams are Kevlar® sewn
- Fully 3M Thinsulate™ lined

**APPLICATIONS:**

---

Utilities, Construction, Forestry, Oil and Gas



**-45°C**  
**-49°F** 

**DEXTERITY®**

**#361DLXWL**

**M-XL**

- Heavyweight 1.4 mm grain horsehide leather
- Treated with Waterstop™
- Retro-reflective silver strips
- Removable wool liner
- All seams are Kevlar® sewn

**APPLICATIONS:**

---

Utilities, Construction, Forestry, Oil and Gas



**-20°C**  
**-4°F**  

**ENDURA®**

**#361DLXFTL**

**M-XL**

- Select heavyweight 1.4 mm grain horsehide leather
- Treated with Waterstop™
- Thinsulate™ lined
- Retro-reflective silver strips
- All seams are Kevlar® sewn

**APPLICATIONS:**

---

Utilities, Construction, Forestry, Oil and Gas



**-10°C**  
**14°F**  

**ENDURA®**

**#365DLXFTL**

**M-2XL**

- Select heavyweight 1.4 mm grain horsehide leather
- Treated with Waterstop™
- Thinsulate™ lined
- Retro-reflective silver strips
- All seams are Kevlar® sewn

**APPLICATIONS:**

---

Utilities, Construction, Forestry, Oil and Gas

ENDURA®

#365DLX2TL

M-2XL

- Select heavyweight 1.4 mm grain horsehide leather
- Treated with Waterstop™
- Thinsulate™ lined
- Retro-reflective silver strips
- All seams are Kevlar® sewn

APPLICATIONS:

Utilities, Construction, Forestry, Oil and Gas



-10°C  
14°F



ENDURA®

#365DLX2DT

M-XL

- Select heavyweight 1.4 mm grain horsehide leather
- Treated with Waterstop™
- Retro-reflective silver strips
- Napped jersey and G200 Thinsulate™ lined
- All seams are Kevlar® sewn

APPLICATIONS:

Utilities, Construction, Forestry, Oil and Gas



-20°C  
-4°F



ENDURA®

#365DLXDTL

M-XL

- Select heavyweight 1.4 mm grain horsehide leather
- Treated with Waterstop™
- Retro-reflective silver strips
- Napped jersey and G200 Thinsulate™ lined
- All seams are Kevlar® sewn

APPLICATIONS:

Utilities, Construction, Forestry, Oil and Gas



-20°C  
-4°F



ENDURA®

#378GOBTL

S-2XL

- Goat-grain leather is treated with Oilbloc™ for oil resistance
- 100-gram Thinsulate™ lining for excellent warmth without the bulk
- Great dexterity and tactile feel for a warm winter work glove

APPLICATIONS:

Maintenance, Petroleum Industry, Construction, Utilities, Industrial, Contractors



-15°C  
5°F



Kevlar® is a registered trademark of E.I. du Pont de Nemours and Company.  
Thinsulate™ is a registered trademark of 3M.

## WINTER DRIVER

### WINTER GLOVES



**-30°C**  
**-22°F**



**ENDURA®**

**#378GOBDTK**

**XS-3XL**

- Deluxe G200 Thinsulate™ lining
- Treated with Oilbloc™
- Assortment of specially selected and positioned Thinsulate™ at fingertips for added warmth
- Turtleneck acrylic knitwrist to lock out the cold

**APPLICATIONS:**

---

Construction, General Material Handling, Mining, Petrochemical, Refrigerated Warehouses



**-15°C**  
**5°F**



**ENDURA®**

**#378GKTTL**

**XS-2XL**

- High tensile strength goatskin
- Fully Thinsulate™ lined
- Brushed jersey-fleece interior
- Keystone thumb for comfort

**APPLICATIONS:**

---

General Maintenance, Construction, Agriculture, General Material Handling



**ENDURA®**

**#378GOTTL**

**S-XXL**

- Supple goatgrain drivers gloves
- Keystone thumb
- Hi-viz orange fingertips
- Fully Thinsulate™ lined
- Especially good for crane work

**APPLICATIONS:**

---

Construction, Utilities, Metal Fabrication, Oil and Gas, Forestry



**-15°C**  
**5°F**



**ENDURA®**

**#378GHVTL**

**S-2XL**

- Hi-viz yellow backs with 3M Scotchlite™ retro-reflective stripes
- Backs are elasticized
- Fully Thinsulate™ lined

**APPLICATIONS:**

---

Road/Highway Repair, Forklift Drivers, Truck Drivers, Construction, General Maintenance, Material Handling, Agriculture

## WINTER ROPER / GENERAL PURPOSE

WINTER GLOVES

ENDURA®

#378CFL

S-XL

- Grain cowhide, clute-cut pattern
- Domed snaps at back of hand
- Fully fleece lined

**APPLICATIONS:**

Forklift Drivers, Truck Drivers, Construction, Farming/Ranching



ASTM TESTING



-5°C  
23°F



ENDURA®

#378AFL

S-XL

- Grain cowhide, gunncut styling
- Backs are elasticized
- Fully fleece-lined

**APPLICATIONS:**

Forklift Drivers, Truck Drivers, Construction, Farming, Maintenance, Material Handling



-5°C  
23°F



SNOW FORCE™

#SNOWD388V

M-XL

- Deluxe, waterproof and windproof winter glove
- G200 Thinsulate™ lined for warmth
- Anti-slip PVC palm patches in critical palm and fingertip areas
- Porelle™ Ski-Dri2 waterproof, breathable inserts

**APPLICATIONS:**

Agriculture, Ranching, Forestry/Lumber, Construction, Cold Storage, Oil and Gas



ASTM TESTING



-45°C  
-49°F



SNOW FORCE™

#SNOW388V

M-XL

- Breathable, waterproof and windproof
- Clarino® palms
- Anti-slip PVC patches
- Velcro® adjustable wrist closure

**APPLICATIONS:**

Agriculture, Construction, Material Handling, Maintenance, Transportation, Cold Storage



ASTM TESTING



-30°C  
-22°F



Thinsulate™ is a registered trademark of 3M.



**-10°C**  
14°F 

**CLUTCH GEAR®**

**#SNOWPU**

**M-2XL**

- Waterproof and windproof
- Synthetic polyurethane palm for greater grip and dexterity
- Fleece-lined for warmth
- Turtleneck knitwrist keeps cold and snow out

**APPLICATIONS:**

Construction, General Material Handling, Cold Storage, Farming/Ranching



**-45°C**  
-49°F  

**SNOW FORCE™**

**#SNOWD200L**

**ONE SIZE**

- Deluxe, calfskin mitts
- Removable Temperloc™ lining
- Double layer nylon gauntlet cuffs
- Removable BOA pile wiper/cheek warmer

**APPLICATIONS:**

Snowmobiling, Ranching, Trapping, Hunting, Law Enforcement, Search and Rescue, Military, Wildlife Management, Construction



**-25°C**  
-13°F  

**SNOW FORCE™**

**#SNOW385**

**ONE SIZE**

- Deluxe, buffalo leather winter gloves
- Pocket on back with zipper also doubles as a cooling vent
- Thinsulate™ C100 lining on palm and G200 lining on the back
- Shock cord at cuff edge to cinch gauntlet

**APPLICATIONS:**

Snowmobiling, Construction, Cold Storage, Oil and Gas, Farming/Ranching



**-10°C**  
14°F 

**CLUTCH GEAR®**

**#378PLFL**

**XS-2XL**

- Synthetic leather palm
- Stretchy nylon backs
- Elastic backs for snug fit
- Neoprene knuckles
- 2 mil. foam laminate lining
- Great dexterity

**APPLICATIONS:**

Construction, General Material, Handling, Outdoor Maintenance

**CLUTCH GEAR®**

**#MXBUFL**

**XS-2XL**

- Exo-Tekt water-repellant synthetic leather
- Velcro® tabs at the back of the wrists
- Neoprene padded knuckles
- Performance patch over the thumb crotch
- Fully fleece lined

**APPLICATIONS:**

Mechanics, Assembly Work, Construction, Agriculture, Truck Drivers



**-10°C**  
**14°F** ❄️

**CLUTCH GEAR®**

**#MXGDFL**

**M-XL**

- Supple grain deerskin palms
- Wide elastic cuffs with Velcro® closures
- Stretchy padded nylon backs
- Fleece lining for warmth

**APPLICATIONS:**

Construction, Outdoor Maintenance, Ranching



**-10°C**  
**14°F** ❄️

**CLUTCH GEAR®**

**#MXHVTWT**

**M-2XL**

- Fully Thinsulate™ lined
- Breathable Enprotex® lining
- Hi-viz lime green backs feature reflective strip for safety
- Neoprene cuffs

**APPLICATIONS:**

Oil and Gas, Police, Mechanics, Outdoor Construction, Material Handling



**-15°C**  
**5°F** ❄️



**ENDURA®**

**#66BFL**

**ONE SIZE**

- Select cowhide split leather on fingertips and knuckle strap
- Fully napped, cotton lined for warmth
- 2.5" (7cm) safety cuff

**APPLICATIONS:**

Maintenance, Construction, Farming, Ranching, Forestry/Lumber



ASTM TESTING



**-5°C**  
**23°F** ❄️

## WINTER FITTERS

## WINTER GLOVES



ASTM TESTING



**-5°C**  
23°F

### ENDURA® #66BRF

ONE SIZE

- Select split cowhide leather
- Fully laminate foam lined
- Gunn cut style
- Rubberized safety cuff

#### APPLICATIONS:

Maintenance, Construction, Farming, Ranching, Forestry/Lumber



ASTM TESTING



**-15°C**  
5°F

### ENDURA® #66BRBOA

L-XL

- Select split cowhide
- Full acrylic fleece BOA lining
- Full leather thumbs, fingertips and knuckle strap
- 2.5" (7 cm) rubberized cuff

#### APPLICATIONS:

Refrigerated Warehouses, Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



**-20°C**  
-4°F

### ENDURA® #66BFTL

ONE SIZE

- Split cowhide leather
- Full Thinsulate™ lining
- Full leather thumbs, fingertips, and knuckle strap
- 2.5" (7 cm) rubberized cuff

#### APPLICATIONS:

Refrigerated Warehouses, Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



**-15°C**  
5°F

### ENDURA® #66BRBOAWT

ONE SIZE

- Select split cowhide
- Water-Tite™ waterproof polyurethane layer
- Full acrylic BOA lining
- 2.5" (7 cm) safety cuff
- Elasticized cotton backs

#### APPLICATIONS:

Refrigerated Warehouses, Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching

## WINTER FITTERS

ENDURA®

### #66BFTLWT

L-2XL

- Select split cowhide
- Water-Tite™ waterproof polyurethane layer
- Fully Thinsulate™ lining
- Elasticized cotton backs

#### APPLICATIONS:

Refrigerated Warehouses, Construction, Agriculture, Utilities, Material handling, General Maintenance, Ranching



ASTM TESTING



-5°C  
23°F



ENDURA®

### #76BFL

ONE SIZE

- Cowgrain palms, fingertips, index finger and knucklestrap
- Light resistance to water and oil
- 2.5" (7 cm) safety cuff
- Fully cotton fleece lined

#### APPLICATIONS:

Warehouses, Construction, Agriculture, Utilities, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



-5°C  
23°F



ENDURA®

### #76BRF

ONE SIZE

- Cowgrain palms, fingertips, index finger and knucklestrap
- Light resistance to water and oil
- 2.5" (7 cm) safety cuff
- Fully lined with red laminated-foam

#### APPLICATIONS:

Maintenance, Construction, Agriculture, Ranching, Forestry/Lumber, Refrigerated Warehouses



ASTM TESTING



-5°C  
23°F



DEXTERITY®

### #76BOA

L-3XL

- Cowgrain palms, fingertips, index finger and knucklestrap
- Light resistance to water and oil
- 2.5" (7 cm) safety cuff
- Full acrylic fleece BOA lining

#### APPLICATIONS:

Refrigerated Warehouses, Construction, Agriculture, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



-20°C  
-4°F



Thinsulate™ is a registered trademark of 3M.

## WINTER FITTERS

### WINTER GLOVES



ASTM TESTING



-15°C  
5°F



ENDURA®

#76BFTL

ONE SIZE

- Grain cowhide palms, fingertips, index finger and knucklestrap
- Fully Thinsulate™ lined
- 2.5" (7 cm) safety cuff

APPLICATIONS:

Warehouses, Construction, Agriculture, Utilities, Material Handling, General Maintenance, Forklift Drivers, Ranching



ASTM TESTING



-5°C  
23°F



ENDURA®

#76YBDFL

L

- Economy-grade cowhide leather
- Leather fingertips and knuckle strap
- 2.5" (7cm) safety cuff
- Fully cotton-flannel lined

APPLICATIONS:

Maintenance, Construction, Farm Equipment, Ranching, Forestry/ Lumber



ASTM TESTING



-15°C  
5°F



ENDURA®

#76PBFTL

ONE SIZE

- Top-grain pigskin fingertips, index finger and knucklestrap
- Elastic back
- 2.5" (7 cm) safety cuff
- Fully Thinsulate™ lined

APPLICATIONS:

Warehouses, Construction, Agriculture, Utilities, Material Handling, General Maintenance, Forklift Drivers, Ranching



EN 511 TESTING



-25°C  
-13°F



EN 388 TESTING



SNOW FORCE™

#678AFTLK

XL

- Split-leather cowhide
- Double palm and thumb patch
- C100 Thinsulate™ and foam lined
- Extra long knitwrist cuff
- Flexible in subzero temperatures

APPLICATIONS:

Refrigerated Warehouses, Construction, Agriculture, Material Handling, General Maintenance

ENDURA®

#304BOA

ONE SIZE

- Durable cowgrain chopper mitt
- Full acrylic fleece BOA lining
- Elasticized at front of wrist
- Metal pairing clips

APPLICATIONS:

Cold Storage, Warehouse, Snowmobiling/ Recreation, Construction, Agricultural, Ranching, General Purpose for Cold-Weather



-35°C  
-31°F



ENDURA®

#321BOA

ONE SIZE

- Durable cowgrain one finger chopper mitt
- Full acrylic fleece BOA lining
- Elasticized at front of wrist
- Metal pairing clips

APPLICATIONS:

Cold Storage, Warehouse, Snowmobiling/ Recreation, Construction, Agricultural, Ranching, General Purpose for Cold-Weather



-35°C  
-31°F



ENDURA®

#604BOA

ONE SIZE

- Split cowhide winter chopper mitt
- Full acrylic fleece BOA lining
- Elasticized cuffs

APPLICATIONS:

Lumber, Mining, Oil and Gas



DEXTERITY®

#TKYLX

M-XL

- Hi-viz neon yellow 100% nylon, seamless-knit shell
- Thick crinkle-grip latex palm
- Looped-pile construction

APPLICATIONS:

Maintenance, Construction, Agriculture, Ranching, Forestry/Lumber, General Material Handling, Mining



ASTM TESTING



-10°C  
14°F



## WINTER COATED

## WINTER GLOVES



ASTM TESTING



**-5°C**  
23°F

### DEXTERITY® #SNTAPVC

M-2XL

- PVC coating with micropore grip
- Fleece lining is soft and warm
- Enhanced protection against abrasion
- Good dexterity for a glove this warm

#### APPLICATIONS:

Commercial Fisheries, Agriculture, Construction, Utilities, Cold Storage Facilities



ASTM TESTING



**0°C**  
32°F

### TENACTIV™ #STAGFCFNVL

7-10

- Full nitrile coating
- Made with TenActiv™ yarn
- Fully winter-fleece lined
- Velcro® closure
- 1370 grams of cut protection

#### APPLICATIONS:

Construction, Fisheries, Cold Storage, Food Processing



ASTM TESTING



### NORTH SEA™ #N230CR

S-2XL

- Cold-resistant supported gloves feature a specially formulated nitrile coating over a cotton jersey liner
- Sand-patch grip on the palms
- 30 cm gauntlet

#### APPLICATIONS:

Commercial Fishing, Petrochemical, Maintenance, Oily Metal Parts



ASTM TESTING



**-15°C**  
5°F

### NORTH SEA™ #N230FL

S-2XL

- Specially formulated nitrile is ultrasoft, flexible in cold conditions
- Sand-patch finish
- 11" gauntlet cuffs protect wrists, allow for ease of donning
- Fully winter-fleece lined

#### APPLICATIONS:

Fisheries, Petrochemical Refining, Construction

## WINTER COATED / STRING KNIT

WINTER GLOVES

### NORTH SEA™ #N230FLK

S-XL

- Specially formulated nitrile is ultrasoft, flexible in cold conditions
- Sand-patch finish
- Knitwrist turtleneck cuff
- Fully winter-fleece lined

#### APPLICATIONS:

Fisheries, Petrochemical Refining, Construction



ASTM TESTING



-15°C  
5°F

### SURE KNIT™ #S13CPBW

S-XL

- 13-gauge, ComFortrel® liners with Lycra®
- Moisture wicking
- Resistant to shrinkage
- Hand to hand reversible
- Also available in white (#S13CPWH)

#### APPLICATIONS:

Cold Storage Facilities, Construction, Agriculture, Poultry/Beef/Pork, Processing



5°C  
41°F

### SURE KNIT™ #S13THWH

S-XL

- Lightweight 13-gauge glove liners are knit with Thermolite®
- Moisture wicking
- Fast drying
- Mildew resistant
- Non-shrinking

#### APPLICATIONS:

Utilities, Meat Processing, Refrigerated Warehousing, Commercial Fishing



THERMOLITE®

5°C  
41°F

### SURE KNIT™ #SRW

S, L

- Ragg wool; blend of 75% wool and 25% nylon
- Extra-long ribbed cuffs
- Wind and water resistant
- Also great as a glove liner

#### APPLICATIONS:

General Construction, Cold Weather, Glove Liner



-5°C  
23°F

137

ComFortrel® is a registered trademark of David C. Poole Company, Inc.  
Thermolite® is a registered trademarks of E.I. du Pont de Nemours and Company.  
Thinsulate™ is a registered trademark of 3M.



# PROTECTIVE SLEEVES



superiorglove®



ASTM TESTING



NOT for spark and flame applications.

**SURE KNIT®**

**#SLSXB18MC**

**#SLSXB18TMC** (Thumbhole version)

- Composite 13-gauge fiber blend
- Treated with Ultra-Fresh
- Attachment clip at bicep
- FDA compliant
- 4330 grams of cut protection
- Available lengths: 18"

**APPLICATIONS:**

Meat Processing (boning, carving), Fish Processing, Poultry Processing, General Food Preparation

**\*NOTE:**

When ordering thumbhole version of sleeve, ensure you include your requested length in the part number, before the "TH".

See following example: KKWCTH will be KKWC18TH.



ASTM TESTING



**CONTENDER®**

**#KFG / #KFGTH\*** (Thumbhole version)

**XS-XL**

**#KFG1 / #KFG1TH\*** (Thumbhole version)

**XS-XL**

- Aramid-encased, composite filament fiber, tapered knit sleeve
- Elasticized STAYz-UP™ non-slip biceps
- 1630 grams of cut protection
- Available lengths: 16", \*18", \*22"

**APPLICATIONS:**

Metal Handling, Automotive, Metal Fabrication, Welding, Grinding



ASTM TESTING



**CONTENDER™**

**#K1T2E22TH**

**L-2XL**

- Aramid cut- and flame-resistant composite, single-layer, tapered knit sleeves
- Wide 2½" blue elastic hugs the bicep
- 2130 grams of cut protection
- Available lengths: 22"

**APPLICATIONS:**

Metal Stamping, Automotive Assembly, Welding, Grinding



ASTM TESTING



**CONTENDER™**

**#KBKB1T**

**#KBKB1TH\*** (Thumbhole version)

- Black Kevlar® and modacrylic wrapped around a composite filament fiber continuous filament core tapered knit sleeve
- Flame retardant and abrasion resistant
- Elasticized STAYz-UP™ non-slip biceps
- Available lengths: \*14, \*18", \*22"

**APPLICATIONS:**

Welding, Metal Handling, Automotive, Metal Fabrication, Oil and Gas Industry, Grinding, Incidental Heat Contact

**SUPERIOR®**

**#KGC1T**

**#KGC1TT\*** (Thumbhole version)

- Tapered knit aramid-encased, composite filament fiber sleeves
- Elasticized STAYz-UP™ non-slip biceps
- 2130 grams of cut protection
- Available lengths: \*18", \*22"

**APPLICATIONS:**

-----  
Metal Handling, Automotive, Welding



ASTM TESTING



**SUPERIOR®**

**#KG/C**

**#KG/CTH\*** (Thumbhole version)

- Tubular knit Kevlar® sleeves
- Inside face of cotton
- 1650 grams of cut protection
- Available lengths: 10", 12", 14", \*18", \*22"

**APPLICATIONS:**

-----  
Metal Handling, Automotive, Metal Fabrication, Welding



ASTM TESTING



**SUPERIOR®**

**#KKWC**

**#KKWCTH\*** (Thumbhole version)

- Double-layer Kevlar® tubular knit stockinette sleeves
- 1354 grams of cut protection
- Available lengths: 6", 9", \*10", \*12", \*14", \*16", \*18", \*22"

**APPLICATIONS:**

-----  
Metal Handling, Automotive, Metal Fabrication, Welding, Incidental Heat Contact



ASTM TESTING



**CONTENDER™**

**#KAWC**

**#KAWCTH\*** (Thumbhole version)

**ONE SIZE**

- Para-aramid cut-resistant and heat-resistant tubular knit sleeves
- 1225 grams of cut protection
- Available lengths: \*10", \*12", \*14", \*18", \*22"

**APPLICATIONS:**

-----  
Metal Handling, Automotive, Metal Fabrication, Welding, Oil and Gas Industry



ASTM TESTING





ASTM TESTING



**CONTENDER™**  
**#KAWC18THLP**

**ONE SIZE**

- Para-aramid cut-resistant and heat-resistant tubular knit sleeves
- Layer of leather on the main wear area to give wrist and forearm protection
- 1225 grams of cut protection
- Available lengths: 18"

**APPLICATIONS:**

Metal Handling, Automotive, Metal Fabrication, Welding, Oil and Gas Industry



ASTM TESTING



**CUTBAN™**  
**#KPG1T22TH**

**S-XL**

- Single-layer tapered knit high-tenacity/composite filament fiber
- Elasticized STAYz-UP™ non-slip biceps
- Available lengths: 22"
- Other lengths available by special order

**APPLICATIONS:**

Metal Handling, Automotive, Metal Fabrication  
NOT for spark and flame applications



ASTM TESTING



**CUTBAN™**  
**#KN1T**  
**#KN1TH\***

- Single-layer tapered knit high-tenacity/composite filament fiber
- Available in 18" with adjustable Velcro® tab at bicep (#KN1T18V - S, L)
- Available lengths: \*18", \*22"

**APPLICATIONS:**

Metal Handling, Automotive, Metal Fabrication



ASTM TESTING



**CUTBAN™**  
**#KPW**  
**#KPWTH\*** (Thumbhole version)

- Double-layer tubular knit sleeves with high-tenacity filament yarn
- Available with optional thumbholes and an extra wide version #KPW18/XL and #KPW18T/XL (Thumbhole version)
- 925 grams of cut protection
- Available lengths: 9", \*12", \*14", \*18", \*22"

**APPLICATIONS:**

Metal Handling, Automotive, Metal Fabrication;  
NOT for spark and flame applications

**CUTBAN™**

**#KP1T**

**XS-2XL**

- Single-layer filament yarn tapered knit sleeves
- Elasticized STAYz-UP™ non-slip biceps
- Available with optional thumbholes and a silicone-free version (#KP1T22SF).
- 925 grams of cut protection
- Available lengths: \*10", \*12", 14", \*18", \*22"

**APPLICATIONS:**

Metal Handling, Automotive, Metal Fabrication;  
NOT for spark and flame applications



ASTM TESTING



**TENACTIV™**

**#KTA**

**#KTATH\*** (Thumbhole version)

**XS-XL**

- Single-layer tapered knit, lint-free UHMWPE high performance filament fiber
- Elasticized STAYz-UP™ non-slip biceps
- Naturally cool feel
- Available lengths: \*18", \*22"

**APPLICATIONS:**

Aerospace, Material Handling, Automotive Assembly, Metal Fabrication, Electronics Assembly



ASTM TESTING



#KTAA #KTAG #KTAB #KTAW



**PROTEX®**

**#KPXW**

**#KPXWTH\*** (Thumbhole version)

- Double-layer tubular knit sleeve made with flame-resistant Protex® yarn
- 615 grams of cut protection
- Available lengths: \*10", \*12", \*14", \*18", \*22"

**APPLICATIONS:**

Metal Handling, Automotive, Metal Fabrication, Welding, Oil and Gas Industry



ASTM TESTING



**PROTEX®**

**#KPXT**

**XS-XL**

**#KPXTH\*** (Thumbhole version)

- Double-layer tapered knit sleeve made with flame-resistant Protex® yarn
- Elasticized STAYz-UP™ non-slip biceps
- 605 grams of cut protection
- Available lengths: \*18", \*22"

**APPLICATIONS:**

Metal Handling, Automotive, Metal Fabrication



ASTM TESTING







superiorglove®

*superiorglove.com* | 1.800.265.7617

